100


100

Start: Mar 25, 4:09:04.458 PM End: Mar 25, 4:10:29.806 PM **Duration: 1 m 25.348 s** Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 19 SKIPPED - 0 SKIPPED - 0 SKIPPED - 15 35 40 50 60 40 50 60 40 50 60 Pass % 70 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 54 %

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To verify user can see the GL report for stock return to vendors	1	0	1	0	1 m 25.348 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To verify user can see the GL report for	Return inventories unwanted by branch to issuers	35	19	1	15	1 m 25.344 s
	stock return to vendors						

DETAILED SECTION -- 4 --

(F)- To verify user can see the GL report for stock return to vendors

FAILED	DURATION - 1 m 25.348 s	Scenarios		Steps	
		Total - 1		Total - 35	
/ 4:09:04.458 PI	M // 4:10:29.806 PM /	Pass - 0	1	Pass - 19	35
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 15	

(S)- Return inventories unwanted by branch to issuers



#	Step / Hook Details	Status	Duration
1	Given Azentio Maker user url	PASSED	28.574 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.563 s
	screenshot		
	The statement of the control of the		
2	Then Click on Second icon page	PASSED	0.523 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.386 s
	screenshot		

# Step / Hook Details	Status	Duration
# \$0.000 (pages - baseloan : 500 to \$0		
3 And Click Inventory Management module	PASSED	1.145 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.180 s
screenshot		
# \$ -000 included # 0.000 incl		
4 And Click on stock return from branch SubModule Eye icon	PASSED	0.772 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.451 s
5 Then Click on stock return from branch Add icon	PASSED	0.547 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.535 s
6 And Click on Request Referance No code	PASSED	0.740 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.134 s
screenshot		

7 Then Click on Issue Referance No code AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 8 And Click on item code AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.258 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.258 s 0.184 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 8 And Click on item code AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.187 s PASSED 0.258 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.184 s
8 And Click on item code AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.258 s O.184 s
8 And Click on item code AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.258 s 0.184 s
8 And Click on item code AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.258 s 0.184 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.184 s
Screenshot
9 And Enter Return Quantity Stock value PASSED 0.239 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot
10 Then Click on Return Type and Choose Type 0.470 s
1 ASSED 0.4703
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.470 3 0.185 s

11 And Click on Return Reason and Choose Type AFTER_STEP - stepdefinitions. Hooks Class. addScreenshot (io.cucumber.java. Scenario) Screenshot AFTER_STEP - stepdefinitions. Hooks Class. addScreenshot (io.cucumber.java. Scenario) Screenshot
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot O.204 s
Screenshot
** ** ** ** ** ** ** ** ** ** ** ** **
Company Comp
12 Then Save the Inventory Stock Record 3.260 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.139 s
screenshot
OF PARTICIPATION 19 19 19 19 19 19 19 1
13 And goto the maker Notification icon PASSED 1.096 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.290 s
screenshot
4 Confidence # Co
14 Then Click Submit icon to Inventory Record PASSED 0.938 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.403 s


15 And Give Remark and submit Inventory field AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot 16 Given Login As Reviewer user AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot 17 And Goto the Reviewer Notification AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.92 s 4FTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.93 s 4FTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.93 s 4FTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.93 s 4FTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.359 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 16 Given Login As Reviewer user AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 17 And Goto the Reviewer Notification AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.992 s 0.993 s 18 Then Find submitted Record from maker End and open the Record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.21 s PASSED 0.221 s PASSED 0.359 s		Universal 1		
screenshot Given Login As Reviewer user	15	And Give Remark and submit Inventory field	PASSED	3.659 s
16 Given Login As Reviewer user AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.951 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.221 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.359 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.207 s
16 Given Login As Reviewer user AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 17 And Goto the Reviewer Notification AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 18 Then Find submitted Record from maker End and open the Record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.92 s 0.92 s 0.951 s PASSED 0.193 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 17 And Goto the Reviewer Notification AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 18 Then Find submitted Record from maker End and open the Record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.092 s 0.092 s		Manufact		
screenshot And Goto the Reviewer Notification AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot Then Find submitted Record from maker End and open the Record AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.951 s 0.193 s 0.193 s	16	Given Login As Reviewer user	PASSED	13.018 s
Arter_step - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Then Find submitted Record from maker End and open the Record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.951 s 0.193 s PASSED 0.221 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.359 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.092 s
17 And Goto the Reviewer Notification PASSED 0.951 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 18 Then Find submitted Record from maker End and open the Record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.221 s PASSED 0.359 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 18 Then Find submitted Record from maker End and open the Record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.193 s 0.221 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.359 s		B O MATERIAL STATE OF THE STATE		
Screenshot 18 Then Find submitted Record from maker End and open the Record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.221 s 0.359 s	17	And Goto the Reviewer Notification	PASSED	0.951 s
18 Then Find submitted Record from maker End and open the Record AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.221 s 0.359 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.193 s
18 Then Find submitted Record from maker End and open the Record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.221 s 0.359 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.359 s		10		
	18	Then Find submitted Record from maker End and open the Record	PASSED	0.221 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.359 s
		screenshot		

#	Step / Hook Details	Status	Duration
	■ © - 100 consistency 100 c		
19	And Approve the Record from Reviewer End	PASSED	2.123 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.161 s
	screenshot	1	
	### O MATCH CONTROL		
20	Then Enter The Remark and submit from Reviewer End	FAILED	0.025 s
	java.lang.NullPointerException: Cannot invoke "java.util.List.stream()" because "this.StockReturnBranchList" is null at dataProvider.JsonConfig.getStockReturnBranchByName(JsonConfig.java:501) at stepdefinitions.INVENTORY_StockReturnBranch.enter_the_remark_and_submit_from_reviewer_end(INVENTORY_StockReturnBranch.java:262) at ?.Enter The Remark and submit from Reviewer End(file:///C:/Users/inindc00082/git/ AzentioAutomationFramework2403/AzentioAutomationFramework/src/test/java/features/INVENTORY_InventoryManagement.feature:80) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.132 s
	screenshot ***********************************		
21	Given Login As Checker user	SKIPPED	0.000 s
22	Then Click module Security management	SKIPPED	0.001 s
23	And Click Sub module open Pool	SKIPPED	0.000 s
24	And Claim the Record Which submit from Reviewer	SKIPPED	0.000 s
25	Then Goto the Checker Notification	SKIPPED	0.000 s
26	And Find submitted Record from Reviewer End and Open the Record	SKIPPED	0.000 s
27	Then Get Item Description value	SKIPPED	0.001 s


DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
28	And Approve the Record from Checker End	SKIPPED	0.000 s
29	Then Enter the Remark and submit from checker End	SKIPPED	0.000 s
30	Given Azentio Maker user url	SKIPPED	0.000 s
31	Then Click on Inventory Maintance module	SKIPPED	0.000 s
32	And click on Master Item eye icon	SKIPPED	0.000 s
33	Then click on the search icon	SKIPPED	0.000 s
34	And Give Item description value and Click Edit icon	SKIPPED	0.000 s
35	When validate the quantity of the Item	SKIPPED	0.000 s


EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --




EXPANDED SECTION -- 15 --




EXPANDED SECTION -- 16 --




EXPANDED SECTION -- 17 --



EXPANDED SECTION -- 18 --





EXPANDED SECTION -- 20 --

