
Duration: 33.507 s Start: Nov 09, 12:51:53.241 PM End: Nov 09, 12:52:26.748 PM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 3 SKIPPED - 0 SKIPPED - 0 SKIPPED - 0 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 75 % 100 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	33.507 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Reviewer approve contract for an active vendor with	4	3	1	0	33.503 s
		expense type Purchases					

DETAILED SECTION -- 4 --

(F)- AR/AP Module

FAILED	DURATION - 33.507 s	Scenarios		Steps	
		Total - 1		Total - 4	
/ 12:51:53.241 P	PM // 12:52:26.748 PM /	Pass - 0	1	Pass - 3	4
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- Reviewer approve contract for an active vendor with expense type Purchases

FAILED	DURATION - 33.503 s		1				Steps	
/ 12:51:53.24	45 PM // 12:52:26.748 PM /	15 -					Total - 4	
, 12/02/00/2		10 -		_			Pass - 3	4
AR/AP Module	e	5 -						
@KUBS_AR//	AP_UAT_001_001_TC_001_02	0 -					Skip - 0	
			1	2	3 4	ı		

#	Step / Hook Details	Status	Duration	
1	And user update the data set ID for vendor contract Reviewer	PASSED	0.627 s	
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.144 s	
	screenshot			
	+]		
		DAGGER	0.050	
2	And User should go to the kubs url and login as a reviewer user	PASSED	6.950 s	
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.311 s	
	screenshot			
	AZENTO AZENTO			

Step / Hook Details	Status	Duration
Then Click on notification button in reviewer	PASSED	1.186 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.194 s
screenshot		
And approve the record by reviewer user	FAILED	17.151 s
org.openga.selenium.NoSuchElementException: no such element: Unable to locate element: ("method":"xpath", "selector":"//span[contains(text(),791)]/ancestor::datatable-body-cell/preceding-sibling::datatable-body-cell/fion-buttor (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element info: version: "4.0.0-c1, revision: "bc5511cbda" System info: host: "INMUVADPO16372", pp: 10.1.47.119", os.name: "Windows 10", os.arc 'amd64", os.version: "10.0", java.version: "17.0.1" Driver info: org.openga.selenium.chrome.ChromeDriver Command: [273883b29b01322774731de05fff57d, findElement (using=xpath, value=//span[contains(text(), "791)]/ancestor::datatable-body-cell//for-button]] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82 chrome: (chromedriverVersion: 99.0.4844.51 (d537ec02474b5, userDatabir: C:Users\NNDC=11AppDatalL), goog:chromeOptions: (debuggerAddress: localhost:50160), javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50160/devtoo, se:cdpVersion: 99.0.4844.82, setWindow true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 273883b29b01f322774731de05fff57d at jdk.internal.reflect.GeneratedConstructorAccessorImpl.newInstance(Unknown Source at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java.499) at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java.499) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java.499) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java.499) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor	"} Build h: eding- /Rect: /,	

DETAILED SECTION -- 6 --

#	Step / Hook Details	Status	Duration
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.134 s
	screenshot		
	AND THE PROPERTY OF THE PROPER		

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Reviewer approve contract for an active vendor with expense type Purchases

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Reviewer approve contract for an active vendor with expense type Purchases

(F) AR/AP Module

