

## **Cucumber Report**



FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	1	0	0	1 m 18.353 s



#	Feature Name	Scenario Name		P	F	S	Duration
1	AR/AP Module	Verify Credit Note is adjusted against the selected bill and	11	11	0	0	1 m 18.340 s
		Net Adjusted Value is correctly displayed					

DETAILED SECTION -- 4 --

## (F)- AR/AP Module

PASSED	DURATION - 1 m 18.353 s	Scenarios		Steps	
		Total - 1		Total - 11	
/ 9:11:02.118 AM	1 // 9:12:20.471 AM /	Pass - 1	1	Pass - 11	11
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## (S)- Verify Credit Note is adjusted against the selected bill and Net Adjusted Value is correctly displayed


PASSED DURATION - 1 m 18.340 s	20.						i				i		Steps		
/ 9:11:02.131 AM // 9:12:20.471 AM /	30 -											1	Total - 11		
AR/AP Module	20 -												Pass - 11	1	1 📜
@AR/AP @KUBS_AR_AP_UAT_004_005_TC_01_01	0 -		<u> </u>		<u> </u>						_		Skip - 0		
@KOB3_AK_AL_OAT_004_003_TC_01_01		1	2	3	4	5	6	7	8	9	10	11			

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	35.825 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.895 s
	screenshot		
	CASCATION  **Wanted lights - basis black - depress () () () () () () () () () () () () ()		
2	And user should navigate to accounts payable menu	PASSED	2.948 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.483 s
	screenshot		
	CASCATION  Weator Eggs - Austriance - address © © grant  Control  Control		


AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  AATER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  AATER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  AATER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  AATER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  AATER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  AATER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  AATER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - s	#	Step / Hook Details	Status	Duration
screenshot  4 And click on add button for invoice booking  AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And user update the data set ID for Invoice against Expense  AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  7 And goto invoice bill booking temp view and select the record  AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.665 s	3	When click on eye button of invoice booking	PASSED	2.202 s
4 And click on add button for invoice booking  AFTER_STEP_stepdefinitions.HooksClass.addScreenshot((io.cucumber.java.Scenario)  Screenshot  5 And user update the data set ID for Invoice against Expense  AFTER_STEP_stepdefinitions.HooksClass.addScreenshot((io.cucumber.java.Scenario))  Screenshot  6 And fill the mendatory field for invoice booking for expenseType invoice  AFTER_STEP_stepdefinitions.HooksClass.addScreenshot((io.cucumber.java.Scenario))  PASSED  6.707 s  AFTER_STEP_stepdefinitions.HooksClass.addScreenshot((io.cucumber.java.Scenario))  PASSED  7 And goto invoice bill booking temp view and select the record  AFTER_STEP_stepdefinitions.HooksClass.addScreenshot((io.cucumber.java.Scenario))  PASSED  2.555 s  AFTER_STEP_stepdefinitions.HooksClass.addScreenshot((io.cucumber.java.Scenario))  PASSED  2.655 s  AFTER_STEP_stepdefinitions.HooksClass.addScreenshot((io.cucumber.java.Scenario))  PASSED  2.665 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.745 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.665 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.665 s				
screenshot  5 And user update the data set ID for Invoice against Expense  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And fill the mendatory field for invoice booking for expenseType invoice  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  7 And goto invoice bill booking temp view and select the record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  2.555 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.665 s	4	And click on add button for invoice booking	PASSED	0.793 s
5 And user update the data set ID for Invoice against Expense  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And fill the mendatory field for invoice booking for expenseType invoice  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  7 And goto invoice bill booking temp view and select the record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  2.555 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.665 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.577 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And fill the mendatory field for invoice booking for expenseType invoice  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  7 And goto invoice bill booking temp view and select the record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  2.555 s  PASSED  0.665 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And fill the mendatory field for invoice booking for expenseType invoice  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  7 And goto invoice bill booking temp view and select the record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  2.555 s  PASSED  0.665 s		AZENTO		
Screenshot  6 And fill the mendatory field for invoice booking for expenseType invoice  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  7 And goto invoice bill booking temp view and select the record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  2.555 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.665 s	5	And user update the data set ID for Invoice against Expense	PASSED	0.694 s
6 And fill the mendatory field for invoice booking for expenseType invoice  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  7 And goto invoice bill booking temp view and select the record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  2.555 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.665 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.364 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  7 And goto invoice bill booking temp view and select the record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  2.555 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  O.408 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  7 And goto invoice bill booking temp view and select the record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  2.555 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  O.408 s		AZENTO  PROFEE SQUE ANALYSIS SETTING C C C C C C C C C C C C C C C C C C C		
7 And goto invoice bill booking temp view and select the record  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.665 s	6	And fill the mendatory field for invoice booking for expenseType invoice	PASSED	6.707 s
7 And goto invoice bill booking temp view and select the record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.665 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.408 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.665 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.665 s		## ASSTTO    Part   Par		
	7	And goto invoice bill booking temp view and select the record	PASSED	2.555 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.665 s
		screenshot		


#	Step / Hook Details	Status	Duration
	Company   Comp		
8	And fill the second tab for expencess details	PASSED	9.157 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.357 s
	screenshot		
	FORTH VARIABLE STATE AND ADDRESS OF THE STATE ADDRESS OF THE STATE AND ADDRESS OF THE STATE ADDRESS OF TH		
9	Then click on the Notification icon	PASSED	0.184 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.687 s
	screenshot		
	### ACCUPTION    Part   Control State   Part   Part   Control State   Part   Part   Part   Control State   Part   P		
10	Then store the Reference ID and open the invoice booking record	PASSED	1.943 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.935 s
	screenshot		
	### Description		
11	Then click submit and enter remark for invoice booking	PASSED	3.810 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.334 s
	screenshot		
	FERTION  FAMILY STATES AND STATES		

EXPANDED SECTION --- 7




EXPANDED SECTION --- 8 -






EXPANDED SECTION --- 10 --



EXPANDED SECTION --- 11 --



EXPANDED SECTION -- 12 --

