Cucumber Report

| Start : Jan 13, 12:57:55.804 pm	End : Jan 13, 12:58:14.971 pm	Duration : 19.167 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 10 FAILED - 0 SKIPPED - 0

#	Feature Name	T	P	F	S	Duration
1	Check Budget Request and Allocation feature module	1	1	0	0	19.167 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check Budget Request and Allocation feature module	System Should follow the flow as Search criteria	10	10	0	0	19.162 s

(F)- Check Budget Request and Allocation feature module

PASSED	DURATION - 19.167 s		Scenarios		Steps	
/ 12:57:55.804 pm // 12:58:14.971 pm /			Total - 1		Total - 10	
			Pass - 1	**1**	Pass - 10	**10**
			Fail - 0		Fail - 0	
			Skip - 0		Skip - 0	

(S)- System Should follow the flow as Search criteria

PASSED	DURATION - 19.162 s		Steps	
/ 12:57:55.809 pm // 12:58:14.971 pm /			Total - 10	
Check Budget Request and Allocation feature module			Pass - 10	**10**
@KUBS_SEARCH_CRITERIA_MODIFICATION_-BP_BC_19_01			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Navigate the Azentio Url Maker	PASSED	12.884 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.131 s
	screenshot		
2	Then Click Transfer icon button Maker	PASSED	0.255 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.223 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	And Click to Budget module in Maker	PASSED	0.108 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.151 s
	screenshot		
4	Then Click Budget module Budget Request and Allocation Edit Icon	PASSED	0.194 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.294 s
	screenshot		
5	And Click search icon	PASSED	0.113 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.223 s
	screenshot		
6	Then Enter the search code	PASSED	0.155 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.183 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	And Click action button	PASSED	0.183 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.248 s
	screenshot 		
8	Then Capture the code	PASSED	0.078 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.295 s
	screenshot 		
9	And Modify the Code	PASSED	0.232 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.153 s
	screenshot 		
10	And After modify click save button	PASSED	0.097 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.321 s
	screenshot		

#	Step / Hook Details	Status	Duration

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System Should follow the flow as Search criteria

(F) Check Budget Request and Allocation feature module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System Should follow the flow as Search criteria

(F) Check Budget Request and Allocation feature module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) System Should follow the flow as Search criteria	
(F) Check Budget Request and Allocation feature module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) System Should follow the flow as Search criteria	
(F) Check Budget Request and Allocation feature module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System Should follow the flow as Search criteria

(F) Check Budget Request and Allocation feature module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System Should follow the flow as Search criteria

(F) Check Budget Request and Allocation feature module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System Should follow the flow as Search criteria

(F) Check Budget Request and Allocation feature module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System Should follow the flow as Search criteria

(F) Check Budget Request and Allocation feature module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System Should follow the flow as Search criteria

(F) Check Budget Request and Allocation feature module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System Should follow the flow as Search criteria

(F) Check Budget Request and Allocation feature module