Cucumber Report

Start : Mar 21, 12:08:41.915 pm	*End : Mar 21, 12:09:01.577 pm*	*Duration : 19.662 s*
Features	*Scenarios*	*Steps*

PASSED - 0	PASSED - 0	PASSED - 5
FAILED - 1	FAILED - 1	FAILED - 1
SKIPPED - 0	SKIPPED - 0	SKIPPED - 18

Features: 1

Scenarios: 1

**Steps:** 24

**Features Pass %:** 0 %

Scenarios Pass %: 0 %

Steps Pass %: 20 %

| #	Feature Name	T	P	F	S	Duration
1	Check the Functionality of the GL2 Module	1	0	1	0	19.662 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of the GL2 Module	Modify the accounting book	24	5	1	18	19.657 s

(F)- Check the Functionality of the GL2 Module

FAILED	DURATION - 19.662 s	Scenarios		Steps	
/ 12:08:41.915 pm // 12:09:01.577 pm /		Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 24 Pass - 5 Fail - 1 Skip - 18	24

(S)- Modify the accounting book

FAILED	DURATION - 19.657 s		Steps	
/ 12:08:41.920 pm // 12:09:01.577 pm /			Total - 24 Pass - 5 Fail - 1 Skip - 18	24
Check the Functionality of the GL2 Module				
@KUBS_GL_UAT_002_004				

#	Step / Hook Details	Status	Duration
1	Given Navigate to Azentio Kubs	PASSED	12.449 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.143 s
	screenshot		
2	And Click on Accounting Setup module	PASSED	0.107 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.189 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	Then Click sub module Accounting book definition	PASSED	0.387 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.264 s
	screenshot		
4	Then Click on Table Row First Edit Icon	PASSED	0.146 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.326 s
	screenshot		
5	And Enter Modify Book Name	PASSED	0.366 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.205 s
	screenshot		
6	And Save the Record	FAILED	1.177 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button color="primary" ng-reflect-color="primary" ng-reflect-disabled="true" aria-disabled="true" class="ion-color ion-color-primary md button button-clear in-toolbar button-disabled ion-activatable ion-focusable hydrated" disabled="">...</ion-button> is not clickable at point (1414, 88). Other element would receive the click: <ion-buttons slot="end" class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated">...</ion-buttons> (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.		

#	Step / Hook Details	Status	Duration

	name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [12407d8cb30e6355d3f89a7901395409, clickElement {id=01fcc6ae-81ca-4d22-83fe-20c00de0a7ea}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:60884}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60884/devtoo..., se:cdpVersion: 99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (12407d8cb30e6355d3f89a7901395409)] -> xpath: //div[1]/ion-header[1]/ion-toolbar[1]/ion-buttons[2]/ion-button[1]] Session ID: 12407d8cb30e6355d3f89a7901395409
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)
	  at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	  at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
	  at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source)
	  at stepdefinitions.GL2_Accounting_Book_Definition.save_the_record(GL2_Accounting_Book_Definition.java:136)
	  at ?.Save the Record(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/GL2_Accounting_Setup.feature:86)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.113 s

#	Step / Hook Details	Status	Duration
7	Then Goto The Notification Icon	SKIPPED	0.001 s
8	And Store the Referance Id and Open the Record	SKIPPED	0.000 s
9	Then Click submit button and Enter Remark submit it	SKIPPED	0.000 s
10	Given Navigate as a Reviewer	SKIPPED	0.000 s
11	Then click on Notify icon	SKIPPED	0.000 s
12	And Click First record Action icon	SKIPPED	0.001 s
13	Then Approve the record in Reviewer	SKIPPED	0.000 s
14	And Give Remark and Submit	SKIPPED	0.000 s
15	Given Navigate as a Checker	SKIPPED	0.000 s
16	Then Click module security management	SKIPPED	0.000 s
17	And Claim the Record in Checker	SKIPPED	0.000 s
18	Then Goto the Checker notification Icon	SKIPPED	0.000 s
19	And Click the First Action Icon	SKIPPED	0.000 s
20	Then Approve the Record in checker stage	SKIPPED	0.001 s
21	And Give the Remark and Submit it	SKIPPED	0.000 s
22	Given Navigate to Azentio Kubs	SKIPPED	0.000 s
23	And Click on Accounting Setup module	SKIPPED	0.000 s
24	Then Click on Table Row First Eye Icon	SKIPPED	0.000 s

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Modify the accounting book	
(F) Check the Functionality of the GL2 Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Modify the accounting book	
(F) Check the Functionality of the GL2 Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Modify the accounting book

(F) Check the Functionality of the GL2 Module

Actions		Legal Entity Name	Accounting Book Name	Code	Book Type	Template Type	Txn Date	Created By
👁 ✏		Azentio Software	Testing_02	ACCBOOK-08	IFRS Book	Base Template	10-Nov-2022	1002435
👁 ✏		Azentio Software	Testing02	ACCBOOK-07	IFRS Book	CUSTOM_TEMPLATE	10-Nov-2022	1002435
👁 ✏		Azentio Software	Testing01	ACCBOOK-06	IFRS Book	Base Template	10-Nov-2022	1002435
👁 ✏		Azentio Software	ledger		GAAP	CUSTOM_TEMPLATE	18-Mar-2022	1002435
👁 ✏		Azentio Software	aCC BOOK	ACCBOOK-04	IFRS Book	Base Template	18-Mar-2022	1002435
👁 ✏		Azentio Software	Account_Base		IFRS Book	Base Template	17-Mar-2022	1002435
👁 ✏		Azentio Software	CUSTOM BOOK2	ACCBOOK-02	IFRS Book	CUSTOM_TEMPLATE	18-Jan-2022	1002435
👁 ✏		Azentio Software	CUSTOM BOOK		IFRS Book	CUSTOM_TEMPLATE	18-Jan-2022	1002435

12 total

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Modify the accounting book

(F) Check the Functionality of the GL2 Module

Actions		Legal Entity Name	Accounting Book Name	Code	Book Type	Template Type	Txn Date	Created By
👁 ✏		Azentio Software	Testing_02	ACCBOOK-08	IFRS Book	Base Template	10-Nov-2022	1002435
👁 ✏		Azentio Software	Testing02	ACCBOOK-07	IFRS Book	CUSTOM_TEMPLATE	10-Nov-2022	1002435
👁 ✏		Azentio Software	Testing01	ACCBOOK-06	IFRS Book	Base Template	10-Nov-2022	1002435
👁 ✏		Azentio Software	ledger		GAAP	CUSTOM_TEMPLATE	18-Mar-2022	1002435
👁 ✏		Azentio Software	aCC BOOK	ACCBOOK-04	IFRS Book	Base Template	18-Mar-2022	1002435
👁 ✏		Azentio Software	Account_Base		IFRS Book	Base Template	17-Mar-2022	1002435
👁 ✏		Azentio Software	CUSTOM BOOK2	ACCBOOK-02	IFRS Book	CUSTOM_TEMPLATE	18-Jan-2022	1002435
👁 ✏		Azentio Software	CUSTOM BOOK		IFRS Book	CUSTOM_TEMPLATE	18-Jan-2022	1002435

12 total

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Modify the accounting book	
(F) Check the Functionality of the GL2 Module	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Modify the accounting book	
(F) Check the Functionality of the GL2 Module	