Cucumber Report

24-Jan-2022, 1:31:55 pm

Start : Jan 24, 1:31:26.868 pm	End : Jan 24, 1:31:54.651 pm	Duration : 27.783 s

Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 12 FAILED - 1 SKIPPED - 15









#	Feature Name	T	P	F	S	Duration
1	Check The Azentio UAT functionaliy	1	0	1	0	27.783 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check The Azentio UAT functionaliy	Check requested budget for budget code can be Rejected	28	12	1	15	27.777 s

(F)- Check The Azentio UAT functionaliy

FAILED	DURATION - 27.783 s	Scenarios		Steps	
/ 1:31:26.868 pm // 1:31:54.651 pm /		Total - 1 Pass - 0 Fail - 1 Skip - 0		Total - 28 Pass - 12 Fail - 1 Skip - 15	

(S)- Check requested budget for budget code can be Rejected

FAILED	DURATION - 27.777 s		Steps	
/ 1:31:26.874 pm // 1:31:54.651 pm /			Total - 28 Pass - 12 Fail - 1 Skip - 15	
Check The Azentio UAT functionaliy				
@KUBS_UAT_BudgetReject_KUBS_BP_UAT_00-2_006				

#	Step / Hook Details	Status	Duration
1	Given Navigate to the Azentio Url	PASSED	10.598 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.257 s
	screenshot		
	 +		
2	Then click the Two Direction Icon	PASSED	0.597 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.239 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	And click to the Budget	PASSED	0.098 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.176 s
	screenshot		
			
4	Then click on the Budget Sub module Budget Request and Allocation Near Eye Icon	PASSED	0.171 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.302 s
	screenshot		
			
5	And click on the Add icon in Request and Allocation	PASSED	0.220 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.264 s
	screenshot		
			
6	Then Current Budget Code	PASSED	0.260 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.181 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	And select the Budget Year	PASSED	0.357 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.212 s
	screenshot		
			
8	Then click on the Branch	PASSED	0.104 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.195 s
	screenshot		
			
9	And Select Branch checkbox	PASSED	0.135 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.145 s
	screenshot		
			
10	Then click on the Branch ok button	PASSED	0.097 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.210 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	Then select one currency we need	PASSED	0.234 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.204 s
	screenshot		
			
12	And Budget Amount for Budget Type Show in Budget type field	PASSED	4.450 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.127 s
	screenshot		
			
13	And click on the save button	FAILED	1.145 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button color="primary" ng-reflect-color="primary" ng-reflect-disabled="true" aria-disabled="true" class="ion-color ion-color-primary md button button-clear in-toolbar button-disabled ion-activatable ion-focusable hydrated" disabled="">...</ion-button> is not clickable at point (1413, 88). Other element would receive the click: <ion-buttons slot="end" class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated">...</ion-buttons> (Session info: chrome=97.0.4692.71) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ca2babad7ac218610b9fe66cdd63fb6f, clickElement {id=6277ea97-0c99-4755-879f-dce8fc8be049}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 97.0.4692.71, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:50628}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50628/devtoo..., se:cdpVersion: 97.0.4692.71, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (ca2babad7ac218610b9fe66cdd63fb6f)] -> xpath: //div[1]/ion-header[1]/ion-toolbar[1]/ion-buttons[2]/ion-button[1]] Session ID: ca2babad7ac218610b9fe66cdd63fb6f at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source) at stepdefinitions.Budget_BudgetRequestandAllocation_UAT.click_on_the_save_button(Budget_BudgetRequestandAllocation_UAT.java:162) at ?.click on the save button(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/BUDGET_BudgetRequestandAllocation_UAT.feature:111) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.117 s
14	Then click on the Maker icon button	SKIPPED	0.000 s
15	And click on the Record submit	SKIPPED	0.001 s
16	Given Azentio Url login as Reviewer	SKIPPED	0.000 s
17	Then Click on Reviewer Notification icon	SKIPPED	0.000 s
18	And Click on to Reviewer Action button	SKIPPED	0.000 s
19	Then Click on to Approve button in Reviewer	SKIPPED	0.000 s
20	And Submit the record in reviewer	SKIPPED	0.000 s
21	Given Azentio Url login as checker page	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
22	Then click on the security management	SKIPPED	0.000 s
23	And Click on the sub module open pool near Edit icon	SKIPPED	0.000 s
24	Then Click the claim option icon	SKIPPED	0.000 s
25	And Click on the checker notification icon	SKIPPED	0.000 s
26	Then click the checker action icon	SKIPPED	0.001 s
27	And Reject the Record in checker	SKIPPED	0.000 s
28	Then Submit the Rejecting Record in checker	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check requested budget for budget code can be Rejected	
(F) Check The Azentio UAT functionaliy	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check requested budget for budget code can be Rejected	
(F) Check The Azentio UAT functionaliy	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check requested budget for budget code can be Rejected

(F) Check The Azentio UAT functionaliy



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check requested budget for budget code can be Rejected

(F) Check The Azentio UAT functionaliy



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check requested budget for budget code can be Rejected

(F) Check The Azentio UAT functionaliy



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check requested budget for budget code can be Rejected

(F) Check The Azentio UAT functionaliy



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check requested budget for budget code can be Rejected

(F) Check The Azentio UAT functionaliy



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check requested budget for budget code can be Rejected

(F) Check The Azentio UAT functionaliy



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check requested budget for budget code can be Rejected

(F) Check The Azentio UAT functionaliy



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check requested budget for budget code can be Rejected

(F) Check The Azentio UAT functionaliy



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check requested budget for budget code can be Rejected

(F) Check The Azentio UAT functionaliy



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check requested budget for budget code can be Rejected

(F) Check The Azentio UAT functionaliy



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Check requested budget for budget code can be Rejected

(F) Check The Azentio UAT functionaliy