

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP Module	1	1	0	0	32.214 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP	Verify Accounting entries post Debit note is approved	18	18	0	0	32.207 s
	<u>Module</u>						

DETAILED SECTION -- 4 --

## (F)- Check the Functionality of AR/AP Module

PASSED	DURATION - 32.214 s	Scenarios		Steps	
		Total - 1		Total - 18	
/ 11:53:40.595	am // 11:54:12.809 am /	Pass - 1	1	Pass - 18	18
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## (S)- Verify Accounting entries post Debit note is approved



#	Step / Hook Details	Status	Duration
1	Given Navigate The Azentio Url	PASSED	11.640 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.131 s
	screenshot		
	■ Proceedings   Procedings   Proceedings   Proceedings   Proceedings   Proceedings   Proceedings   Proceedings   Proceedings   Proceedings   Proceedings   Procedings   Proceedings   Procedings   Procedings   Procedings   Procedings   Proceedings   Proceedings   Proce		
2	Then Choose the second Tab Segment	PASSED	0.327 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.184 s
	screenshot		

3 And Click On Main module Accounts Receivable  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  4 Then Click on Accounts Receivable Debit Note Eye Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepde	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  4 Then Click on Accounts Receivable Debit Note Eye Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  5 And Click On Search Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And Click On Search Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  4 Then Enter Active Value In Debit Not Eye Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitio				
Screenshot   Scr	3	And Click On Main module Accounts Receivable	PASSED	0.123 s
Then Click on Accounts Receivable Debit Note Eye Icon  ATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  The Add Click On Search Icon  ATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  The Add Click On Search Icon  ATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  The Add Click On Search Icon  ATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  The Add Click On Search Icon  ATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  The Add Click On Search Icon  ATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  The Add Click On Search Icon  ATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  The Add Click On Search Icon  ATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  The Add Click On Search Icon  ATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  The Add Click On Search Icon  ATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  The Add Click On Search Icon  Add Click On Search Icon  ATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  The Add Click On Search Icon  Add Click On Search Icon  ATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  The Add Click On Search Icon  Add Click On Search Ico		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.189 s
Then Click on Accounts Receivable Debit Note Eye Icon  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  And Click On Search Icon  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  And Click On Search Icon  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  Then Enter Active Value In Debit Not Status  PASSED  O.254 s  O.254 s		screenshot	1	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  5 And Click On Search Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  6 Then Enter Active Value In Debit Not Status  D.244 s  0.244 s  0.244 s  0.254 s		Provide G 0 T T T T T T T T T T T T T T T T T T		
screenshot  And Click On Search Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  The Enter Active Value In Debit Not Status  PASSED  D.254 s	4	Then Click on Accounts Receivable Debit Note Eye Icon	PASSED	0.410 s
5 And Click On Search Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot  The Inter Active Value In Debit Not Status  PASSED  O.253 s  PASSED  O.254 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.244 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then Enter Active Value In Debit Not Status  PASSED  0.253 s  PASSED  0.253 s  PASSED  0.253 s			_	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then Enter Active Value In Debit Not Status  PASSED  0.253 s  PASSED  0.253 s  PASSED  0.253 s	_	And Olish On Connel Loon	DACCED	0.105 -
Screenshot  Then Enter Active Value In Debit Not Status  PASSED  0.254 s	5			
6 Then Enter Active Value In Debit Not Status  PASSED  0.254 s			PASSED	0.200 8
			_	
AFTER CTER standsfinitions HaddeClass addCovernehot(is quaymber in a Conneil)	6	Then Enter Active Value In Debit Not Status	PASSED	0.254 s
AFTER_STEP - stepdelinitions.hooksClass.addScreenshot(lo.cucumber.java.Scenano)		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.205 s
screenshot		screenshot		

7 Then Click on Table Row First Eye Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  8 And Get The Bp Name and Debit Number Store It  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.510 s  2.102 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.121 s  3 Then Third Segment report Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.308 s  PASSED  0.157 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  8 And Get The Bp Name and Debit Number Store It  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  9 Then Third Segment report Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.510 s  0.510 s				
Screenshot  8 And Get The Bp Name and Debit Number Store It  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  9 Then Third Segment report Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.308 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  1	7	Then Click on Table Row First Eye Icon	PASSED	0.133 s
8 And Get The Bp Name and Debit Number Store it  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  9 Then Third Segment report Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.308 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.510 s
8 And Get The Bp Name and Debit Number Store It  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  9 Then Third Segment report Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.308 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  0.121 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  9 Then Third Segment report Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  passed  0.121 s  0.121 s		0 M 1 M 1 M 1 M 1 M 1 M 1 M 1 M 1 M 1 M		
Screenshot  9 Then Third Segment report Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Screenshot  PASSED  0.308 s  0.157 s	8	And Get The Bp Name and Debit Number Store It	PASSED	2.102 s
9 Then Third Segment report Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.121 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot		Description   Description		
screenshot	9	Then Third Segment report Icon	PASSED	0.308 s
E Q CATALONDONIA STATE OF THE S		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.157 s
9: \$\overline{1}\$ \$\overline{1}\$ \$\overline{1}\$\$ \$\overline{1}\$\$ \$\overline{1}\$\$\$ \$\overline{1}\$				
		9 5 0 comm		
10 And Choose Enquiry Module PASSED 0.134 s	10	And Choose Enquiry Module	PASSED	0.134 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.140 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.140 s
screenshot		screenshot		


#	Step / Hook Details	Status	Duration
	## \$\frac{1}{2} \frac{1}{2} \f		
11	Then Click Note iCon near by financial transction	PASSED	0.162 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.161 s
	screenshot		
12	And choose branch code	PASSED	0.448 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.157 s
	Screenshot	_	
13	And click on transaction from date in calender	PASSED	0.184 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  **Texact	PASSED	0.180 s
14	Then Select from date in calender	PASSED	0.445 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.131 s
	screenshot		


#	Step / Hook Details	Status	Duration
	Possible Section 1 Section 2 Section		
15	And click on transaction to date in calender icon	PASSED	0.161 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.165 s
	screenshot		
	POUR DE SANCE DE SANC		
16	Then Select To date in calender	PASSED	0.826 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.181 s
	screenshot	1	
	0   0   0   0   0   0   0   0   0   0		
	100 € 100 €		
17	And Click View HyperLink	PASSED	0.101 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.164 s
	screenshot		
	20   20   20   20   20   20   20   20		
18	Then Verify Accounting entries post Debit Note is approved	PASSED	7.834 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.115 s
	screenshot		

DETAILED SECTION -- 9 --


#	Step / Hook Details	Status	Duration
	1		

EXPANDED SECTION -- 10 --







EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --



EXPANDED SECTION -- 17 --

