# Cucumber Report

| Start : Feb 04, 9:06:46.192 AM | End : Feb 04, 9:07:47.342 AM | Duration : 1 m 1.150 s |
|---|---|---|
| Features | Scenarios | Steps |
| PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 16<br>FAILED - 1<br>SKIPPED - 1 |

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | INVENTORY MAINTENANCE | 1 | 0 | 1 | 0 | 1 m 1.150 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | INVENTORY MAINTENANCE | Create denomination details | 18 | 16 | 1 | 1 | 1 m 1.145 s |

## (F)- INVENTORY MAINTENANCE

| FAILED | DURATION - 1 m 1.150 s | Scenarios | | Steps | |
|---|---|---|---|---|---|
| | | Total - 1 | | Total - 18 | |
| / 9:06:46.192 AM // 9:07:47.342 AM / | | Pass - 0 | 1 | Pass - 16 | 18 |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 1 | |

## (S)- Create denomination details

| FAILED | DURATION - 1 m 1.145 s | | Steps | |
|---|---|---|---|---|
| / 9:06:46.197 AM // 9:07:47.342 AM / | | | Total - 18 | |
| INVENTORY MAINTENANCE | | | Pass - 16 | 18 |
| @KUBS_INV_MGMT_UAT_002_002 | | | Fail - 1 | |
| | | | Skip - 1 | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given User should navigate to the kubs url and login as a maker user | PASSED | 12.628 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.580 s |
| | screenshot | | |
| |  + | | |
| 2 | And user should navigate to denomination master menu | PASSED | 0.292 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.197 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 3 | When click on eye button of denomination master | PASSED | 0.478 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.569 s |
| | screenshot | | |
| |  | | |
| 4 | And click on add button to create denomination details | PASSED | 0.360 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.481 s |
| | screenshot | | |
| |  | | |
| 5 | And Fill the required fields to create denomination details | PASSED | 1.536 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.195 s |
| | screenshot | | |
| |  | | |
| 6 | Then Save and submit the creation denomination details | PASSED | 6.344 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.157 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 7 | And User should go to the kubs url and login as a reviewer user | PASSED | 8.709 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.102 s |
| | screenshot | | |
| |  | | |
| 8 | Then Click on notification button in reviewer | PASSED | 0.223 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.563 s |
| | screenshot | | |
| |  | | |
| 9 | And approve the record by reviewer user | PASSED | 3.803 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.115 s |
| | screenshot | | |
| |  | | |
| 10 | Given User should go to the kubs url and login as a checker user | PASSED | 9.812 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.173 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 11 | And Click on security management in checker | PASSED | 0.204 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.196 s |
| | screenshot | | |
| |  | | |
| 12 | Then Click on open pool in checker | PASSED | 0.141 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.182 s |
| | screenshot | | |
| |  | | |
| 13 | And Click on claim button in checker | PASSED | 0.072 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.213 s |
| | screenshot | | |
| |  | | |
| 14 | And capture claimed status | PASSED | 0.222 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.193 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 15 | Then click on notification in checker | PASSED | 0.233 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.388 s |
| | screenshot<br> | | |
| 16 | Then checker should approved the denomination details | PASSED | 3.787 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.150 s |
| | screenshot<br> | | |
| 17 | And system should show the prompt message | FAILED | 2.029 s |
| | org.openqa.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [727175ec4178ef642d3b489f8558b1a1, actions {actions=[org.openqa.selenium. interactions.Sequence@57b711b6]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:54056}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:54056/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 727175ec4178ef642d3b489f8558b1a1<br>  at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:362)<br>  at org.openqa.selenium.json.JsonOutput.lambda$new$16(JsonOutput.java:154)<br>  at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)<br>  at org.openqa.selenium.json.JsonOutput.lambda$new$22(JsonOutput.java:169)<br>  at java.base/java.util.stream.ForEachOps$ForEachOp$OfRef.accept(ForEachOps.java:183)<br>  at java.base/java.util.stream.ReferencePipeline$2$1.accept(ReferencePipeline.java:179) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133) | | |
| | at java.base/java.util.Spliterators$IteratorSpliterator.forEachRemaining(Spliterators.java:1845) | | |
| | at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) | | |
| | at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) | | |
| | at java.base/java.util.stream.ForEachOps$ForEachOp.evaluateSequential(ForEachOps.java:150) | | |
| | at java.base/java.util.stream.ForEachOps$ForEachOp$OfRef.evaluateSequential(ForEachOps.java:173) | | |
| | at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) | | |
| | at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596) | | |
| | at org.openqa.selenium.json.JsonOutput.lambda$new$23(JsonOutput.java:169) | | |
| | at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) | | |
| | at org.openqa.selenium.json.JsonOutput.lambda$new$24(JsonOutput.java:182) | | |
| | at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:66) | | |
| | at org.openqa.selenium.json.JsonOutput.lambda$new$25(JsonOutput.java:177) | | |
| | at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) | | |
| | at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:278) | | |
| | at org.openqa.selenium.json.Json.toJson(Json.java:42) | | |
| | at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:253) | | |
| | at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:172) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:615) | | |
| | at org.openqa.selenium.interactions.Actions$BuiltAction.perform(Actions.java:617) | | |
| | at org.openqa.selenium.interactions.Actions.perform(Actions.java:573) | | |
| | at helper.ClicksAndActionsHelper.moveToElement(ClicksAndActionsHelper.java:36) | | |
| | at stepdefinitions.ACCOUNTSPAYABLE_VendorContracts. system_should_show_the_prompt_message(ACCOUNTSPAYABLE_VendorContracts.java:307) | | |
| | at ?.system should show the prompt message(file:///C:/Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test/java/features/ INVENTORY_MAINTENANCE_DenominationMaster.feature:24) | | |
| | Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: driver.version: RemoteWebDriver     at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:303)     at org. openqa.selenium.json.Json.toJson(Json.java:40)     at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec. encode(AbstractHttpCommandCodec.java:253)     at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec. encode(AbstractHttpCommandCodec.java:127)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor. java:172)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)     at org. openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)     at org.openqa.selenium.remote. RemoteWebDriver.execute(RemoteWebDriver.java:547)     at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver. java:615)     at org.openqa.selenium.interactions.Actions$BuiltAction.perform(Actions.java:617)     at org.openqa.selenium.interactions. Actions.perform(Actions.java:573)     at helper.ClicksAndActionsHelper.moveToElement(ClicksAndActionsHelper.java:36)     at stepdefiniti ons.ACCOUNTSPAYABLE_VendorContracts.system_should_show_the_prompt_message(ACCOUNTSPAYABLE_VendorContracts.java:307) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect. NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl. | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | invoke(DelegatingMethodAccessorImpl.java:43)      at java.base/java.lang.reflect.Method.invoke(Method.java:568)      at io.cumber.java. Invoker.doInvoke(Invoker.java:66)      at io.cucumber.java.Invoker.invoke(Invoker.java:24)      at io.cucumber.java.AbstractGlueDefinition. invokeMethod(AbstractGlueDefinition.java:47)      at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)      at io. cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)      at io.cucumber.core.runner.PickleStepDefinitionMatch. runStep(PickleStepDefinitionMatch.java:63)      at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)      at io. cucumber.core.runner.TestStep.executeStep(TestStep.java:92)      at io.cucumber.core.runner.TestStep.run(TestStep.java:64)      at io. cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)      at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)      at io.cucumber.testng.TestNGCucumberRunner. lambda$runScenario$0(TestNGCucumberRunner.java:116)      at io.cucumber.core.runtime.CucumberExecutionContext. runTestCase(CucumberExecutionContext.java:117)      at io.cucumber.testng.TestNGCucumberRunner. runScenario(TestNGCucumberRunner.java:113)      at io.cucumber.testng.AbstractTestNGCucumberTests. runScenario(AbstractTestNGCucumberTests.java:31)      at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)      at java.base/jdk.internal.reflect. DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)      at java.base/java.lang.reflect.Method.invoke(Method. java:568)      at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)      at org.testng.internal. TestInvoker.invokeMethod(TestInvoker.java:598)      at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)      at org. testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)      at org.testng.internal.TestInvoker$MethodInvocationAgent. invoke(TestInvoker.java:824)      at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)      at org.testng.internal. TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)      at org.testng.internal.TestMethodWorker.run(TestMethodWorker. java:128)      at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)      at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596)      at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)      at org.testng. SuiteRunner.runSequentially(SuiteRunner.java:371)      at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)      at org.testng. SuiteRunner.run(SuiteRunner.java:276)      at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)      at org.testng. SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)      at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)      at org.testng. TestNG.runSuitesLocally(TestNG.java:1134)      at org.testng.TestNG.runSuites(TestNG.java:1063)      at org.testng.TestNG.run(TestNG. java:1031)      at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)      at org.testng.remote.RemoteTestNG. initAndRun(RemoteTestNG.java:251)      at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) Caused by: java.lang.reflect. InvocationTargetException<br>   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br>   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)<br>   at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)<br>   at java.base/java.lang.reflect.Method.invoke(Method.java:568)<br>   at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:358)<br>   at org.openqa.selenium.json.JsonOutput.lambda$new$16(JsonOutput.java:154)<br>   at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)<br>   at org.openqa.selenium.json.JsonOutput.lambda$new$22(JsonOutput.java:169)<br>   at java.base/java.util.stream.ForEachOps$ForEachOp$OfRef.accept(ForEachOps.java:183)<br>   at java.base/java.util.stream.ReferencePipeline$2$1.accept(ReferencePipeline.java:179)<br>   at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133)<br>   at java.base/java.util.Spliterators$IteratorSpliterator.forEachRemaining(Spliterators.java:1845)<br>   at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509)<br>   at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499)<br>   at java.base/java.util.stream.ForEachOps$ForEachOp.evaluateSequential(ForEachOps.java:150)<br>   at java.base/java.util.stream.ForEachOps$ForEachOp$OfRef.evaluateSequential(ForEachOps.java:173)<br>   at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596) | | |
| | at org.openqa.selenium.json.JsonOutput.lambda$new$23(JsonOutput.java:169) | | |
| | at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) | | |
| | at org.openqa.selenium.json.JsonOutput.lambda$new$24(JsonOutput.java:182) | | |
| | at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:66) | | |
| | at org.openqa.selenium.json.JsonOutput.lambda$new$25(JsonOutput.java:177) | | |
| | at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) | | |
| | at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:278) | | |
| | at org.openqa.selenium.json.Json.toJson(Json.java:42) | | |
| | at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:253) | | |
| | at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:172) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:615) | | |
| | at org.openqa.selenium.interactions.Actions$BuiltAction.perform(Actions.java:617) | | |
| | at org.openqa.selenium.interactions.Actions.perform(Actions.java:573) | | |
| | at helper.ClicksAndActionsHelper.moveToElement(ClicksAndActionsHelper.java:36) | | |
| | at stepdefinitions.ACCOUNTSPAYABLE_VendorContracts. system_should_show_the_prompt_message(ACCOUNTSPAYABLE_VendorContracts.java:307) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |
| | at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) | | |
| | at io.cucumber.java.Invoker.invoke(Invoker.java:24) | | |
| | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) | | |
| | at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) | | |
| | at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) | | |
| | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) | | |
| | at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10) | | |
| | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) | | |
| | at io.cucumber.core.runner.TestStep.run(TestStep.java:64) | | |
| | at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) | | |
| | at io.cucumber.core.runner.TestCase.run(TestCase.java:104) | | |
| | at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$0(TestNGCucumberRunner.java:116) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) | | |
| | at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |
| | at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) | | |
| | at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) | | |
| | at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) | | |
| | at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) | | |
| | at org.testng.internal.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:824) | | |
| | at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) | | |
| | at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) | | |
| | at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) | | |
| | at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) | | |
| | at org.testng.TestRunner.privateRun(TestRunner.java:794) | | |
| | at org.testng.TestRunner.run(TestRunner.java:596) | | |
| | at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) | | |
| | at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) | | |
| | at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) | | |
| | at org.testng.SuiteRunner.run(SuiteRunner.java:276) | | |
| | at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) | | |
| | at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) | | |
| | at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) | | |
| | at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) | | |
| | at org.testng.TestNG.runSuites(TestNG.java:1063) | | |
| | at org.testng.TestNG.run(TestNG.java:1031) | | |
| | at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) | | |
| | at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) | | |
| | at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) | | |
| | Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//body/div/div/div/div[1]"}   (Session info: chrome=96.0.4664.45) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [727175ec4178ef642d3b489f8558b1a1, findElement {using=xpath, value=//body/div/div/div/div[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:54056}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:54056/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 727175ec4178ef642d3b489f8558b1a1 | | |
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)<br>at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)<br>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)<br>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>at jdk.proxy2/jdk.proxy2.$Proxy46.getWrappedElement(Unknown Source)<br>at org.openqa.selenium.interactions.PointerInput$Origin.asArg(PointerInput.java:201)<br>at org.openqa.selenium.interactions.PointerInput$Move.encode(PointerInput.java:152)<br>at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:73)<br>at org.openqa.selenium.interactions.Sequence.toJson(Sequence.java:82)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)<br><br>screenshot | PASSED | 0.108 s |
| 18 | And checker logout | SKIPPED | 0.000 s |

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)



(S) Create denomination details

(F) INVENTORY MAINTENANCE

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)



(S) Create denomination details

(F) INVENTORY MAINTENANCE

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create denomination details

(F) INVENTORY MAINTENANCE



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create denomination details

(F) INVENTORY MAINTENANCE

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create denomination details

(F) INVENTORY MAINTENANCE



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create denomination details

(F) INVENTORY MAINTENANCE

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create denomination details

(F) INVENTORY MAINTENANCE



≡ 🌐 Kastle Universal Banking (Beta)    03-Oct-2022  English ⌄   Azentio Software ⌄   (AZENTMAIN) 🔔 ▶ 👤 REVIEWER

No Module Mapped ⌄

Welcome, Reviewer

22 Appro... ✕   11 Messa... ✕

Home    Preference

---

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create denomination details

(F) INVENTORY MAINTENANCE



≡ 🌐 Kastle Universal Banking (Beta)    03-Oct-2022  English ⌄   Azentio Software ⌄   (AZENTMAIN) 🔔 ▶ 👤 REVIEWER

No Module Mapped ⌄

← Inbox    🔍

| Actions | Reference Id | Event Code | Stage Code | Role Code | Employee Name | Event Desc | Workflow Desc | Created Date | Workflow Code |
|---------|--------------|------------|------------|-----------|---------------|------------|---------------|--------------|---------------|
|  | 38 |  | DENOM_DETAILS |  | REVIEWER |  | REVIEWER | 1002436 |  |
|  | 4 |  | INV_GL_CONFIG |  | REVIEWER |  | REVIEWER | 1002436 |  |
|  | 298 |  | AP_BILL_BOOKING |  | REVIEWER |  | REVIEWER | 1002436 |  |
|  | 360 |  | BUDGET_TRANSFER |  | REVIEWER |  | REVIEWER | 1002436 |  |
|  | 251 |  | BUDGET_REGISTER |  | REVIEWER |  | REVIEWER | 1002436 |  |

58 total    |◁  ◁  1  2  3  4  5  ▷  ▷|

22 Appro... ✕   11 Messa... ✕

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)



(S) Create denomination details

(F) INVENTORY MAINTENANCE

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)



(S) Create denomination details

(F) INVENTORY MAINTENANCE

| | |
|---|---|
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| (S) Create denomination details | |
| (F) INVENTORY MAINTENANCE | |
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| (S) Create denomination details | |
| (F) INVENTORY MAINTENANCE | |

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
|---|---|
| (S) Create denomination details | |
| (F) INVENTORY MAINTENANCE | |

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
|---|---|
| (S) Create denomination details | |
| (F) INVENTORY MAINTENANCE | |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create denomination details

(F) INVENTORY MAINTENANCE



| | Kastle Universal Banking (Beta) | 03-Oct-2022 English ▾ Azentio Software ▾ (AZENTMAIN) 🔔 ⌨ 👤 CHECKER |

Configuration

🔧 ⇥ 📋

Security management

▶ Open pool ✎ 👁

← Inbox 🔍

| Actions | Reference Id | Event Code | Stage Code | Role Code | Employee Name | Event Desc | Workflow Desc | Created Date | Workflow Code |
|---|---|---|---|---|---|---|---|---|---|
| | 38 | | DENOM_DETAILS | CHECKER | | | CHECKER | | 1002437 |
| | 36 | | DENOM_DETAILS | CHECKER | | | CHECKER | | 1002437 |
| | 34 | | DENOM_DETAILS | CHECKER | | | CHECKER | | 1002437 |
| | 288 | | POCREATION_EVENT | CHECKER | | | CHECKER | | 1002437 |
| | 52 | | INVENTORY_ITEM | CHECKER | | | CHECKER | | 1002437 |

166 total

|◀ ◀ 1 2 3 4 5 ▶ ▶|

22 Appro... ✕    11 Messa... ✕

---

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create denomination details

(F) INVENTORY MAINTENANCE

| | Kastle Universal Banking (Beta) | 03-Oct-2022 English ▾ Azentio Software ▾ ✓ Record APPROVED Successfully ✕ |

Configuration

🔧 ⇥ 📋

Security management

▶ Open pool ✎ 👁

← Denomination Details Master

* Instrument Code
AZENTIO-azentio ✕ ▾

* Currency
INR ✕ ▾

* Denomination Type
Cash ✕ ▾

Status
ACTIVE ✕ ▾

| Denomination Sub Type | Denomination Sequence Number | Denomination Value | Denomination Description | Action |
|---|---|---|---|---|
| Note ▾ | 999 | 999 | denomination | 🗐 ➕ |

22 Appro... ✕    11 Messa... ✕

▦ Home    ➤ Preference

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create denomination details

(F) INVENTORY MAINTENANCE



| | Kastle Universal Banking (Beta) | | | 03-Oct-2022 | English ▾ | Azentio Software ▾ | (AZENTMAIN) | | CHECKER |

← Inbox

| Actions | Reference Id | Event Code | Stage Code | Role Code | Employee Name |
|---------|--------------|------------|------------|-----------|---------------|
| ✎ | 36 | DENOM_DETAILS | CHECKER | CHECKER | 1002437 |
| ✎ | 34 | DENOM_DETAILS | CHECKER | CHECKER | 1002437 |
| ✎ | 288 | POCREATION_EVENT | CHECKER | CHECKER | 1002437 |
| ✎ | 52 | INVENTORY_ITEM | CHECKER | CHECKER | 1002437 |
| ✎ | 51 | INVENTORY_ITEM | CHECKER | CHECKER | 1002437 |

165 total

1 2 3 4 5

Configuration

Security management

Open pool

22 Appro... 11 Messa...