Cucumber Report

| Start : May 04, 3:26:26.659 PM	End : May 04, 3:27:02.752 PM	Duration : 36.093 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 14 FAILED - 1 SKIPPED - 3

Features: 1

Scenarios: 1

Steps: 18

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 77 %

#	Feature Name	T	P	F	S	Duration
1	testing the fuctionalities of bank reconciliation module	1	0	1	0	36.093 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	testing the fuctionalities of bank reconciliation module	Click on Process button on Bank Recon Process screen post creating additional entries	18	14	1	3	36.090 s

(F)- testing the fuctionalities of bank reconciliation module

| FAILED	DURATION - 36.093 s	Scenarios		Steps	
/ 3:26:26.659 PM // 3:27:02.752 PM /		Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 18 Pass - 14 Fail - 1 Skip - 3	18

## (S)- Click on Process button on Bank Recon Process screen post creating additional entries

FAILED	DURATION - 36.090 s		Steps	
/ 3:26:26.662 PM // 3:27:02.752 PM /			Total - 18	
testing the fuctionalities of bank reconciliation module			Pass - 14 Fail - 1	18
@text			Skip - 3	

#	Step / Hook Details	Status	Duration
1	Given user log in to Azentio for bank recon	PASSED	14.135 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.338 s
	screenshot		
2	And user click bank recon module	PASSED	0.091 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.164 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	And user click eye icon in bank recon module	PASSED	0.298 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.164 s
	screenshot		
4	And user click add icon in bank recon	PASSED	0.279 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.350 s
	screenshot		
5	And user select bank name in bank recon Module	PASSED	0.212 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
	screenshot		
6	And user select bank account Number in bank recon Module	PASSED	0.209 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.192 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	And user click bank recon from date and select the date	PASSED	1.591 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.519 s
	screenshot		
8	And user click bank recon to date and select the date	PASSED	1.421 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.357 s
	screenshot		
9	And user click choose file and upload the bank statement	PASSED	0.120 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.350 s
	screenshot		
10	And user click save button in bank recon	PASSED	0.104 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.346 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	And user click process button in bank recon	PASSED	3.413 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.187 s
	screenshot		
12	And user click matched data tab	PASSED	0.107 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.201 s
	screenshot		
13	And user unmatch the matched records in matched tab	PASSED	0.520 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.352 s
	screenshot		
14	And user click the unmatched data in bank recon process	PASSED	0.174 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.294 s
	screenshot		

| #	Step / Hook Details	Status	Duration
15	And user match the records in unmached tab fot textt file	FAILED	0.073 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//ion-grid[1]//datatable-row-wrapper[2]/datatable-body-row/div[2]/datatable-body-cell[6]/div"} (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016585', ip: '10.1.47.108', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java. version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [793e8f75bd05a3af34e8a2f101437606, findElement {using=xpath, value=//ion-grid[1]//datatable-row-wrapper[2]/datatable-body-row/div[2]/datatable-body-cell[6]/div}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:54486}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:54486/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 793e8f75bd05a3af34e8a2f101437606
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)
	  at stepdefinitions.Bank_ReconModule.user_match_the_records_in_unmached_tab_fot_textt_file(Bank_ReconModule.java:44)
	  at ?.user match the records in unmached tab fot textt file(file:///C:/Users/inindc00077/git/repository2/Ajith_AzentioAutomationFramework/src/test/java/features/Bank_ReconciliationModule.feature:39)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
	screenshot		

#	Step / Hook Details	Status	Duration
16	And user click matched data tab	SKIPPED	0.001 s
17	Then user verify that Book entry will be matched with Bank entry and will be displayed in Matched Tab	SKIPPED	0.000 s
18	Then user verify that Unmatched entry from Bank Side will not be displayed	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Click on Process button on Bank
Recon Process screen post creating
additional entries

(F) testing the fuctionalities of bank
reconciliation module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Click on Process button on Bank
Recon Process screen post creating
additional entries

(F) testing the fuctionalities of bank
reconciliation module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Click on Process button on Bank
Recon Process screen post creating
additional entries

(F) testing the fuctionalities of bank
reconciliation module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Click on Process button on Bank
Recon Process screen post creating
additional entries

(F) testing the fuctionalities of bank
reconciliation module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Click on Process button on Bank Recon Process screen post creating additional entries	
(F) testing the fuctionalities of bank reconciliation module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Click on Process button on Bank Recon Process screen post creating additional entries	
(F) testing the fuctionalities of bank reconciliation module	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Click on Process button on Bank
Recon Process screen post creating
additional entries

(F) testing the fuctionalities of bank
reconciliation module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Click on Process button on Bank
Recon Process screen post creating
additional entries

(F) testing the fuctionalities of bank
reconciliation module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Click on Process button on Bank Recon Process screen post creating additional entries

(F) testing the fuctionalities of bank reconciliation module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Click on Process button on Bank Recon Process screen post creating additional entries

(F) testing the fuctionalities of bank reconciliation module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Click on Process button on Bank Recon Process screen post creating additional entries	
(F) testing the fuctionalities of bank reconciliation module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Click on Process button on Bank Recon Process screen post creating additional entries	
(F) testing the fuctionalities of bank reconciliation module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Click on Process button on Bank Recon Process screen post creating additional entries

(F) testing the fuctionalities of bank reconciliation module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Click on Process button on Bank Recon Process screen post creating additional entries

(F) testing the fuctionalities of bank reconciliation module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Click on Process button on Bank Recon Process screen post creating additional entries

(F) testing the fuctionalities of bank reconciliation module