Cucumber Report

Start : Jan 31, 5:24:37.436 PM	End : Jan 31, 5:26:34.445 PM	Duration : 1 m 57.009 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 5 FAILED - 1 SKIPPED - 4

#	Feature Name	T	P	F	S	Duration
1	To verify the reports for fixed asset	1	0	1	0	1 m 57.009 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To verify the reports for fixed asset	Map the various GLs for created asset code	10	5	1	4	1 m 56.892 s

(F)- To verify the reports for fixed asset

| FAILED	DURATION - 1 m 57.009 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	Steps Total - 10 Pass - 5 Fail - 1 Skip - 4
/ 5:24:37.436 PM // 5:26:34.445 PM /			

(S)- Map the various GLs for created asset code

FAILED	DURATION - 1 m 56.892 s		Steps Total - 10 Pass - 5 Fail - 1 Skip - 4
/ 5:24:37.553 PM // 5:26:34.445 PM /			
To verify the reports for fixed asset			
@KUBS_FAT_UAT_013_013_Assetsale @MultiAuth			

#	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	PASSED	1 m 13.893 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	2.108 s
	screenshot		
2	Then click on report segment button	PASSED	3.737 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.420 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	Then Click on Report field	PASSED	0.940 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.581 s
	screenshot		
4	And Choose the data set id for asset sale report	PASSED	1.932 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.555 s
	screenshot		
5	Then click on Asset Sale Report	PASSED	2.528 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.735 s
	screenshot		
6	Then Select the Asset Sale Code	FAILED	2.941 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//ion-row[1]/ion-col[1]/app-kub-lov[1]/span[1]/ng-select[1]/div[1]/div[1]/div[2]/input[1]"} (Session info: chrome=108.0.5359.126) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.60', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [20c7e7821c137ae9190c2f78781038a7, findElement {using=xpath, value=//ion-row[1]/ion-col[1]/app-kub-lov[1]/span[1]/ng-select[1]/div[1]/div[1]/div[2]/input[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.126, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:55345}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55345/devtoo..., se:cdpVersion: 108.0.5359.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 20c7e7821c137ae9190c2f78781038a7 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy46.sendKeys(Unknown Source) at stepdefinitions.FixedAsset_AssetSaleReport.select_the_asset_sale_code(FixedAsset_AssetSaleReport.java:55) at ?.Select the Asset Sale Code(file:///C:/Users/ININDC00073/git/KamalaPriya_ExcelUpdated_KUBS/AzentioAutomationFramework_ExcelKUBS_Kamalapriya2/src/test/java/features/FixedAssetReports.feature:87) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.416 s
7	And Get the system data for asset sale	SKIPPED	0.001 s
8	Then Select the date Asset Sale	SKIPPED	0.001 s
9	And click on view button of report	SKIPPED	0.000 s
10	Then verify the Asset Sale report	SKIPPED	0.002 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)


(S) Map the various GLs for created asset code

(F) To verify the reports for fixed asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Map the various GLs for created asset code

(F) To verify the reports for fixed asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Map the various GLs for created asset code

(F) To verify the reports for fixed asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Map the various GLs for created asset code

(F) To verify the reports for fixed asset

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Map the various GLs for created asset code	
(F) To verify the reports for fixed asset	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Map the various GLs for created asset code	
(F) To verify the reports for fixed asset	