

Cucumber Report

07-Dec-2022, 3:38:47 pm

Start : Dec 07, 3:37:54.332 pm

End : Dec 07, 3:38:46.358 pm

Duration : 52.026 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0



FAILED - 2

SKIPPED - 0

PASSED - 0


FAILED - 2

SKIPPED - 29







#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	2	0	2	0	52.026 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>AR/AP Module</u>	<u>Verify cancelled advances is not available for payment settlement</u>	16	0	1	15	26.508 s
2	<u>AR/AP Module</u>	<u>Verify cancelled advances is not available for payment settlement</u>	15	0	1	14	25.212 s


(F)- AR/AP Module

FAILED	DURATION - 52.026 s	Scenarios		Steps	
/ 3:37:54.332 pm // 3:38:46.358 pm /		Total - 2		Total - 31	
		Pass - 0		Pass - 0	
		Fail - 2		Fail - 2	
		Skip - 0		Skip - 29	

(S)- Verify cancelled advances is not available for payment settlement

<div>FAILED</div> <div>DURATION - 26.508 s</div>		<div></div>	<div>Steps</div> <div>Total - 16</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 15</div>		<div></div>
<div>/ 3:37:54.337 pm // 3:38:20.845 pm /</div>					
<div>AR/AP Module</div>					
<div>@KUBS_AR_AP_UAT_003_009_TC_02 @AR/AP</div>					

#	Step / Hook Details	Status	Duration
1	<p>Given Navigate The Azentio Url</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/p[contains(text(),'Otp')]"} (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8LN', ip: '10.1.47.115', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5f48f13ea37ac6d4a18391800e5ef138, findElement {using=xpath, value=/p[contains(text(),'Otp')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:64496}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64496/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 5f48f13ea37ac6d4a18391800e5ef138 at jdk.internal.reflect.GeneratedConstructorAccessor28.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)</pre>	FAILED	22.805 s


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.getText(Unknown Source) at stepdefinitions.KUBS_Login.loginToAzentioApp(KUBS_Login.java:38) at stepdefinitions.ARAP_AccountsReceivable_AccountsPayable.navigate_the_azentio_url(ARAP_AccountsReceivable_AccountsPayable.java:1054) at ?.Navigate The Azentio Url(file:///C:/Users/inindc00072/git/AzentioAutomationFramework_KUBS/AzentioAutomationFramework/src/test/java/features/ArAp1_Excel.feature:75) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.332 s
	screenshot		
			
2	Then Choose the second Tab Segment	SKIPPED	0.000 s
3	And Click On Main module Accounts Receivable	SKIPPED	0.001 s
4	Then Click on Accounts Receive Advances Eye Icon	SKIPPED	0.000 s
5	And Click On Search Icon	SKIPPED	0.001 s
6	And Updating Testdata Id for cancelled advances	SKIPPED	0.000 s
7	Then Enter Cancelled Value In Advance Status	SKIPPED	0.000 s
8	Then Click on Table Row First Eye Icon in ARAP	SKIPPED	0.001 s
9	And Get The Business Partner and Advance Number	SKIPPED	0.000 s
10	And Click On Main module Accounts payable	SKIPPED	0.000 s
11	Then Click sub module Payment settlement Eye Icon	SKIPPED	0.001 s
12	And Click Add icon button	SKIPPED	0.000 s
13	Then Enter payment option	SKIPPED	0.001 s
14	And Give stored Business partner Name	SKIPPED	0.000 s
15	Then Choose value date as System current date	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
16	And find the Advance reference number for cancelled Advances is available at the billing queue	SKIPPED	0.000 s

(S)- Verify cancelled advances is not available for payment settlement

<div>FAILED</div> <div>DURATION - 25.212 s</div>		<div></div>	<div>Steps</div> <div>Total - 15</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 14</div>	<div></div>
<div>/ 3:38:21.146 pm // 3:38:46.358 pm /</div>				
<div>AR/AP Module</div>				
<div>@KUBS_AR_AP_UAT_003_009_TC_02 @AR/AP</div>				


#	Step / Hook Details	Status	Duration
1	<p>Given Navigate The Azentio Url</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//p[contains(text(),'Otp')]"} (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8LN', ip: '10.1.47.115', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0cefde960f7b12ef69640d101ab0bebe, findElement {using=xpath, value="//p[contains(text(),'Otp')]"}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\NINDC~1\AppData\Local\Temp\goog-chromeOptions: {debuggerAddress: localhost:64529}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:64529/devtools..., se.cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 0cefde960f7b12ef69640d101ab0bebe at java.base/jdk.internal.reflect.GeneratedConstructorAccessor28.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)</pre>	FAILED	22.661 s

#	Step / Hook Details	Status	Duration
	<p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.getText(Unknown Source) at stepdefinitions.KUBS_Login.loginToAzentioApp(KUBS_Login.java:38) at stepdefinitions.ARAP_AccountsReceivable_AccountsPayable.navigate_the_azentio_url(ARAP_AccountsReceivable_AccountsPayable.java:1054) at ?.Navigate The Azentio Url(file:///C:/Users/inindc00072/git/AzentioAutomationFramework_KUBS/AzentioAutomationFramework/src/test/java/features/ArAp3.feature:123) * Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.266 s
	screenshot		
			
2	Then Choose the second Tab Segment	SKIPPED	0.001 s
3	And Click On Main module Accounts Receivable	SKIPPED	0.000 s
4	Then Click on Accounts Receive Advances Eye Icon	SKIPPED	0.000 s
5	And Click On Search Icon	SKIPPED	0.001 s
6	Then Enter Cancelled Value In Advance Status	SKIPPED	0.000 s
7	Then Click on Table Row First Eye Icon in ARAP	SKIPPED	0.000 s
8	And Get The Business Partner and Advance Number	SKIPPED	0.000 s
9	And Click On Main module Accounts payable	SKIPPED	0.000 s
10	Then Click sub module Payment settlement Eye Icon	SKIPPED	0.000 s
11	And Click Add icon button	SKIPPED	0.000 s
12	Then Enter payment option	SKIPPED	0.001 s
13	And Give stored Business partner Name	SKIPPED	0.000 s
14	Then Choose value date as System current date	SKIPPED	0.000 s
15	And find the Advance reference number for cancelled Advances is availabe at the billing queue	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify cancelled advances is not
available for payment settlement

(F) AR/AP Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify cancelled advances is not
available for payment settlement

(F) AR/AP Module

