Cucumber Report

| *Start : Mar 02, 10:16:47.022 PM*	*End : Mar 02, 10:17:14.208 PM*	*Duration : 27.186 s*
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 7 FAILED - 1 SKIPPED - 8

#	Feature Name	T	P	F	S	Duration
1	Checking the Acount Receivable Appropriation functionality	1	0	1	0	27.186 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Acount Receivable Appropriation functionality	Below amount must be correctly calculated & displayed post receipt appropriation.	16	7	1	8	27.183 s

## (F)- Checking the Acount Receivable Appropriation functionality

| FAILED	DURATION - 27.186 s	Scenarios		Steps	
/ 10:16:47.022 PM // 10:17:14.208 PM /		Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 16 Pass - 7 Fail - 1 Skip - 8	16

(S)- Below amount must be correctly calculated & displayed post receipt appropriation.

FAILED	DURATION - 27.183 s		Steps	
/ 10:16:47.025 PM // 10:17:14.208 PM /			Total - 16	
Checking the Acount Receivable Appropriation functionality			Pass - 7	
@MultiAuth @KUBS_AR/AP_UAT_010_005_TC_04			Fail - 1 Skip - 8	16

#	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	PASSED	11.096 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.328 s
	screenshot		
2	Then Click on Direction icon	PASSED	2.322 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.157 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	Then Click on Account Recivable button	PASSED	0.112 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.293 s
	screenshot		
4	Then Click on Account Recivable Appropriation eye button	PASSED	0.348 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.381 s
	screenshot		
5	Then Click to add record in Account Recivable	PASSED	0.323 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.246 s
	screenshot		
6	Then Check receipt is available for Appropriation	PASSED	0.723 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.156 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then enter App Amount check the calculation for Outstanding amount for Receivable	PASSED	2.260 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.091 s
	screenshot		
8	Then Click on Appropriation Save button	FAILED	2.092 s

	org.openqa.selenium.JavascriptException: javascript error: Cannot read properties of null (reading 'shadowRoot') (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d4005ca0af8e513a1eec8bf451ec6d02, executeScript {script=return document.querySelector("ion-toast").shadowRoot. querySelector("div[class='toast-message']").innerText, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L. ..}, goog:chromeOptions: {debuggerAddress: localhost:49784}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49784/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: d4005ca0af8e513a1eec8bf451ec6d02
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	    at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:481)
	    at helper.JavascriptHelper.executeScript(JavascriptHelper.java:21)
	    at stepdefinitions.AccountReceivable_Appropriation.click_on_appropriation_save_button(AccountReceivable_Appropriation.java:97)		

#	Step / Hook Details	Status	Duration
	at ?.Click on Appropriation Save button(file:///C:/Users/inindc00089/git/repository/Priyanka_AzentioAutomationFramework/src/test/java/features/AccountReceivable_Appropriation.feature:35) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.093 s
9	Then Click on inventory stock Notification	SKIPPED	0.001 s
10	And Select and Submit the record	SKIPPED	0.000 s
11	Then log in to the reviewer account	SKIPPED	0.000 s
12	Then click on the Notification select the record and Approve	SKIPPED	0.000 s
13	Then log in to the Checker Account	SKIPPED	0.000 s
14	And then checker claim the record	SKIPPED	0.001 s
15	Then click on the checker Notification	SKIPPED	0.000 s
16	And select the record and Approve by checker	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Below amount must be correctly calculated & displayed post receipt appropriation.	
(F) Checking the Acount Receivable Appropriation functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Below amount must be correctly calculated & displayed post receipt appropriation.	
(F) Checking the Acount Receivable Appropriation functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cumber. java.Scenario)

(S) Below amount must be correctly calculated & displayed post receipt appropriation.

(F) Checking the Acount Receivable Appropriation functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cumber. java.Scenario)

(S) Below amount must be correctly calculated & displayed post receipt appropriation.

(F) Checking the Acount Receivable Appropriation functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Below amount must be correctly calculated & displayed post receipt appropriation.

(F) Checking the Acount Receivable Appropriation functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Below amount must be correctly calculated & displayed post receipt appropriation.

(F) Checking the Acount Receivable Appropriation functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Below amount must be correctly calculated & displayed post receipt appropriation. (F) Checking the Acount Receivable Appropriation functionality	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Below amount must be correctly calculated & displayed post receipt appropriation. (F) Checking the Acount Receivable Appropriation functionality	