# Cucumber Report

| Start : Dec 07, 12:14:48.789 pm | End : Dec 07, 12:15:43.680 pm | Duration : 54.891 s |
|---|---|---|
| Features | Scenarios | Steps |
| PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 13<br>FAILED - 1<br>SKIPPED - 2 |

Features: 1

Scenarios: 1

Steps: 16

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 81 %

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | AR/AP Module | 1 | 0 | 1 | 0 | 54.891 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | AR/AP Module | Verify Balance sheet post Bill is cancelled | 16 | 13 | 1 | 2 | 54.885 s |

## (F)- AR/AP Module

| FAILED | DURATION - 54.891 s | Scenarios | | Steps | |
|---|---|---|---|---|---|
| | | Total - 1 | | Total - 16 | |
| / 12:14:48.789 pm // 12:15:43.680 pm / | | Pass - 0 | 1 | Pass - 13 | 16 |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 2 | |

## (S)- Verify Balance sheet post Bill is cancelled

| FAILED | DURATION - 54.885 s | | Steps | |
|---|---|---|---|---|
| / 12:14:48.795 pm // 12:15:43.680 pm / | | | Total - 16 | |
| AR/AP Module | | | Pass - 13 | 16 |
| @KUBS_AR/AP_UAT_003_004_TC_02 @AR/AP | | | Fail - 1 | |
| | | | Skip - 2 | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given User should go to the kubs url and login as a maker user | PASSED | 19.959 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.570 s |
| | screenshot | | |
| |  | | |
| 2 | And user should navigate to accounts payable menu | PASSED | 2.779 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.287 s |
| | screenshot | | |
| |  | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 3 | And click the eye icon of invoice bill booking | PASSED | 0.853 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.418 s |
| | screenshot | | |
| |  | | |
| 4 | And click the search icon in list view | PASSED | 2.000 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.358 s |
| | screenshot | | |
| |  | | |
| 5 | And user update the Excelsheet Testdata for balancesheet | PASSED | 0.007 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.307 s |
| | screenshot | | |
| |  | | |
| 6 | And search invoice type as expense | PASSED | 0.351 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.208 s |
| | screenshot | | |
| |  | | |
| 7 | And click the first eye icon in the list view of cancelled invoice bill | PASSED | 0.926 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.513 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
|   |  | | |
| 8 | And get the invoice number from the bill viewed | PASSED | 1.323 s |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.180 s |
|   | screenshot<br> | | |
| 9 | And get buisness partner name and Bill Status | PASSED | 0.078 s |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.165 s |
|   | screenshot<br> | | |
| 10 | And click the notes option in top | PASSED | 0.264 s |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.327 s |
|   | screenshot<br> | | |
| 11 | And click the financial reporting | PASSED | 0.135 s |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.189 s |
|   | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 12 | And click the balance sheet report | PASSED | 0.355 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.347 s |
| | screenshot<br> | | |
| 13 | Then Fill branch details for report | PASSED | 0.668 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.246 s |
| | screenshot<br> | | |
| 14 | And select the date | FAILED | 15.119 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//td[@aria-label='September null, 2023']/span"}   (Session info: chrome=108.0.5359.73) For documentation on this error, please visit: https://selenium.dev/ exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0e7940b988d642bdd63ca3e042f00bc0, findElement {using=xpath, value=//td[@aria-label='September null, 2023']/span}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.73, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:56239}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56239/devtoo..., se:cdpVersion: 108.0.5359.73, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 0e7940b988d642bdd63ca3e042f00bc0<br>　　at jdk.internal.reflect.GeneratedConstructorAccessor36.newInstance(Unknown Source)<br>　　at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>　　at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>　　at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>　　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>　　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)<br>at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)<br>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)<br>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)<br>at stepdefinitions.AR_AP_Module.select_the_date(AR_AP_Module.java:280)<br>at ?.select the date(file:///C:/Users/inindc00075/eclipse-workspace/AzentioAutomationFramework_ARAP_Excel_Arshath/src/test/java/features/ArAp2.feature:151)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)<br><br>screenshot<br><br> | PASSED | 0.143 s |
| 15 | And click the view icon | SKIPPED | 0.001 s |
| 16 | Then Verify Balance sheet should be updated correctly basis the legs impacted in accounting entries. | SKIPPED | 0.000 s |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)



(S) Verify Balance sheet post Bill is cancelled

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)



(S) Verify Balance sheet post Bill is cancelled

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify Balance sheet post Bill is cancelled

(F) AR/AP Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify Balance sheet post Bill is cancelled

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify Balance sheet post Bill is cancelled

(F) AR/AP Module



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify Balance sheet post Bill is cancelled

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify Balance sheet post Bill is cancelled

(F) AR/AP Module



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify Balance sheet post Bill is cancelled

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify Balance sheet post Bill is cancelled

(F) AR/AP Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify Balance sheet post Bill is cancelled

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify Balance sheet post Bill is
cancelled

(F) AR/AP Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify Balance sheet post Bill is
cancelled

(F) AR/AP Module

| | |
|---|---|
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| (S) Verify Balance sheet post Bill is cancelled | |
| (F) AR/AP Module | |

| | |
|---|---|
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| (S) Verify Balance sheet post Bill is cancelled | |
| (F) AR/AP Module | |