Cucumber Report

| Start : Feb 14, 10:37:37.887 AM	End : Feb 14, 10:40:26.470 AM	Duration : 2 m 48.583 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 12 FAILED - 1 SKIPPED - 3

1

1

16

40 50 60
30 Pass % 70
20 80
10 90
0 %
0 100

40 50 60
30 Pass % 70
20 80
10 90
0 %
0 100

40 50 60
30 Pass % 70
20 80
10 90
75 %
0 100

#	Feature Name	T	P	F	S	Duration
1	BUSINESS PARTNER SETUP	1	0	1	0	2 m 48.583 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	BUSINESS PARTNER SETUP	Create a Vendor for the procurement of an asset	16	12	1	3	2 m 48.576 s

(F)- BUSINESS PARTNER SETUP

FAILED	DURATION - 2 m 48.583 s	Scenarios		Steps	
/ 10:37:37.887 AM // 10:40:26.470 AM /		Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 16 Pass - 12 Fail - 1 Skip - 3	16

(S)- Create a Vendor for the procurement of an asset

FAILED	DURATION - 2 m 48.576 s		Steps	
/ 10:37:37.894 AM // 10:40:26.470 AM /			Total - 16	
BUSINESS PARTNER SETUP			Pass - 12 Fail - 1	16
@KUBS_FAT_UAT_001_001			Skip - 3	

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	35.114 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	3.182 s
	screenshot		
	+		
2	And user should navigate to business partner setup menu	PASSED	0.815 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.308 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	When click on eye button of business partner	PASSED	1.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	1.909 s
4	And click on add button of business partner	PASSED	0.876 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.518 s
5	And Fill the required fields to create a vendor	PASSED	31.345 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.554 s
6	Then Save and submit the record to create vendor	PASSED	15.090 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.302 s

| #	Step / Hook Details	Status	Duration
7	And User should go to the kubs url and login as a reviewer user	PASSED	19.525 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.193 s
	screenshot		
8	Then Click on notification button in reviewer	PASSED	0.288 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.711 s
	screenshot		
9	And approve the record by the reviewer user	PASSED	4.026 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.181 s
	screenshot		
10	Given User should go to the kubs url and login as a checker user	PASSED	8.030 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.300 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	And Click on security management in checker	PASSED	0.121 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.213 s
	screenshot		
12	Then Click on open pool in checker	PASSED	0.169 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.328 s
	screenshot		
13	And Click on claim button in checker	FAILED	0.281 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[contains(text()),'880')]/parent::div/parent::datatable-body-cell/preceding-sibling::datatable-body-cell[2]/div/ion-buttons/ion-button"} (Session info: chrome=96.0.4664.45) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [292b22de16d2db91edc7df4440c13e43, findElement {using=xpath, value=//span[contains(text(),'880')]/parent::div/parent::datatable-body-cell/preceding-sibling::datatable-body-cell[2]/div/ion-buttons/ion-button}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:54790}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:54790/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 292b22de16d2db91edc7df4440c13e43 　　at jdk.internal.reflect.GeneratedConstructorAccessor22.newInstance(Unknown Source) 　　at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) 　　at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at stepdefinitions.ACCOUNTSPAYABLE_VendorContracts.click_on_claim_button_in_checker(ACCOUNTSPAYABLE_VendorContracts.java:325) at ?.Click on claim button in checker(file:///C:/Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test/java/features/BUSINESS_PARTNER_SETUP_BusinessPartner.feature:21) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.169 s
14	And capture claimed status	SKIPPED	0.000 s
15	Then click on notification in checker	SKIPPED	0.001 s
16	Then checker should approved the contract record	SKIPPED	0.001 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create a Vendor for the procurement of an asset

(F) BUSINESS PARTNER SETUP

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create a Vendor for the procurement of an asset

(F) BUSINESS PARTNER SETUP

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a Vendor for the procurement of an asset

(F) BUSINESS PARTNER SETUP

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a Vendor for the procurement of an asset

(F) BUSINESS PARTNER SETUP

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create a Vendor for the procurement of an asset

(F) BUSINESS PARTNER SETUP

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create a Vendor for the procurement of an asset

(F) BUSINESS PARTNER SETUP

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a Vendor for the procurement of an asset

(F) BUSINESS PARTNER SETUP

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a Vendor for the procurement of an asset

(F) BUSINESS PARTNER SETUP

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create a Vendor for the procurement of an asset

(F) BUSINESS PARTNER SETUP

	Kastle Universal Banking (Beta)	04-Oct-2022 English ▾ Azentio Software

Configuration ▾

Business Partner | Individual | Identification | Bank Account | HSN/SAC Code

← Business Partner

Record is available in CHECKER's Open Pool with status PENDING ✕

Entity maintenance
Security management
User management
Job scheduler
Reference data
Tax configuration

BP Code
* BP Type
Individual ▾
* BP Sub Type
VENDOR ▾

Reference Type
Other ✕ ▾
Reference Code No
123456789
Status
ACTIVE ✕ ▾

22 Appro... ✕   11 Messa... ✕

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create a Vendor for the procurement of an asset

(F) BUSINESS PARTNER SETUP

	Kastle Universal Banking (Beta)	04-Oct-2022 English ▾ Azentio Software ▾ (AZENTMAIN) 🔔 ▶_ 👤 CHECKER

Configuration ▾

Security management

Welcome, Checker

22 Appro... ✕   11 Messa... ✕

⊞ Home   ▶ Preference

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create a Vendor for the procurement of an asset	
(F) BUSINESS PARTNER SETUP	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create a Vendor for the procurement of an asset	
(F) BUSINESS PARTNER SETUP	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a Vendor for the procurement
of an asset

(F) BUSINESS PARTNER SETUP