


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of the GL2 Module	1	0	1	0	28.286 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of the GL2	Create a category for the accounting type based on the	32	12	1	19	28.278 s
	Module	base accounting book for Income					

DETAILED SECTION -- 4 --

(F)- Check the Functionality of the GL2 Module

FAILED	DURATION - 28.286 s	Scenarios		Steps	
		Total - 1		Total - 32	
ر 4:59:56.798	pm // 5:00:25.084 pm /	Pass - 0	1	Pass - 12	32
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 19	

(S)- Create a category for the accounting type based on the base accounting book for Income



#	Step / Hook Details	Status	Duration
1	Given Navigate to Azentio Kubs	PASSED	12.673 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.166 s
	screenshot		
	The state of the s		
2	And Click on Accounting Setup module	PASSED	0.107 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.188 s
	screenshot		

The Click sub module Accounting book definition	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And Click On Search Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Screenshot The Click On Search Icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.244 s 0.160 s 0.250 s 0.264 s 0.2				
screenshot PASSED 0.160 s 4 And Click On Search Icon PASSED 0.160 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.250 s 5 When Give the type as Base Template PASSED 0.264 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.180 s screenshot FASSED 0.180 s 6 And Get the Account Book Name PASSED 0.027 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.027 s 6 And Get the Account Book Name PASSED 0.131 s	3	Then Click sub module Accounting book definition	PASSED	0.424 s
And Click On Search Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Men Give the type as Base Template AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.27 s PASSED 0.131 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.244 s
After_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) When Give the type as Base Template AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.027 s PASSED 0.131 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 5 When Give the type as Base Template AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 And Get the Account Book Name AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.250 s 0.264 s PASSED 0.264 s PASSED 0.180 s		Description of the second of t		
screenshot When Give the type as Base Template AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And Get the Account Book Name AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.027 s PASSED 0.131 s	4	And Click On Search Icon	PASSED	0.160 s
5 When Give the type as Base Template PASSED 0.264 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And Get the Account Book Name AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.180 s PASSED 0.027 s PASSED 0.027 s PASSED 0.031 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.250 s
5 When Give the type as Base Template PASSED 0.264 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.180 s screenshot ************************************		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And Get the Account Book Name AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.180 s 0.180 s PASSED 0.181 s		Name 1		
Screenshot 6 And Get the Account Book Name AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.027 s 0.131 s	5	When Give the type as Base Template	PASSED	0.264 s
6 And Get the Account Book Name AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.131 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.180 s
6 And Get the Account Book Name AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.027 s On the Account Book Name of the Account		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.131 s		Notice 6 of the second of the		
	6	And Get the Account Book Name	PASSED	0.027 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.131 s
		screenshot		

#	Step / Hook Details	Status	Duration
	0 / 1000m		
7 The	n click sub module Accounting Category	PASSED	0.385 s
AFT	TER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.269 s
scree	enshot		
	5 0 / Western 200 below 2000 belo		
8 And	I Click on Add icon	PASSED	0.272 s
AFT	FER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.331 s
scree	eenshot		
	Market M		
9 And	l enter the category code as Income	PASSED	0.191 s
AFT	FER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.162 s
scree	eenshot		
10 And	I select the accounting book for Income	PASSED	0.332 s
	FER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.177 s
l coro	enshot		


#	Step / Hook Details	Status	Duration
	## OF ADMINISTRATION		
11	And enter the accounting category	PASSED	0.307 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.206 s
	screenshot		
12	And select GI code generation	PASSED	0.389 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.216 s
	On the control of t		
13	And Save the Record	FAILED	1.238 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button aria-disabled="true" class="ion-color ion-color-primary md button button-clear in-toolbar button-disabled ion-activatable ion-focusable hydrated" color="primary" disabled="" ng-reflect-color="primary" ng-reflect-disabled="true"></ion-button> is not clickable at point (1414, 88). Other element would receive the click: <div class="ng-tns-c135-1 ng-star-inserted ng-trigger ng-trigger-flylnOut ngx-toastr toast-error" style="opacity: 1;" toast-component=""></div> (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa. selenium.chromeDriver Command: [814dd6146a1b59c15e74244107c09f48, clickElement {id=a2831f21-4188-47da-aa62-a7bf34279a4c}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:64323}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64323/devtoo, se:cdpVersion: 99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (814dd6146a1b59c15e74244107c09f48)] -> xpath: //div[1]/ion-header[1]/ion-toolbar[1]/ion-buttons[2]/ion-button[1]] Session ID: 814dd6146a1b59c15e74244107c09f48 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java:480) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.httpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.Remote.Service.DriverCommandExecutor.execute(PriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethod) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/jdk.internal.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.GL1_Accounting_Book_Definition.save_the_record(GL1_Accounting_Book_Definition.java:138) at ?Save the Record(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/ GL1_Accounting_Setup.feature:122) **Not displayable cha	PASSED	0.178 s
	screenshot	PASSED	0.1765
	SCIENTIAL STATE OF THE PROPERTY OF THE PROPERT		
14	Then Goto The Notification Icon	SKIPPED	0.000 s
15	And Store the Referance Id and Open the Record	SKIPPED	0.000 s
16	Then Click submit button and Enter Remark submit it	SKIPPED	0.000 s
17	Given Navigate as a Reviewer	SKIPPED	0.000 s
18	Then click on Notify icon	SKIPPED	0.000 s
19	And Click First record Action icon	SKIPPED	0.000 s
20	Then Approve the record in Reviewer	SKIPPED	0.001 s
21	And Give Remark and Submit	SKIPPED	0.000 s


DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
22	Given Navigate as a Checker	SKIPPED	0.000 s
23	Then Click module security management	SKIPPED	0.000 s
24	And Claim the Record in Checker	SKIPPED	0.001 s
25	Then Goto the Checker notification Icon	SKIPPED	0.000 s
26	And Click the First Action Icon	SKIPPED	0.001 s
27	Then Approve the Record in checker stage	SKIPPED	0.000 s
28	And Give the Remark and Submit it	SKIPPED	0.001 s
29	Given Navigate to Azentio Kubs	SKIPPED	0.000 s
30	And Click on Accounting Setup module	SKIPPED	0.000 s
31	Then click sub module Accounting Category	SKIPPED	0.000 s
32	Then Click on Table Row First Eye Icon	SKIPPED	0.000 s


EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --




EXPANDED SECTION --- 12 --




EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --

