Cucumber Report

| Start : Mar 28, 11:55:23.582 AM	End : Mar 28, 11:59:59.846 AM	Duration : 4 m 36.264 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 20 FAILED - 1 SKIPPED - 0

1

1

21

Pass % 0 %

Pass % 0 %

Pass % 95 %

#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of Inventory	1	0	1	0	4 m 36.264 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of Inventory	Check inventory stock confirmation	21	20	1	0	4 m 36.259 s

(F)- Check the Functionality of Inventory

FAILED	DURATION - 4 m 36.264 s	Scenarios		Steps	
		Total - 1		Total - 21	
/ 11:55:23.582 AM // 11:59:59.846 AM /		Pass - 0	1	Pass - 20	21
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- Check inventory stock confirmation

FAILED	DURATION - 4 m 36.259 s		Steps	
/ 11:55:23.587 AM // 11:59:59.846 AM /			Total - 21	
Check the Functionality of Inventory			Pass - 20	21
@KUBS_INV_MGMT_UAT_004_StockConfirmT @multiauth			Fail - 1	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Navigate to URL and user should login as a maker	PASSED	24.293 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.390 s
	screenshot		
2	Then Inventory Second direction icon	PASSED	0.634 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.372 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	And Inventory Management Module	PASSED	0.305 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.126 s
	screenshot		
4	Then Click on Stock issue eye icon	PASSED	0.914 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.272 s
	screenshot		
5	And Click on First record eye icon	PASSED	0.146 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.658 s
	screenshot		
6	Then Get the New Request Referance No	PASSED	0.056 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.159 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then Click on Inventory stock confirmation eye icon	PASSED	0.352 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.233 s
	screenshot		
8	And Sub module Inventory stock confirmation click Add icon	PASSED	0.398 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.453 s
	screenshot		
9	Then Enter the Request Referance Number	PASSED	0.685 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.418 s
	screenshot		
10	And Enter Item code Number	PASSED	0.245 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.227 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	Then Accept the status in checkbox	PASSED	0.135 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.163 s
	screenshot		
12	And click the save icon for StockConfirm	PASSED	2.461 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.202 s
	screenshot		
13	And goto maker Notification Icon	PASSED	0.935 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.259 s
	screenshot		
14	Then Click Submit button to Inventory Record	PASSED	0.756 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.304 s
	screenshot		

| #	Step / Hook Details	Status	Duration
15	And Give Remark and submit to Reviewer	PASSED	1.801 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.242 s
	screenshot		
16	Then Open Reviewer account	PASSED	10.771 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.146 s
	screenshot		
17	And Click on notification	PASSED	1.471 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.275 s
	screenshot		
18	Then Approve the record which we submitted from maker stage	PASSED	4.060 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.123 s
	screenshot		

#	Step / Hook Details	Status	Duration
19	Then Go to Checker account	PASSED	8.028 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.093 s
	screenshot		
20	And Clam the record	PASSED	2.071 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.132 s
	screenshot		
21	Then Click on notification and approve the record	FAILED	3 m 15.806 s
	org.openqa.selenium.StaleElementReferenceException: stale element reference: element is not attached to the page document (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#stale_element_reference Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014667', ip: '10.1.47.117', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8aa57c9430915f7c0b924e057ec2c6aa, isElementDisplayed {id=2e23c19d-b0d4-40de-ba5a-61b3981030c8}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:63963}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63963/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (8aa57c9430915f7c0b924e057ec2c6aa)] -> xpath: //span[contains(text(),'55')]] Session ID: 8aa57c9430915f7c0b924e057ec2c6aa at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.isDisplayed(RemoteWebElement.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions$23.apply(ExpectedConditions.java:660) at org.openqa.selenium.support.ui.ExpectedConditions$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElement(WaitHelper.java:79) at stepdefinitions.InventoryManagament.click_on_notification_and_approve_the_record(InventoryManagament.java:345) at ?.Click on notification and approve the record(file:///C:/Users/inindc00082/git/AzentioAutomationFramework2403/AzentioAutomationFramework/src/test/java/features/InventoryManagement.feature:260) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.259 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check inventory stock confirmation

(F) Check the Functionality of Inventory

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check inventory stock confirmation

(F) Check the Functionality of Inventory

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check inventory stock confirmation	
(F) Check the Functionality of Inventory	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check inventory stock confirmation	
(F) Check the Functionality of Inventory	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Check inventory stock confirmation (F) Check the Functionality of Inventory	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Check inventory stock confirmation (F) Check the Functionality of Inventory	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check inventory stock confirmation

(F) Check the Functionality of Inventory

Kastle Universal Banking (Beta) 04-Nov-2022 English ▾ Azentio Software ▾ (AZENTMAIN) ANANT

← Stock Confirmation View

Accounts receivable
Fixed assets
Inventory management

- Inventory request
- Purchase requisition confirmation
- Inventory stock receipt
- Inventory stock issue
- **Inventory stock confirmation**
- Stock return from branch

Petty cash
Bank recon

22 Appro...   11 Messa...

Actions	Branch Code - Name	Issue ID	Transaction Date	Status	Created By	Create Date	Auth Status
👁 ✏	AZENTMAIN - Azentio N	92	19-OCT-2022 00:00:0(	Active	admin	03-Mar-2022	A
👁 ✏	AZENTMAIN - Azentio N	89	19-OCT-2022 00:00:0(	Active	admin	24-Feb-2022	A
👁 ✏	AZENTMAIN - Azentio N	88	19-OCT-2022 00:00:0(	Active	admin	23-Feb-2022	A
👁 ✏	AZENTMAIN - Azentio N	87	19-OCT-2022 00:00:0(	Active	admin	21-Feb-2022	A
👁 ✏	AZENTMAIN - Azentio N	86	19-OCT-2022 00:00:0(	Active	admin	21-Feb-2022	A
👁 ✏	AZENTMAIN - Azentio N	85	19-OCT-2022 00:00:0(	Active	admin	21-Feb-2022	A
👁 ✏	AZENTMAIN - Azentio N	84	19-OCT-2022 00:00:0(	Active	admin	18-Feb-2022	A
👁 ✏	AZENTMAIN - Azentio N	66	07-OCT-2022 00:00:0(	Active	admin	17-Feb-2022	A

28 total |◄ < 1 2 3 4 > ►|

Home   Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check inventory stock confirmation

(F) Check the Functionality of Inventory

Kastle Universal Banking (Beta) 04-Nov-2022 English ▾ Azentio Software ▾ (AZENTMAIN) ANANT

← Stock Confirmation View

Accounts receivable
Fixed assets
Inventory management

- Inventory request
- Purchase requisition confirmation
- Inventory stock receipt
- Inventory stock issue
- **Inventory stock confirmation**
- Stock return from branch

Petty cash
Bank recon

22 Appro...   11 Messa...

Actions	Branch Code - Name	Issue ID	Transaction Date	Status	Created By	Create Date	Auth Status
👁 ✏	AZENTMAIN - Azentio N	92	19-OCT-2022 00:00:0(	Active	admin	03-Mar-2022	A
👁 ✏	AZENTMAIN - Azentio N	89	19-OCT-2022 00:00:0(	Active	admin	24-Feb-2022	A
👁 ✏	AZENTMAIN - Azentio N	88	19-OCT-2022 00:00:0(	Active	admin	23-Feb-2022	A
👁 ✏	AZENTMAIN - Azentio N	87	19-OCT-2022 00:00:0(	Active	admin	21-Feb-2022	A
👁 ✏	AZENTMAIN - Azentio N	86	19-OCT-2022 00:00:0(	Active	admin	21-Feb-2022	A
👁 ✏	AZENTMAIN - Azentio N	85	19-OCT-2022 00:00:0(	Active	admin	21-Feb-2022	A
👁 ✏	AZENTMAIN - Azentio N	84	19-OCT-2022 00:00:0(	Active	admin	18-Feb-2022	A
👁 ✏	AZENTMAIN - Azentio N	66	07-OCT-2022 00:00:0(	Active	admin	17-Feb-2022	A

28 total |◄ < 1 2 3 4 > ►|

Home   Preference

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check inventory stock confirmation	
(F) Check the Functionality of Inventory	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check inventory stock confirmation	
(F) Check the Functionality of Inventory	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check inventory stock confirmation	
(F) Check the Functionality of Inventory	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check inventory stock confirmation	
(F) Check the Functionality of Inventory	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check inventory stock confirmation	
(F) Check the Functionality of Inventory	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check inventory stock confirmation	
(F) Check the Functionality of Inventory	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check inventory stock confirmation	
(F) Check the Functionality of Inventory	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check inventory stock confirmation	
(F) Check the Functionality of Inventory	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check inventory stock confirmation

(F) Check the Functionality of Inventory

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check inventory stock confirmation

(F) Check the Functionality of Inventory

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check inventory stock confirmation	
(F) Check the Functionality of Inventory	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check inventory stock confirmation	
(F) Check the Functionality of Inventory	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check inventory stock confirmation

(F) Check the Functionality of Inventory

☰ 🌐 Kastle Universal Banking (Beta)

04-Nov-2022 English ▾ Azentio Software ▾ (AZENTMAIN) 🔔 ▶_ 👤 CHECKER

Configuration ▾

🛠 ⇄ 📋

⌄ Security management

▶ **Open pool** ✎ 👁

22 Appro... ✕ 11 Messa... ✕

← **Instrument Code Master**

ℹ ViewSummary ✅ Approve ↻ Return ❌ Reject

* Instrument Code
8080

Instrument Description *
Book & A4 Paper4

* Routing Mask
NO ✕ ▾

* Track Reorder Level
NO ✕ ▾

* Track Excess Level
NO ✕ ▾

* Denomination Applied
NO ✕ ▾

* Auto Serial Number
NO ✕ ▾

⊞
Home

➤
Preference