


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of the GL1 Module	1	0	1	0	23.540 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of the GL1	Creation of Accounting Books for custom templet	40	9	1	30	23.533 s
	Module						

DETAILED SECTION -- 4 --

## **(F)- Check the Functionality of the GL1 Module**

FAILED	DURATION - 23.540 s	Scenarios		Steps	
		Total - 1		Total - 40	
/ 3:39:06.367 pm	n // 3:39:29.907 pm /	Pass - 0	1	Pass - 9	40 📻
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 30	

## **(S)-** Creation of Accounting Books for custom templet



#	Step / Hook Details	Status	Duration
1	Given Navigate to Azentio Kubs	PASSED	13.482 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.222 s
	screenshot		
	# \$ International Property   International Pro		
2	And Click on Accounting Setup module	PASSED	0.117 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.157 s
	screenshot		

3 Then Click sub module Accounting book definition  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot((o.cucumber.java.Scenario)  Screenshot  4 And Click on Add icon  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot((o.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot((o.cucumber.java.Scenario))  AFTER_STEP - stepdefinition	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  4 And Click on Add icon  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 Then Choose the Template Type of Custom Template  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  4 And Click on Add icon  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 Then Choose the Template Type of Custom Template  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.198 s  PASSED  0.150 s				
screenshot  4 And Click on Add icon  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  5 Then Choose the Template Type of Custom Template  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  Screenshot  4 AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)	3	-	PASSED	0.536 s
4 And Click on Add icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 Then Choose the Template Type of Custom Template  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.198 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.198 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.363 s
4 And Click on Add icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then Choose the Template Type of Custom Template  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.372 s  0.165 s  0.165 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then Choose the Template Type of Custom Template  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And Enter Another Book Name  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.198 s  PASSED  0.150 s				
Screenshot  Then Choose the Template Type of Custom Template  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And Enter Another Book Name  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.198 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.198 s	4	And Click on Add icon	PASSED	0.279 s
5 Then Choose the Template Type of Custom Template  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And Enter Another Book Name  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.198 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.198 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.283 s
5 Then Choose the Template Type of Custom Template  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And Enter Another Book Name  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.372 s  0.165 s  0.165 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And Enter Another Book Name  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.165 s  PASSED  0.198 s  PASSED  0.198 s  0.198 s				
Screenshot  6 And Enter Another Book Name  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber.java. Scenario)  PASSED  0.198 s  0.198 s	5	Then Choose the Template Type of Custom Template	PASSED	0.372 s
6 And Enter Another Book Name  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.198 s  0.150 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.165 s
6 And Enter Another Book Name  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.198 s  0.150 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.150 s		© transferred to the control of the		
	6	And Enter Another Book Name	PASSED	0.198 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.150 s
		screenshot	]	


#	Step / Hook Details	Status	Duration
	■ Particular Section © ■ Particular Section		
7	Then Select system date as Effective date	PASSED	1.688 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.177 s
	screenshot		
	The Control of Control		
8	And Choose the Book Type what you Need	PASSED	0.406 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.155 s
	Screenshot   **********************************		
9	Then Enter the Remark	PASSED	0.189 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot	PASSED	0.211 s
10	And Save the Record	FAILED	1.151 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button aria-disabled="true" class="ion-color ion-color-primary md button button-clear in-toolbar button-disabled ion-activatable ion-focusable hydrated" color="primary" disabled="" ng-reflect-color="primary" ng-reflect-disabled="true"></ion-button> is not clickable at point (1414, 88). Other element would receive the click: <ion-buttons class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated" slot="end"></ion-buttons> (Session info: chrome=101.0.4951.54) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.		

#	Step / Hook Details	Status	Duration
	name: Windows 10, os. arch: 'amd64', os. version: '10.0', java. version: '17.0.1' Driver info: org.openga. selenium.chrome.ChromeDriver Command: [7755edfeaaf91a50b2ef989205048238, clickElement (id=bde90d9e-b2e4-4847-82bc-6865257392fc)] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 101.0.4951.54, chrome: (chromedriverVersion: 101.0.4951.41 (93c720db8323, userDataDir: C:UbsersININIDDC-1lAppDataL		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot	PASSED	0.126 s
	Note   Section   Section		


DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
11	And click notification button	SKIPPED	0.000 s
12	Then choose first record in the notification record	SKIPPED	0.000 s
13	And click on Submit button	SKIPPED	0.000 s
14	Then enter remark in confirmation alert	SKIPPED	0.001 s
15	Then click on submit button in alert	SKIPPED	0.000 s
16	And capture the reviewer ID in pop up which is open when we submit our record in maker stage	SKIPPED	0.000 s
17	Then logout from maker	SKIPPED	0.000 s
18	And login with reviewer credentials	SKIPPED	0.000 s
19	Then click on notification button	SKIPPED	0.001 s
20	And select our record in notification records using reference ID	SKIPPED	0.000 s
21	Then Approve the record from reviewer	SKIPPED	0.001 s
22	And enter the remark in alert	SKIPPED	0.000 s
23	Then click on submit in alert	SKIPPED	0.000 s
24	Then verify the approval status of the record	SKIPPED	0.000 s
25	And logout from reviewer	SKIPPED	0.001 s
26	Then login as a checker	SKIPPED	0.000 s
27	And click on security management menu in checker	SKIPPED	0.000 s
28	Then click on action button under security management menu	SKIPPED	0.000 s
29	And select our record and clime using reference ID	SKIPPED	0.000 s
30	Then click on Notification button	SKIPPED	0.000 s
31	Then select our record in notification records by the help of reference ID	SKIPPED	0.001 s
32	And click on approve button in checker stage	SKIPPED	0.000 s
33	Then give alert remark	SKIPPED	0.000 s
34	Then click on submit button on alert	SKIPPED	0.000 s
35	And verify the record got approved from checker	SKIPPED	0.000 s
36	Given Navigate to Azentio Kubs	SKIPPED	0.000 s
37	And Click on Accounting Setup module	SKIPPED	0.000 s
38	Then Click sub module Accounting book definition	SKIPPED	0.000 s
39	Then Click on Table Row First Eye Icon	SKIPPED	0.000 s
40	And System should Generate unique code	SKIPPED	0.000 s


EXPANDED SECTION --- 9 --




EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --

