


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP Module	1	0	1	0	22.782 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP	Verify Advance to employee is adjusted against the selected	46	13	1	32	22.772 s
	Module	bill and Net Adjusted Value is correctly displayed					

DETAILED SECTION -- 4 --

(F)- Check the Functionality of AR/AP Module

FAILED	DURATION - 22.782 s	Scenarios		Steps	
		Total - 1		Total - 46	
/ 1:52:03.304	om // 1:52:26.086 pm /	Pass - 0	1	Pass - 13	46
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 32	

(S)- Verify Advance to employee is adjusted against the selected bill and Net Adjusted Value is correctly displayed



#	Step / Hook Details	Status	Duration
1	Given Navigate The Azentio Url	PASSED	11.729 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.127 s
	screenshot		
	■ © Anti-Anti-Anti-Anti-Anti-Anti-Anti-Anti-		
2	Then Choose the second Tab Segment	PASSED	0.359 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.209 s
	screenshot		

3 And Click On Main module Accounts Receivable AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 Then Click on Accounts Receive Advances Eye Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.383 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.259 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 Then Click on Accounts Receive Advances Eye Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.187 s 0.187 s 0.187 s
4 Then Click on Accounts Receive Advances Eye Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.383 s PASSED 0.259 s
4 Then Click on Accounts Receive Advances Eye Icon AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 0.383 s 0.259 s
4 Then Click on Accounts Receive Advances Eye Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.383 s 0.259 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.259 s
screenshot
Company Comp
5 And Click Add icon button PASSED 0.315 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.412 s
screenshot
To describe the second of the
6 Then Enter the Receivable Name as Advance to employee PASSED 0.471 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.143 s


7 And Enter Business partner Value AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot ### ### ### ### ### ### ### ### ### #	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 8 Then Enter the PO Number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.172 s 0.172 s 0.172 s				
8 Then Enter the PO Number AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 9 And Enter Payment mode AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.383 s 0.156 s	7	And Enter Business partner Value	PASSED	0.353 s
8 Then Enter the PO Number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And Enter Payment mode AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.383 s 0.156 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.172 s
8 Then Enter the PO Number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 And Enter Payment mode AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.295 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.295 s 0.153 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 9 And Enter Payment mode AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.156 s 0.295 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.153 s				
9 And Enter Payment mode AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.295 s 0.153 s	8	Then Enter the PO Number	PASSED	0.383 s
9 And Enter Payment mode AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.295 s 0.153 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.156 s
9 And Enter Payment mode AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.295 s 0.153 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.153 s				
	9	And Enter Payment mode	PASSED	0.295 s
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.153 s
screenshot		screenshot		
10 Then Enter Amount value PASSED 0.209 s	10	Then Enter Amount value	PASSED	0.209 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.161 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	_	0.161 s
screenshot		screenshot]	


#	Step / Hook Details	Status	Duration
	1		
11	And Choose Needed Currancy	PASSED	0.233 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.176 s
	screenshot		
12	Then Choose cost center	PASSED	0.280 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.190 s
	Screenshot *** ********************************		
13	And Enter Description value	PASSED	0.214 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot +	PASSED	0.202 s
14	Then Save the Advance Record	FAILED	1.110 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button aria-disabled="true" class="ion-color ion-color-primary md button button-clear in-toolbar button-disabled ion-activatable ion-focusable hydrated" color="primary" disabled="" ng-reflect-color="primary" ng-reflect-disabled="true"></ion-button> is not clickable at point (1414, 88). Other element would receive the click: <ion-buttons class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated" slot="end"></ion-buttons> (Session info: chrome=98.0.4758.102) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.		

#	Step / Hook Details	Status	Duration
#	name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e6e0973cc45a359a249be2f6b897b932, clickElement [id=0b3d58da-930b-4e44-a189-5d88c67833b8]] Capabilities {acceptinsecurecters: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: (chromedriverversion: 98.0.4758.80 (7f0488e8ba0d8, userDataDir: C:UsersiNINDC-14xppDataL), goog:chromeOptions: (debuggerAddress: localhost:59201}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59201/devtoo, se:cdp/version: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad: 300000, scrip: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (e6e0973cc45a359a249be2f6b897b932)] > xpath: (//ion-header[1]//ion-toolbar[1]/ion-buttons[2]/ion-button[1])[2]] Session ID: e6e0973cc45a359a249be2f6b897b932] at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:51) at org.o	Status	Duration
	at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.ARAP_CancellationOfGRN.save_the_advance_record(ARAP_CancellationOfGRN.java:1004) at ?.Save the Advance Record(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/ ARAP_GrnCancellation.feature:371)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.109 s
	*** *** *** *** *** *** *** *** *** **		


#	Step / Hook Details	Status	Duration
15	Then Goto The Notification Icon	SKIPPED	0.001 s
16	And Store the Referance Id and Open the Record	SKIPPED	0.000 s
17	Then Click submit button and Enter Remark submit it	SKIPPED	0.000 s
18	Given Navigate as a Reviewer	SKIPPED	0.000 s
19	Then click on Notify icon	SKIPPED	0.000 s
20	And Click First record Action icon	SKIPPED	0.000 s
21	Then Approve the record in Reviewer	SKIPPED	0.000 s
22	And Give Remark and Submit	SKIPPED	0.000 s
23	Given Navigate as a Checker	SKIPPED	0.001 s
24	Then Click module security management	SKIPPED	0.000 s
25	And Claim the Record in Checker	SKIPPED	0.001 s
26	Then Goto the Checker notification Icon	SKIPPED	0.000 s
27	And Click the First Action Icon	SKIPPED	0.000 s
28	Then Approve the Record in checker stage	SKIPPED	0.001 s
29	And Give the Remark and Submit it	SKIPPED	0.000 s
30	Given Navigate The Azentio Url	SKIPPED	0.000 s
31	Then Choose the second Tab Segment	SKIPPED	0.000 s
32	And Click On Main module Accounts Receivable	SKIPPED	0.000 s
33	Then Click on Accounts Receive Advances Eye Icon	SKIPPED	0.000 s
34	And Click On Search Icon	SKIPPED	0.000 s
35	Then Enter Active Value In Advance Status	SKIPPED	0.001 s
36	Then Click on Table Row First Eye Icon	SKIPPED	0.000 s
37	And Get The Business Partner and Advance Number	SKIPPED	0.000 s
38	And Click On Main module Accounts payable	SKIPPED	0.000 s
39	Then Click sub module Payment settlement Eye Icon	SKIPPED	0.000 s
40	And Click Add icon button	SKIPPED	0.000 s
41	Then Enter payment option	SKIPPED	0.001 s
42	And Give stored Business partner Name	SKIPPED	0.000 s
43	Then Choose value date as System current date	SKIPPED	0.000 s
44	And find the Advance reference number and Net Adjustable value in the billing queue	SKIPPED	0.001 s
45	Then Click the Checkbox As Tick	SKIPPED	0.000 s
46	And Verify the Net Adjusted Value is correctly displayed	SKIPPED	0.001 s

EXPANDED SECTION -- 10 --







EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --

