

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of BudgetTransfer UAT	1	0	1	0	1 m 2.760 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of	UAT_006_007 If transfering budget code does not have	8	7	1	0	1 m 2.755 s
	BudgetTransfer UAT	sufficeint amount to transfer for the month					

DETAILED SECTION -- 4 --

(F)- Check the Functionality of BudgetTransfer UAT

FAILED	DURATION - 1 m 2.760 s	Scenarios		Steps	
		Total - 1		Total - 8	
/ 11:07:06.122	AM // 11:08:08.882 AM /	Pass - 0	1	Pass - 7	8
		Fail - 1.		Fail - 1	
		Skip - 0		Skip - 0	

(S)- UAT_006_007 If transfering budget code does not have sufficeint amount to transfer for the month



#	Step / Hook Details	Status	Duration
1	When user login into maker stage	PASSED	26.096 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.368 s
	screenshot		
2	Then user click on configuration	PASSED	0.873 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.176 s
	screenshot		


#	Step / Hook Details	Status	Duration
	■		
3	Then user click on the finance button	PASSED	0.001 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.178 s
	screenshot		
	What is a second of the control of t		
4	Then click on direction	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot **Tex_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)* **Tex_stepdefinitions.HooksClass.addScreenshot(io.cu	PASSED	0.164 s
5	Then click on budget button	PASSED	0.310 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.217 s
6	Then click on transfer eye button	PASSED	0.843 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.304 s
	screenshot	1	

#	Step / Hook Details	Status	Duration
	# 1		
7	Then click on add button in transfer	PASSED	0.823 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.666 s
	## Operation 100 10		
8	Then fill the form and enter excessive budget amount to transfer	FAILED	3.935 s
	org.openqa.selenium.JavascriptException: javascript error: Cannot read properties of null (reading 'shadowRoot') (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014667', ip: '10.1.47.117', os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b057f6ef8738709479ad515a7308d71b, executeScript {script=return document.querySelector('Giv[class='toast-message[']'), args=[]] Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8bad6a userJabatior: C:UserSININDC=1/AppDataLi}, goog:chromeOptions: {debuggerAddress: localhost:59103}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59103/devtoo, se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: (implicit). pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b057f6ef8738709479ad515a7308d71b at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(PolegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.w3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.w3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:33) at org.openqa.selenium.remote.codec.w3c.w3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:33) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:139) at org		


DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	Budget_BudgetTransfer_BP_BT_UAT_006_007.fill_the_form_and_enter_excessive_budget_amount_to_transfer(Budget_BudgetTransfer_BP_BT_UAT_006_007.java:136) at ?.fill the form and enter excessive budget amount to transfer(file:///C:/Users/inindc00082/git/AzentioAutomationFrameworkmaster_new1/AzentioAutomationFramework/src/test/java/features/BUDGET_BudgetTransferUAT.feature:46) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.156 s
	Solutions and the state of the		


EXPANDED SECTION --- 8 --



EXPANDED SECTION -- 9 --



EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --

