Cucumber Report

Start : May 17, 12:57:33.101 PM	End : May 17, 12:58:12.115 PM	Duration : 39.014 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 9 FAILED - 0 SKIPPED - 0

1

1

9

Pass %

Pass %

Pass %

#	Feature Name	T	P	F	S	Duration
1	To verify user can able to do transaction in gl2 moduyle	1	1	0	0	39.014 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	To verify user can able to do transaction in gl2 moduyle	Check report for Financial Transaction	9	9	0	0	39.008 s

(F)- To verify user can able to do transaction in gl2 moduyle

PASSED	DURATION - 39.014 s	Scenarios		Steps	
		Total - 1		Total - 9	
/ 12:57:33.101 PM // 12:58:12.115 PM /		Pass - 1	1	Pass - 9	9
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Check report for Financial Transaction

| PASSED	DURATION - 39.008 s		Steps	
/ 12:57:33.107 PM // 12:58:12.115 PM /			Total - 9	
To verify user can able to do transaction in gl2 moduyle			Pass - 9	9
			Fail - 0	
@KUBS_GL2_UAT_008_006 @GL2 @MultiAuth			Skip - 0	

| #	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	PASSED	15.773 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.753 s
	screenshot		
2	Then click on report segment button	PASSED	1.945 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.357 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then click on Financial reporting button	PASSED	0.313 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.282 s
	screenshot		
4	Then click on Financial Transaction Report	PASSED	0.336 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.290 s
	screenshot		
5	Then fill the input fields of Financial Transaction	PASSED	1.161 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.154 s
	screenshot		
6	Then Select Transaction from date Financial Transaction Report	PASSED	1.368 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.190 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then select Transaction to date Financial Transaction Report	PASSED	1.244 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.205 s
	screenshot 		
8	And click view button of report	PASSED	0.465 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.330 s
	screenshot 		
9	Then verify the approved invoicebill number is available in report	PASSED	3.645 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.210 s
	screenshot 		

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check report for Financial Transaction	
(F) To verify user can able to do transaction in gl2 moduyle	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check report for Financial Transaction	
(F) To verify user can able to do transaction in gl2 moduyle	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check report for Financial Transaction

(F) To verify user can able to do transaction in gl2 moduyle

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check report for Financial Transaction

(F) To verify user can able to do transaction in gl2 moduyle

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check report for Financial Transaction

(F) To verify user can able to do transaction in gl2 moduyle

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check report for Financial Transaction

(F) To verify user can able to do transaction in gl2 moduyle

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check report for Financial Transaction

(F) To verify user can able to do transaction in gl2 moduyle

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check report for Financial Transaction

(F) To verify user can able to do transaction in gl2 moduyle

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check report for Financial Transaction

(F) To verify user can able to do
transaction in gl2 moduyle