


FEATURES SUMMARY -- 2 --



| # | Feature Name                            | T | P | F | S | Duration |
|---|---|---|---|---|---|----------|
| 1 | Check the Functionality of AR/AP Module | 1 | 0 | 1 | 0 | 28.497 s |



| # | Feature Name                     | Scenario Name   | T  | P  | F | S  | Duration |
|---|----------------------------------|---|----|----|---|----|----------|
| 1 | Check the Functionality of AR/AP | Verify cancelling Debit Note is not allowed if the same has | 43 | 15 | 1 | 27 | 28.492 s |
|   | Module                           | been adjusted at payment settlement                         |    |    |   |    |          |

DETAILED SECTION -- 4 --

## (F)- Check the Functionality of AR/AP Module

| FAILED        | DURATION - 28.497 s    | Scenarios |   | Steps      |    |
|---------------|------------------------|-----------|---|------------|----|
|               |                        | Total - 1 |   | Total - 43 |    |
| / 3:46:22.472 | pm // 3:46:50.969 pm / | Pass - 0  | 1 | Pass - 15  | 43 |
|               |                        | Fail - 1  |   | Fail - 1   |    |
|               |                        | Skip - 0  |   | Skip - 27  |    |

## (S)- Verify cancelling Debit Note is not allowed if the same has been adjusted at payment settlement

| FAILED       | DURATION - 28.492 s         |    |      |     |   |   |  |          |          |          |   |          |    |          |          |    | ,  | Steps      |    |   |
|--------------|-----------------------------|----|------|-----|---|---|--|----------|----------|----------|---|----------|----|----------|----------|----|----|------------|----|---|
| / 3:46:22 47 | 7 pm // 3:46:50.969 pm /    | 10 |      |     |   |   |  |          | 1        |          |   |          |    |          |          |    |    | Total - 43 |    |   |
| 7 0.40.22.47 | , риту, 6.46.36.363 риту    | 5  | -  - |     |   |   |  |          | -        | -        |   | -        | -i |          | i        |    |    | Pass - 15  | 43 |   |
| Check the Fu | nctionality of AR/AP Module |    |      |     |   |   |  |          |          |          |   |          |    |          |          |    |    | Fail - 1   | 73 | J |
| @KUBS AR     | AP_UAT_003_006_TC_05        | 0  |      |     |   |   | <u>. –                                    </u> | <u> </u> | <u> </u> | <u> </u> | ÷ | <u> </u> | ÷  | <u> </u> | <u> </u> | 単  |    | Skip - 27  |    | • |
| @ :          |                             |    |      | 1 2 | 3 | 4 | 5  | 6        | 7        | 8        | 9 | 10       | 11 | 12       | 13       | 14 | 15 |            |    |   |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given Navigate The Azentio Url  | PASSED | 11.924 s |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  | PASSED | 0.135 s  |
|   | screenshot  |        |          |
|   | The description of the second |        |          |
| 2 | Then Choose the second Tab Segment  | PASSED | 0.324 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  | PASSED | 0.154 s  |
|   | screenshot  |        |          |

| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | # | Step / Hook Details   | Status | Duration |
|--|---|---|--------|----------|
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  4 Then Click on Accounts Receivable Debit Note Eye Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  5 And Click On Search Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  passed  0.161 s  0.390 s  PASSED  0.272 s  0.272 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  passed  0.145 s  0.243 s  |   | Compared   Compared |        |          |
| screenshot  4 Then Click on Accounts Receivable Debit Note Eye Icon  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  screenshot  5 And Click On Search Icon  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  5 And Click On Search Icon  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  screenshot  4 Then Click on Accounts Receivable Debit Note Eye Icon  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  | 3 | And Click On Main module Accounts Receivable  | PASSED | 0.126 s  |
| 4 Then Click on Accounts Receivable Debit Note Eye Icon  AFTER_STEP - stepdefinitions, HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  5 And Click On Search Icon  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  passed  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  |   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  | PASSED | 0.161 s  |
| 4 Then Click on Accounts Receivable Debit Note Eye Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  5 And Click On Search Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  |   | screenshot  |        |          |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And Click On Search Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   |   | Promise © C   |        |          |
| Screenshot  5 And Click On Search Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  The standard of the stan | 4 | Then Click on Accounts Receivable Debit Note Eye Icon   | PASSED | 0.390 s  |
| 5 And Click On Search Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot  The step definition of the step definit |   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  | PASSED | 0.272 s  |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  PASSED  0.243 s  |   | Contraction   |        |          |
| Screenshot   | 5 | And Click On Search Icon  | PASSED | 0.145 s  |
| BOUTH CONTROL OF THE PARTY OF T |   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  | PASSED | 0.243 s  |
| ## 10  |   | screenshot  |        |          |
|  |   | 1 mm  |        |          |
| 6 Then Enter Active Value In Debit Not Status 0.262 s  | 6 | Then Enter Active Value In Debit Not Status   | PASSED | 0.262 s  |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.193 s  |   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  | PASSED | 0.193 s  |
| screenshot   |   | screenshot  |        |          |

| 7 Then Click on Table Row First Eye Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  8 And Get The Bp Name and Debit Number Store It  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And Click On Main module Accounts payable  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And Click On Main module Accounts payable  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And Click On Main module Accounts payable  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And Click On Main module Accounts payable  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And Click On Main module Payment settlement Eye Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And Click Sub module Payment settlement Eye Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And Step Step Step Step Step Step Step Step | #  | Step / Hook Details  | Status | Duration |
|--|----|--|--------|----------|
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And Get The Bp Name and Debit Number Store It  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.106 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.242 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.456 s   |    | © 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1  |        |          |
| Screenshot  8 And Get The Bp Name and Debit Number Store It  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And Click On Main module Accounts payable  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Then Click sub module Payment settlement Eye Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.242 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.242 s  | 7  |  | PASSED | 0.122 s  |
| 8 And Get The Bp Name and Debit Number Store It  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  9 And Click On Main module Accounts payable  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  8 APTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  9 And Click On Main module Accounts payable  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  10 Then Click sub module Payment settlement Eye Icon  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.242 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.456 s  |    | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)   | PASSED | 0.455 s  |
| 8 And Get The Bp Name and Debit Number Store It  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And Click On Main module Accounts payable  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And Click Son Main module Accounts payable  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  10 Then Click sub module Payment settlement Eye Icon  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.242 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.456 s  |    | screenshot   |        |          |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And Click On Main module Accounts payable  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.127 s  0.127 s  0.127 s  0.106 s  PASSED  0.106 s  |    | 9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0  |        |          |
| screenshot  9 And Click On Main module Accounts payable  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  10 Then Click sub module Payment settlement Eye Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.242 s  PASSED  0.456 s  | 8  | And Get The Bp Name and Debit Number Store It  | PASSED | 2.153 s  |
| 9 And Click On Main module Accounts payable  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 Then Click sub module Payment settlement Eye Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.106 s  PASSED  0.164 s  PASSED  0.242 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.456 s  |    | Screenshot  *** *** *** *** *** *** *** *** *** *  | PASSED | 0.127 s  |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  10 Then Click sub module Payment settlement Eye Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.164 s  PASSED  0.242 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  0.345 s  | 9  | THE PARTY CONTRACTOR OF THE PA | PASSED | 0.106 s  |
| Screenshot  10 Then Click sub module Payment settlement Eye Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.242 s  0.456 s   |    |  |        |          |
| 10 Then Click sub module Payment settlement Eye Icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.242 s  0.456 s   |    |  | 1      |          |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.456 s  |    | O   O   O   O   O   O   O   O   O   O  |        |          |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.456 s  | 10 | Then Click sub module Payment settlement Eye Icon  | PASSED | 0.242 s  |
| screenshot   |    | ·  | PASSED | 0.456 s  |
|  |    | screenshot   | 1      |          |

| Arter_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  2 Then Enter payment option  After_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Arter_step - stepdefinitions.HooksClass.addScreen | #  | Step / Hook Details   | Status | Duration |
|--|----|---|--------|----------|
| AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  screenshot  2 Then Enter payment option  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  passeb  D.194 s   |    | Company   Comp  |        |          |
| screenshot  2 Then Enter payment option PASSED 0.434 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED 0.194 s   | 11 | And Click Add icon button   | PASSED | 0.342 s  |
| Ten Enter payment option PASSED 0.434 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber java. Scenario)  PASSED 0.63 s  Then Choose value date as System current date  PASSED 2.088 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber java. Scenario)  PASSED 0.194 s   |    | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  | PASSED | 0.353 s  |
| 12 Then Enter payment option PASSED 0.434 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  After_step - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.346 s  PASSED 0.63 s  Then Choose value date as System current date  PASSED 2.088 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.194 s   |    | screenshot  |        |          |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  13 And Give stored Business partner Name  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  14 Then Choose value date as System current date  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  D.157 s  0.157 s  0.157 s  |    | © 100 miles   100 |        |          |
| screenshot  And Give stored Business partner Name  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then Choose value date as System current date  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  2.088 s  PASSED  0.194 s   | 12 | Then Enter payment option   | PASSED | 0.434 s  |
| And Give stored Business partner Name  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  Then Choose value date as System current date  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  2.088 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.194 s   |    | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  | PASSED | 0.157 s  |
| And Give stored Business partner Name  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then Choose value date as System current date  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  2.088 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.346 s  PASSED  0.163 s  |    | screenshot  |        |          |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  14 Then Choose value date as System current date  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  2.088 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.163 s   |    |   |        |          |
| Screenshot  14 Then Choose value date as System current date  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.194 s  | 13 | And Give stored Business partner Name   | PASSED | 0.346 s  |
| 14 Then Choose value date as System current date  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 2.088 s  0.194 s  |    | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  | PASSED | 0.163 s  |
| Then Choose value date as System current date  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.194 s   |    | screenshot  | ]      |          |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.194 s  |    | 9   |        |          |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.194 s  | 14 | Then Choose value date as System current date   | PASSED | 2.088 s  |
| screenshot   |    | ·   | PASSED | 0.194 s  |
|  |    | screenshot  | ]      |          |


| #  | Step / Hook Details   | Status | Duration |
|----|---|--------|----------|
|    | State   Sta |        |          |
| 15 | And find the Debit reference number for Active Debit is availabe at the billing queue   | PASSED | 2.499 s  |
|    | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  | PASSED | 0.132 s  |
|    | screenshot  |        |          |
|    | ## O AND  |        |          |
| 16 | Then Click the Debit Note Checkbox As Tick  | FAILED | 0.018 s  |
|    | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath";"selector":"//div[contains(text(), 'null')]//ancestor::datatable-body-cell/preceding-sibling::datatable-body-cell[3]//ion-checkbox"} (Session info: chrome-99.0.4844.51) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5f7ef95070b53fa0bdaab2b332929df6, findElement {using=xpath, value=//div[contains(text(), 'null')]//ancestor::datatable-body-cell/preceding-sibling::datatable-body-cell[3]//ion-checkbox!} (Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: {chromedriverVersion: 99.0.4758.80 (7f0488e8ba0d8, userDataDir: C:\Users\Uniterval (Users\Uniterval (Us |        |          |

| #  | Step / Hook Details   | Status  | Duration |
|----|---|---------|----------|
|    | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at stepdefinitions.ARAP_AccountsReceivable_AccountsPayable. click_the_debit_note_checkbox_as_tick(ARAP_AccountsReceivable_AccountsPayable.java:1506) at ?.Click the Debit Note Checkbox As Tick(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/ARAP_AccountsReceivable_AccountsPayable.feature:428) * Not displayable characters are replaced by '?'. |         |          |
|    | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  | PASSED  | 0.129 s  |
|    | screenshot  |         |          |
|    |   |         |          |
| 17 | When Enter the Description value  | SKIPPED | 0.000 s  |
| 18 | And Save The Payment settlement Record  | SKIPPED | 0.000 s  |
| 19 | Then Click the Alert message as Yes   | SKIPPED | 0.000 s  |
| 20 | Then Goto The Notification Icon   | SKIPPED | 0.000 s  |
| 21 | And Store the Referance Id and Open the Record  | SKIPPED | 0.000 s  |
| 22 | Then Click submit button and Enter Remark submit it   | SKIPPED | 0.001 s  |
| 23 | Given Navigate as a Reviewer  | SKIPPED | 0.000 s  |
| 24 | Then click on Notify icon   | SKIPPED | 0.000 s  |
| 25 | And Click First record Action icon  | SKIPPED | 0.000 s  |
| 26 | Then Approve the record in Reviewer   | SKIPPED | 0.000 s  |
| 27 | And Give Remark and Submit  | SKIPPED | 0.000 s  |
| 28 | Given Navigate as a Checker   | SKIPPED | 0.001 s  |
| 29 | Then Click module security management   | SKIPPED | 0.000 s  |
| 30 | And Claim the Record in Checker   | SKIPPED | 0.000 s  |
| 31 | Then Goto the Checker notification Icon   | SKIPPED | 0.000 s  |
| 32 | And Click the First Action Icon   | SKIPPED | 0.000 s  |
| 33 | Then Approve the Record in checker stage  | SKIPPED | 0.000 s  |
| 34 | And Give the Remark and Submit it   | SKIPPED | 0.001 s  |
| 35 | Given Navigate The Azentio Url  | SKIPPED | 0.000 s  |
| 36 | Then Choose the second Tab Segment  | SKIPPED | 0.000 s  |
| 37 | Then Open the Adjustment ARAP module  | SKIPPED | 0.000 s  |


DETAILED SECTION -- 10 --

| #  | Step / Hook Details                         | Status  | Duration |
|----|---|---------|----------|
| 38 | And Click on Adjustment ARAP Eye Icon       | SKIPPED | 0.000 s  |
| 39 | And Click Add icon button                   | SKIPPED | 0.000 s  |
| 40 | Then Give The Business Partner              | SKIPPED | 0.000 s  |
| 41 | And Give The Adjustment Type                | SKIPPED | 0.001 s  |
| 42 | Then Give the Adjustment Item Type          | SKIPPED | 0.000 s  |
| 43 | And Give the Adjustment Ref No and Validate | SKIPPED | 0.000 s  |


EXPANDED SECTION -- 11 --




EXPANDED SECTION




EXPANDED SECTION --- 13 --




EXPANDED SECTION --- 14 --




EXPANDED SECTION --- 15 --



EXPANDED SECTION -- 16 --



EXPANDED SECTION -- 17 --



EXPANDED SECTION -- 18 --

