

# Cucumber Report

Mar 5, 2022, 7:43:11 AM

Start : Mar 05, 7:40:57.854 AM

End : Mar 05, 7:43:06.655 AM

Duration : 2 m 8.801 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 4  
FAILED - 1  
SKIPPED - 16







#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	2 m 8.801 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Create a contract for an active vendor with expense type Purchases	21	4	1	16	2 m 8.796 s

**(F)- AR/AP Module**


<b>FAILED</b>	<b>DURATION - 2 m 8.801 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 21 Pass - 4 Fail - 1 Skip - 16	
/ 7:40:57.854 AM // 7:43:06.655 AM /					

**(S)- Create a contract for an active vendor with expense type Purchases**

<div>FAILED</div> <div>DURATION - 2 m 8.796 s</div>		<div></div>	<div>Steps</div> <div>Total - 21</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 16</div>	<div></div>
<div>/ 7:40:57.859 AM // 7:43:06.655 AM /</div>				
<div>AR/AP Module</div>				
<div>@KUBS_AR/AP_UAT_001_001_TC_001</div>				

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	50.451 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	4.364 s
	screenshot		
			
2	And user should navigate to accounts payable menu	PASSED	1.477 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.224 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	When click on eye button of vendor contract	PASSED	0.429 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.271 s
	screenshot 		
4	And click on add button to create contract	PASSED	0.679 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	2.308 s
	screenshot 		
5	And Fill the required fields to create contract	FAILED	17.755 s
	<p>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element &lt;ion-button color="primary" ng-reflect-color="primary" ng-reflect-disabled="true" aria-disabled="true" class="ion-color ion-color-primary md button button-clear in-toolbar button-disabled ion-activatable ion-focusable hydrated" disabled=""&gt;...&lt;/ion-button&gt; is not clickable at point (1413, 88). Other element would receive the click: &lt;ion-buttons slot="end" class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated"&gt;...&lt;/ion-buttons&gt; (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [35f7e7d31f73649af27b8feba6650d17, clickElement {id=d58d6a44-6512-431e-8afa-411364ad9f44}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\NINDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:58143}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58143/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (35f7e7d31f73649af27b8feba6650d17)] -&gt; xpath: (//ion-buttons[2]/ion-button[1])[2]] Session ID: 35f7e7d31f73649af27b8feba6650d17</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)</p>		


#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.ACCOUNTSPAYABLE_VendorContracts. fill_the_required_fields_to_create_contract(ACCOUNTSPAYABLE_VendorContracts.java:182)   at ?.Fill the required fields to create contract(file:///C:/Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test/java/features/ ArAp_VendorContract.feature:10) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.224 s
6	Then Save and submit the creation contract record	SKIPPED	0.000 s
7	And User should go to the kubs url and login as a reviewer user	SKIPPED	0.000 s
8	Then Click on notification button in reviewer	SKIPPED	0.000 s
9	And approve the record by reviewer user	SKIPPED	0.001 s
10	Given User should go to the kubs url and login as a checker user	SKIPPED	0.001 s
11	And Click on security management in checker	SKIPPED	0.000 s
12	Then Click on open pool in checker	SKIPPED	0.000 s
13	And Click on claim button in checker	SKIPPED	0.001 s
14	And capture claimed status	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
15	Then click on notification in checker	SKIPPED	0.000 s
16	Then checker should approved the contract record	SKIPPED	0.000 s
17	Given User should go to the kubs url and login as a maker user	SKIPPED	0.001 s
18	And user should navigate to accounts payable menu	SKIPPED	0.001 s
19	When click on eye button of vendor contract	SKIPPED	0.000 s
20	Then Get the contract and Txn status by searching the record via business partner	SKIPPED	0.000 s
21	And maker should logout	SKIPPED	0.001 s

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create a contract for an active vendor  
with expense type Purchases


(F) AR/AP Module



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create a contract for an active vendor  
with expense type Purchases

(F) AR/AP Module





(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

















(S) Create a contract for an active vendor  
with expense type Purchases

(F) AR/AP Module

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Contract Creation View

Actions	Branch Code - Name	Contract Number	Contract Description	Contract Type	Business Partner	Txn Date	Contract Status
 	AZENTMAIN - Azentio Main Branch	Agency-15-8-0503202 D-1001		Expense Contract	DELUXE 001	05-Mar-2022	ACTIVE
 	AZENTMAIN - Azentio Main Branch	Agency-8-124-040320 dsad		Purchases Contract	Bonton Agency	04-Mar-2022	ACTIVE
 	AZENTMAIN - Azentio Main Branch	Agency-8-123-040320 DSAD		Purchases Contract	Bonton Agency	04-Mar-2022	CLOSED
 	AZENTMAIN - Azentio Main Branch	Agency-8-122-040320 NEW-07		Expense Contract	Bonton Agency	04-Mar-2022	CLOSED
 	AZENTMAIN - Azentio Main Branch	Agency-8-121-040320 Purchase Contract		Purchases Contract	Bonton Agency	04-Mar-2022	ACTIVE
 	AZENTMAIN - Azentio Main Branch	Agency-8-120-040320 dws		Purchases Contract	Bonton Agency	04-Mar-2022	CLOSED
 	AZENTMAIN - Azentio Main Branch	Agency-15-7-0303202 DS0303		Purchases Contract	DELUXE 001	03-Mar-2022	ACTIVE
 	AZENTMAIN - Azentio Main Branch	Agency-15-6-0303202 bb-d		Purchases Contract	DELUXE 001	03-Mar-2022	CLOSED

224 total

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create a contract for an active vendor  
with expense type Purchases

(F) AR/AP Module

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Contract Creation

Contract Creation

\* Entity Branch: Azentio Main Branch \* Expense Type: \* BP Name:

BP Branch: Contract Account Code: \* Contract Name:

Transaction Date: 05-Mar-2022 \* Agreement Date: 05-Mar-2022 \* Contract End Date: 05-Mar-2022

\* Contract Signed on Date: 05-Mar-2022 Total Contract Value: \* Contract Status:

Transaction Status: Remark:

Other Details

Additional Details

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create a contract for an active vendor  
with expense type Purchases

(F) AR/AP Module

Finance

General ledger transaction

Budget

Accounts payable

Vendor contracts

Vendor purchase orders

Goods received note (GRN)

Invoice booking

Payment settlement

Payment settlement cancellation

22 Appro...

11 Messa...

Kastle Universal Banking (Beta)

19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Contract Creation

05-Mar-2022

23-Oct-2022

09-Dec-2022

\*Contract Signed on Date  
25-Oct-2022

Total Contract Value  
INR

Contract Status  
Active

Transaction Status

Remark  
OK

Other Details

PO Generation  
Manual PO

Issue Debit Note Against GRN  
No

\* Auto Generate Invoice  
No

\* Credit Period  
4

\* Late Payment Fee  
100.00 INR

Upload Contract

Choose File

No file chosen

DOWNLOAD

Additional Details

Home

Preference