


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check Budget Request and Allocation feature module	1	0	1	0	21.676 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check Budget Request and Allocation	To verify the impact if user enters all the valid details and	19	18	1	0	21.666 s
	feature module	clicking on save button					

DETAILED SECTION -- 4 --

(F)- Check Budget Request and Allocation feature module

FAILED	DURATION - 21.676 s	Scenarios		Steps	
		Total - 1		Total - 19	
/ 1:20:22.780 p	om // 1:20:44.456 pm /	Pass - 0	1	Pass - 18	19
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- To verify the impact if user enters all the valid details and clicking on save button



#	Step / Hook Details	Status	Duration
1	Given Navigate The url	PASSED	10.375 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.252 s
	screenshot		
	Prince Space Contraction Contract Contr		
2	Then Transfer icon	PASSED	0.564 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.243 s
	screenshot		

3 And Budget module field PASSED 0.125 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.188 s screenshot 4 Then Budget module Budget Request and Allocation clk Eye Icon PASSED 0.386 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.387 s screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.237 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 4 Then Budget module Budget Request and Allocation clk Eye Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot DASSED 0.188 s 0.237 s
Screenshot Then Budget module Budget Request and Allocation clk Eye Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.386 s PASSED 0.237 s
4 Then Budget module Budget Request and Allocation clk Eye Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.386 s 0.237 s
4 Then Budget module Budget Request and Allocation clk Eye Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.386 s 0.237 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot
screenshot
■ © AND
© Control 1
5 And the Budget Code fields PASSED 0.028 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.195 s
screenshot
State Square - Accordance - -
6 Then the Budget Name Fields PASSED 0.024 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.215 s

#	Step / Hook Details Status	Duration
7 And the Budget Year fields	PASSED	0.025 s
AFTER_STEP - stepdefinitions.HooksCl	ass.addScreenshot(io.cucumber.java.Scenario) PASSED	0.137 s
screenshot		
8 Then the Budget Type fields	PASSED	0.022 s
AFTER_STEP - stepdefinitions.HooksCl	ass.addScreenshot(io.cucumber.java.Scenario) PASSED	0.105 s
screenshot		
9 And the Budget Budget Amount fields	PASSED	0.022 s
	ass.addScreenshot(io.cucumber.java.Scenario) PASSED	0.107 s
screenshot		
10 Then the Budget Status fields	PASSED	0.023 s
	ass.addScreenshot(io.cucumber.java.Scenario) PASSED	0.119 s
screenshot		

#	Step / Hook Details	Status	Duration
11	And Add icon Request and Allocation	PASSED	0.210 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.220 s
	screenshot		
12	Then choose current Budget Code	PASSED	0.281 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.176 s
	Screenshot * * *** Anti-institute*** *** * *** * *** * *** * *** * *** * *** *		
13	And Clk current Budget Year	PASSED	0.304 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.240 s
	Part Part		
14	Then Clk on Branch fields	PASSED	0.124 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.167 s
	screenshot		


AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 16 Ten Clk on Branch ok button in pop up AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 17 Ten Clk Need currency AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 4 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.130 s PASSED 0.130 s PASSED 0.138 s		O Marcardon O Marcardo		
screenshot Then Clk Need currency	15	And Clk one Branch in branch field	PASSED	
Then Clk on Branch ok button in pop up AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then Clk Need currency AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.309 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.138 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.155 s
Then Clk Need currency AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.309 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then Clk Need currency AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And Select Amount for which Budget Type Show in Budget type AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.309 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.138 s		### 0		
Screenshot Scr	16	Then Clk on Branch ok button in pop up	PASSED	0.236 s
Then Clk Need currency AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And Select Amount for which Budget Type Show in Budget type AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.309 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.138 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.220 s
Then Clk Need currency AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And Select Amount for which Budget Type Show in Budget type AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.309 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.138 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And Select Amount for which Budget Type Show in Budget type AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.309 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.153 s		© MICHAEL 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
Screenshot 18 And Select Amount for which Budget Type Show in Budget type AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.138 s	17	Then Clk Need currency	PASSED	0.169 s
18 And Select Amount for which Budget Type Show in Budget type AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.309 s O.138 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.153 s
18 And Select Amount for which Budget Type Show in Budget type AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.138 s		screenshot]	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.138 s		Comparation		
	18	And Select Amount for which Budget Type Show in Budget type	PASSED	1.309 s
screenshot		· · · · · · · · · · · · · · · · · · ·	PASSED	0.138 s
		screenshot]	

#	Step / Hook Details	Status	Duration
	State Sta		
19	And Clk on save icon	FAILED	1.147 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ino-button (1413,="" -x"-on-buttons-ion-clickable="" 88).="" <ion-buttons="" aria-disabled="true" at="" class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated" click:="" color="primary" disabled="x" element="" ng-reflect-color="primary" ng-reflect-disabled="true" other="" point="" receive="" slot="end" the="" would="">-x/ion-buttons> (Session info: chrome=97.0.4692.71) buttons> (session info: chrome=9</ino-button>		


DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	Clk_on_save_icon(KUBS_Requestandallocation_autoauth_Saverecord.java:341) at ?.Clk on save icon(file:///C:/Users/inindc00075/eclipse-workspace/AzentioFramework/AzentioAutomationFramework/src/test/java/features/KUBS_BudgetRequestandAllocation.feature:326) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.149 s
	# Q Management Final Paper Academic (Street Q Q Out Academic (Street Q Out Academic (Stree		


EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --




EXPANDED SECTION -- 15 --




EXPANDED SECTION -- 16 --




EXPANDED SECTION -- 17 --



EXPANDED SECTION -- 18 --



EXPANDED SECTION -- 19 --



EXPANDED SECTION -- 20 --

