
Cucumber Report




FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	50.174 s

SCENARIOS SUMMARY




#	I catalo italic	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Verify Accounting entries post Debit Note is cancelled	19	18	1	0	50.169 s

DETAILED SECTION -- 4 --

(F)- AR/AP Module

FAILED	DURATION - 50.174 s	Scenarios		Steps	
		Total - 1		Total - 19	
/ 6:59:04.374 PN	M // 6:59:54.548 PM /	Pass - 0	1	Pass - 18	19
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- Verify Accounting entries post Debit Note is cancelled



#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	25.911 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.402 s
	screenshot		
	ALMOSTO		
2	Then select data set ID for accounting entries post debit note is cancelled	PASSED	0.048 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.367 s
	screenshot		

#	Step / Hook Details	Status	Duration
	Particular State of the Control of t		
3	Then Choose the second Tab Segment	PASSED	1.850 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.242 s
	The strategy standard with the strategy of the		
4	And Click On Main module Accounts Receivable	PASSED	0.099 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot ### Comparison of Co	PASSED	0.203 s
5	Then Click on Accounts Receivable Debit Note Eye Icon	PASSED	0.205 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot +	PASSED	0.335 s
6	And Click On Search Icon	PASSED	1.128 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.228 s
	screenshot		

7 Then Enter Cancelled Value In Debit Not Status AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 8 Then Click on Table Row First Eye Icon in ARAP AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 AND Get The Bp Name and Debit Number Store It AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 AND Get The Bp Name and Debit Number Store It AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 AND Get The Bp Name and Debit Number Store It AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 AND Get The Bp Name and Debit Number Store It AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 AND Get The Bp Name and Debit Number Store It AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 AND Get The Bp Name and Debit Number Store It AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 AND Get The Bp Name and Debit Number Store It AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 AND Get The Bp Name and Debit Number Store It AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 AND Get The Bp Name and Debit Number Store It AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 AND Get The Bp Name and Debit Number Store It AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 AND Get The Bp Name and Debit Number Store It AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 AND Get The Bp Name and Debit Number Store It AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 AND Get The Bp Name and Debit Number Store It AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 AND Get The Bp Name and Debit Number Store It AFTER_STEP - st	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 8 Then Click on Table Row First Eye Icon in ARAP AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 9 And Get The Bp Name and Debit Number Store It AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 9 And Get The Bp Name and Debit Number Store It AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 9 And Get The Bp Name and Debit Number Store It AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 9 And Get The Bp Name and Debit Number Store It AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.388 s 0.139 s 10 Then Third Segment report Icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.200 s		A SENTICE		
8 Then Click on Table Row First Eye Icon in ARAP AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 9 And Get The Bp Name and Debit Number Store It AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 10 Then Third Segment report Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.366 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.366 s	7	Then Enter Cancelled Value In Debit Not Status	PASSED	0.220 s
8 Then Click on Table Row First Eye Icon in ARAP AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 And Get The Bp Name and Debit Number Store It AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.139 s 10 Then Third Segment report Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.366 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.366 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.191 s
8 Then Click on Table Row First Eye Icon in ARAP AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 And Get The Bp Name and Debit Number Store It AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 2.150 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 10 Then Third Segment report Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.366 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.366 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And Get The Bp Name and Debit Number Store It AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 2.150 s PASSED 0.388 s PASSED 0.388 s 0.388 s		O X O S from resource String leaf heat particle leaf heat is		
screenshot 9 And Get The Bp Name and Debit Number Store It AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then Third Segment report Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.366 s PASSED 0.366 s	8	Then Click on Table Row First Eye Icon in ARAP	PASSED	0.100 s
9 And Get The Bp Name and Debit Number Store It AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 Then Third Segment report Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.366 s PASSED 0.200 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.388 s
9 And Get The Bp Name and Debit Number Store It AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then Third Segment report Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.366 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.200 s		screenshot		
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 Then Third Segment report Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.139 s PASSED 0.366 s PASSED 0.366 s		ASSATION		
Screenshot 10 Then Third Segment report Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.366 s 0.200 s	9	And Get The Bp Name and Debit Number Store It	PASSED	2.150 s
10 Then Third Segment report Icon AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 0.366 s 0.200 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.139 s
10 Then Third Segment report Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.366 s 0.200 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.200 s		ASSETTO SO OF TABLE STATE OF TABLE		
	10	Then Third Segment report Icon	PASSED	0.366 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.200 s
Scientific		screenshot		

#	Step / Hook Details	Status	Duration
	Section Sect		
11	And Choose Enquiry Module for cancelled debit note	PASSED	0.138 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.161 s
	screenshot		
	Section Sect		
12	Then Click on financial transction edit button	PASSED	0.122 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.334 s
	screenshot		
	SALES SALE		
13	And choose branch codes for cancelled debit note	PASSED	0.364 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.215 s
	screenshot		
	BASINE BA		
14	And click on transaction from date in calender	PASSED	0.250 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.243 s
	screenshot		


	tatus Duration
ADDROGRAM STATE OF THE PROPERTY OF THE PROPERT	
Then Select from date in calender for cancelled debit note PASS	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASS	SED 0.198 s
screenshot	
Description of the control of the co	
16 And click on transaction to date in calender icon	SED 0.123 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASS	SED 0.200 s
SUPERIOR STATES AND ADDRESS AN	
17 Then Select To date in calender for cancelled debit note	SED 1.026 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	SED 0.182 s
screenshot	
Signed States and Stat	
18 And Click View HyperLink PASS	SED 0.371 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASS	SED 0.163 s
screenshot	

#	Step / Hook Details	Status	Duration
	RESTOR SQL -		
19	Then Verify Accounting entries post Debit Note is cancelled	FAILED	1.041 s
	org.openqa.selenium.NoSuchElementException: no such element. Unable to locate element. ("method":"yapth":"selector:"(//ii@class='datatable-icon-right")[2]") (Session info: chrome=100.0.4896.60) For documentation on this error, please visit. https://selenium.dev/exceptions/fmo_such element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00XBKU', ip: '10.147.121', os.name: Windows 10', os.arch: 'amd64', os.version: '10.0', java version: '17.01' Driver info: org.openqa. selenium.chrome.ChromeDriver Commant' [2bdfe268.6bdf86868.6a7a72724005. fmdElement (using=xpath, value=(/ii@class='datatable-icon-right")[2]]) Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.60, chrome: (chromedriverVersion: 99.0.4844.51) (d537ec02474b5, userDataDir. C:\Users\timlNINDC-1\AppDataL\), goog-chromeOptions: (debuggerAddress: localhost-61228), javascriptEnabled: true, networKoonnectonEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhosts61228/devtoo, se:cdp\version: 100.0.4896.60, setWindowRect: true, strictellienteractability false, timeouts: (implicit: 0, pageLoad: 30000), scirptis: 100.0.4896.60, setWindowRect: true, strictellienteractability false, timeouts: (implicit: 0, pageLoad: 30000), scirptis: 100.0.4896.60, setWindowRect: true, strictellienteractability false, timeouts: (implicit: 0, pageLoad: 30000), scirptis: 100.0.4896.60, setWindowRect: true, strictellienteractability false, timeouts: (implicit: 0, pageLoad: 30000), scirptis: 100.0.4896.60, setWindowRect: true, strictellienteractability false, timeouts: (implicit: 0, pageLoad: 30000), scirptis: 100.0.4896.60, setWindowRect: true, strictellienteractability false, timeouts: (implicit: 0, pageLoad: 30000), scirptis: 100.0000, scirptis: 100.0.4896.60, setWindowRect: (implicit: 0, pageLoad: 100.000), scirptis: 100.0000, scirptis: 100.0000, scirptis: 100.0000, scirptis: 100.0000, scirptis: 100.0000, scirptis: 100.0000, scirptis:		


DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)		
	at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682)		
	at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:478)		
	at helper.JavascriptHelper.executeScript(JavascriptHelper.java:27)		
	at helper.JavascriptHelper.scrollIntoView(JavascriptHelper.java:49)		
	at stepdefinitions.ARAP_CancellationOfDebitNote.verify_accounting_entries_post_debit_note_is_cancelled(ARAP_CancellationOfDebitNote.java:225)		
	at ?.Verify Accounting entries post Debit Note is cancelled(file:///C:/Users/inindc00091/git/AzentioAutomationFramework/ARAP_Excel_priyanka0612/AzentioAutomationFramework_ARAP_Excel/src/test/java/features/ArAp_2_Excel.feature:22) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.119 s
	screenshot		
	ACCUTO SINGUE AND		


EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --




EXPANDED SECTION -- 15 --




EXPANDED SECTION -- 16 --




EXPANDED SECTION -- 17 --



EXPANDED SECTION -- 18 --



EXPANDED SECTION -- 19 --



EXPANDED SECTION -- 20 --

