

Cucumber Report

Mar 29, 2022, 11:38:40 PM

Start : Mar 29, 11:38:15.675 PM

End : Mar 29, 11:38:39.202 PM

Duration : 23.527 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0



FAILED - 1

SKIPPED - 0

PASSED - 6


FAILED - 1

SKIPPED - 8







#	Feature Name	T	P	F	S	Duration
1	<u>Checking the Inventory Maintenance functionality</u>	1	0	1	0	23.527 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Checking the Inventory Maintenance functionality</u>	<u>Unique Inventory item code should be created</u>	15	6	1	8	23.525 s





(F)- Checking the Inventory Maintenance functionality


FAILED	DURATION - 23.527 s	Scenarios		Steps	
/ 11:38:15.675 PM // 11:38:39.202 PM /		Total - 1		Total - 15	
		Pass - 0		Pass - 6	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 8	


(S)- Unique Inventory item code should be created

<div>FAILED</div> <div>DURATION - 23.525 s</div>	<div></div>	<div>Steps</div> <div>Total - 15</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 8</div>	<div></div>
<div>/ 11:38:15.677 PM // 11:38:39.202 PM /</div>			
<div>Checking the Inventory Maintenance functionality</div>			
<div>@KUBS_INV_MGMT_UAT_002_003_Item_Code</div> <div>@MultiAuth</div>			

#	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	PASSED	11.077 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.144 s
	screenshot		
			
2	Then Click on Direction Left	PASSED	0.128 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.287 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then Click on Inventory Maintenance	PASSED	0.094 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.141 s
	screenshot 		
4	Then Click on Inventory Item Master Eye Icon	PASSED	0.335 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.159 s
	screenshot 		
5	Then Click on Inventory Maintenance Add button	PASSED	2.180 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.135 s
	screenshot 		
6	Then Fill Inventory Item Mandatory fields	PASSED	2.403 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.141 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
7	<p>Then Click on Inventory Item Save button</p> <p>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button color="primary" ng-reflect-color="primary" ng-reflect-disabled="true" aria-disabled="true" class="ion-color ion-color-primary md button button-clear in-toolbar button-disabled ion-activatable ion-focusable hydrated" disabled="">...</ion-button> is not clickable at point (1414, 88). Other element would receive the click: <ion-buttons slot="end" class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated">...</ion-buttons> (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d9bd49fef74a71f78510eb127442c1a0, clickElement {id=1e19ddef-e6ce-4a5a-b3cb-14574678aebd}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\Local..., goog.chromeOptions: {debuggerAddress: localhost:57813}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:57813/devtoo..., se.cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (d9bd49fef74a71f78510eb127442c1a0)] -> xpath: (/ion-toolbar[1]/ion-buttons[2]/ion-button[1])[2]] Session ID: d9bd49fef74a71f78510eb127442c1a0</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) atjdk.internal.reflect.GeneratedMethodAccessor8.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) atjdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.InventoryMaintenance.click_on_inventory_item_save_button(InventoryMaintenance.java:188) at ?.Click on Inventory Item Save button(file:///C:/Users/inindc00089/git/AzentioAutomationFramework/AzentioAutomationFramework/src/ </pre>	FAILED	1.097 s

#	Step / Hook Details	Status	Duration
	test/java/features/InventoryMaintenance.feature:12) * Not displayable characters are replaced by '?'. AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		
	screenshot 	PASSED	0.108 s
8	Then Click on Inventory Item Notification	SKIPPED	0.000 s
9	And Select and Submit the record	SKIPPED	0.000 s
10	Then log in to the reviewer account	SKIPPED	0.000 s
11	Then click on the Notification select the record and Approve	SKIPPED	0.000 s
12	Then log in to the Checker Account	SKIPPED	0.001 s
13	And then checker claim the record	SKIPPED	0.000 s
14	Then click on the checker Notification	SKIPPED	0.000 s
15	And select the record and Approve by checker	SKIPPED	0.001 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Unique Inventory item code should be created


(F) Checking the Inventory Maintenance functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Unique Inventory item code should be created

(F) Checking the Inventory Maintenance functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Unique Inventory item code should be
created

(F) Checking the Inventory Maintenance
functionality

Kastle Universal Banking (Beta)

07-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Welcome, anant

Business partner setup
General ledger configurat...
Accounting setup
Expense/AR & AP configu...
Budget configuration
Fixed assets configuration
Inventory maintenance

Instrument code master
Denomination master
Inventory item master
Inventory access

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Unique Inventory item code should be
created

(F) Checking the Inventory Maintenance
functionality

Kastle Universal Banking (Beta)

07-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Inventory Item View Grid

Actions	Branch Code	Branch Name	Currency Code	Transaction Date	Current Balance	Quantity	Reorder Level	Item Description
	AZENTMAIN	Azentio Main Branch	INR	04-Nov-2022	0	1		cheque book
	AZENTMAIN	Azentio Main Branch	INR	19-Oct-2022	1	1		CHEQUEBOC
	AZENTMAIN	Azentio Main Branch	INR	22-Feb-2022	0	1		Montex
	BR0007	Andheri Branch	INR	11-Feb-2022	100000	50000		andheri
	BR0004	West Zone	INR	11-Feb-2022	3454	80000		west
	BR0007	Andheri Branch	INR	11-Feb-2022	10	25		test001
	HO0001	Corporate Branch	INR	09-Feb-2022	250000	1		10025
	BR0004	West Zone	INR	07-Feb-2022	1000000	10		Testing

20 total

1 2 3 p q

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Unique Inventory item code should be
created

(F) Checking the Inventory Maintenance
functionality

Kastle Universal Banking (Beta) 07-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Inventory Item View Grid

Actions	Branch Code	Branch Name	Currency Code	Transaction Date	Current Balance	Quantity	Reorder Level	Item Description
	AZENTMAIN	Azentio Main Branch	INR	04-Nov-2022	0		1	cheque book
	AZENTMAIN	Azentio Main Branch	INR	19-Oct-2022	1		1	CHEQUEBOOK
	AZENTMAIN	Azentio Main Branch	INR	22-Feb-2022	0		1	Montex
	BR0007	Andheri Branch	INR	11-Feb-2022	100000		50000	andheri
	BR0004	West Zone	INR	11-Feb-2022	3454		80000	west
	BR0007	Andheri Branch	INR	11-Feb-2022	10		25	test001
	HO0001	Corporate Branch	INR	09-Feb-2022	250000		1	10025
	BR0004	West Zone	INR	07-Feb-2022	1000000		10	Testing

20 total

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Unique Inventory item code should be
created

(F) Checking the Inventory Maintenance
functionality

Kastle Universal Banking (Beta) 07-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Inventory Item Master

* Branch Code: AZENTMAIN-Azentio Main Branch

* Item Code: INV004-Traveller Check

* Item Description:

* Item Short Description:

* Instrument Code: INR

* Currency Code:

* Reorder Level: 1

* Excess Level: 10

* Reorder Qty: 1

Current Balance Quantity: 0

QC Required: ☒

Fill Indicator: ☐

Item Short Description already exists!!!

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Unique Inventory item code should be created

(F) Checking the Inventory Maintenance functionality

Kastle Universal Banking (Beta) 07-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Inventory Item Master

* Branch Code	AZENTMAIN-Azentio Main Branch		* Item Description
* Item Short Description	* Instrument Code	* Currency Code	
	INV004-Traveller Check	INR	
* Reorder Level	1	* Excess Level	10
Current Balance Quantity	0	QC Required	Fill Indicator
		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

22 Appro... 11 Messa...

Home Preference