


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of Inventory	1	0	1	0	1 m 23.812 s

SCENARIOS SUMMARY

-- 3 --




 #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of Inventory	Bill(invoice) Booking	9	7	1	1	1 m 23.804 s

DETAILED SECTION -- 4 --

(F)- Check the Functionality of Inventory

FAILED	DURATION - 1 m 23.812 s	Scenarios		Steps	
		Total - 1		Total - 9	
/ 4:00:32.442 F	PM // 4:01:56.254 PM /	Pass - 0	1	Pass - 7	9
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

(S)- Bill(invoice) Booking



#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	58.607 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.362 s
	screenshot		
	TATANTO O AMERICA DE PARTO DE CONTROL DE CO		
2	Then select data set ID for bill booking	PASSED	0.590 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.841 s
	screenshot		
	CENTRO PARTITION PAR		


And user should navigate to accounts payable menu AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 Then click on po creation module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	#	Step / Hook Details	Status	Duration
screenshot ### Then click on po creation module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And get the approved po number from approved po record for invoice booking AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot ###################################	3	And user should navigate to accounts payable menu	PASSED	2.928 s
4 Then click on po creation module PASSED 0.540 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 5 And get the approved po number from approved po record for invoice booking AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot 6 When click on the eye button of invoice booking AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.405 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And get the approved po number from approved po record for invoice booking AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot When click on the eye button of invoice booking AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot D. 341 s D. 341 s D. 341 s D. 342 s D. 342 s D. 343 s D. 345 s D. 346 s D. 347 s D. 347 s D. 347 s D. 348 s D. 347 s D. 348 s D.		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And get the approved po number from approved po record for invoice booking AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot When click on the eye button of invoice booking AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot D. 341 s D. 341 s D. 341 s D. 342 s D. 342 s D. 343 s D. 345 s D. 346 s D. 347 s D. 347 s D. 347 s D. 348 s D. 347 s D. 348 s D.		DESCRIPTION OF A STATE		
Screenshot And get the approved po number from approved po record for invoice booking AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot When click on the eye button of invoice booking AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.341 s 0.365 s 0.365 s 0.372 s	4	·	PASSED	
5 And get the approved po number from approved po record for invoice booking AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 When click on the eye button of invoice booking AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 ASSED 0.341 s 0.365 s 0.365 s 0.372 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.675 s
5 And get the approved po number from approved po record for invoice booking AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 When click on the eye button of invoice booking AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.341 s 0.365 s 0.365 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot When click on the eye button of invoice booking AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.365 s 0.365 s 0.365 s				
Screenshot 6 When click on the eye button of invoice booking AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.512 s PASSED 0.372 s	5	And get the approved po number from approved po record for invoice booking	PASSED	0.341 s
6 When click on the eye button of invoice booking AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.512 s 0.372 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.365 s
6 When click on the eye button of invoice booking AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 0.512 s 0.372 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 0.372 s				
screenshot	6	When click on the eye button of invoice booking	PASSED	0.512 s
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.372 s
		screenshot		
		# *** *** *** *** *** *** *** *** *** *		
7 And click on add button for invoice booking PASSED 1.946 s	7	And click on add button for invoice booking	PASSED	1.946 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.474 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.474 s
screenshot		screenshot		

#	Step / Hook Details	Status	Duration
	ASSTROM Part		
8	And Fill the required fields for invoice booking record	FAILED	9.979 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <textarea ania-labelledby="lon-textarea-lb" autocapitalize="none" class="native-textarea sc-ion-textarea-nd" false"="" name="remarks" placeholder=" spellcheck=">/textarea is not clickable at point (608, 510.) Other element would receive the click < div class="cdk-overlay-backdrop cdk-overlay-backdrop cdk-overlay-backdrop-overla</td><td></td><td></td></tr></tbody></table></textarea>		


DETAILED SECTION --- 7 -

#	Step / Hook Details	Status	Duration
	ARAP_AzentioAutomationFramework_Excel/src/test/java/features/InventoryManagement_UAT.feature:230) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.208 s
	screenshot		
	ACRITICAL		
9	Then Save and submit the invoice billing	SKIPPED	0.000 s


EXPANDED SECTION -- 8 --



EXPANDED SECTION -- 9 --



EXPANDED SECTION -- 10 --



EXPANDED SECTION

