

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Checking the Fixed Asset functionality	1	1	0	0	1 m 21.813 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Fixed Asset functionality	Serial number should be alloted to the asset and displayed	16	16	0	0	1 m 21.809 s
		in the list view of Asset serial number sub module					

DETAILED SECTION

## **(F)- Checking the Fixed Asset functionality**

PASSED	DURATION - 1 m 21.813 s	Scenarios		Steps	
		Total - 1		Total - 16	
/ 8:38:48.350 AM	1 // 8:40:10.163 AM /	Pass - 1	1	Pass - 16	16
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## (S)- Serial number should be alloted to the asset and displayed in the list view of Asset serial number sub module

PASSED DURATION - 1 m 21.809 s	30 -	-	- ;		- ;					- ;-							- ;	Steps			
/ 8:38:48.354 AM // 8:40:10.163 AM /	20 -	-		-						-		ł	-					Total - 16 Pass - 16			
Checking the Fixed Asset functionality	10	ŀ	-		-			-	- + -	-  -		ı	- -	-			-	Fail - 0	V	16	J
@MultiAuth @KUBS_FAT_UAT_002_005	0 -		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	Skip - 0			

#	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	PASSED	8.873 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.307 s
	screenshot		
	The Continue of the Continue o		
2	Then Click on Fixed Asset Direction icon	PASSED	0.150 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.115 s
	screenshot		

3 Then Click on Fixed assets configuration  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED AFTER_STEP.A	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  4 Then Click on Asset Serial Num Creation Eye button  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  5 Then Click on Asset Serial Num Creation Search icon  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 Then Click on Asset Serial Num Creation Search icon  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  passet  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  DASSED  0.121 s  0.012 s		The state of the s		
Screenshot   Scr	3	Then Click on Fixed assets configuration	PASSED	0.132 s
Then Click on Asset Serial Num Creation Eye button  ATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then Click on Asset Serial Num Creation Eye button  Then Click on Asset Serial Num Creation Eye button  Then Click on Asset Serial Num Creation Search icon  Then Click on Asset Serial Num Creation Search icon  ATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Then Click on Asset Serial Num Creation Search icon  ACTION THEN CLICK ON ASSET SERIAL Num Creation Search icon  Then Click on Asset Serial Num Creation Search icon  ACTION THEN CLICK ON ASSET SERIAL Num Creation Search icon  Then Click on Asset Serial Num Creation Search icon  ACTION THEN CLICK ON ASSET SERIAL Num Creation Search icon  Then Click on Asset Serial Num Creation Search icon  ACTION THEN CLICK ON ASSET SERIAL Num Creation Search icon  Then Click on Asset Serial Num Creation Search icon  The Click on Asset Serial Num Creation Search icon  The Click on Asset Serial Num Creation Search		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.157 s
Then Click on Asset Serial Num Creation Eye button  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then Click on Asset Serial Num Creation Search icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  For Then Click on Asset Serial Num Creation Search icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then Click on Asset Serial Num Creation Search icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFT		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then Click on Asset Serial Num Creation Search icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then Enter Asset code  PASSED  0.136 s  0.136 s  0.136 s  0.136 s  0.137 s  0.121 s  0.108 s		Total and the second se		
Screenshot  Then Click on Asset Serial Num Creation Search icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then Enter Asset Code  PASSED  0.121 s  PASSED  0.108 s  0.108 s  0.108 s	4	Then Click on Asset Serial Num Creation Eye button	PASSED	0.418 s
5 Then Click on Asset Serial Num Creation Search icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  Then Click on Asset Serial Num Creation Search icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.108 s  1 Then Enter Asset code  PASSED  0.712 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.136 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 Then Enter Asset code  PASSED  0.108 s  PASSED  0.108 s		1	_	
Screenshot  Then Enter Asset code  PASSED 0.712 s	5	Then Click on Asset Serial Num Creation Search icon	PASSED	0.121 s
6 Then Enter Asset code  PASSED  0.712 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.108 s
6 Then Enter Asset code PASSED 0.712 s		screenshot		
		The Continue of the Continue o		
AETED STED - standafinitions HooksClass addScreenshot(in cucumher java Scenario)  DASSED 0.001 c	6	Then Enter Asset code	PASSED	0.712 s
ATTEN_STEET - Stephelimitions. Hooks class. add Screen shot (io. cacamber. Java. Scenario)		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.091 s
screenshot		screenshot		


7 Then Click on the record  AFTER_STEP - stepdefinitions HooksClass.addScreenshot(io.cucumber.java.Scenario)  8 Then Fill Asset Serial Num Creation Mandatory fields  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 Then Click on Fixed Asset Save button  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 Then Click on Fixed Asset Save button  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  8 Then Fill Asset Serial Num Creation Mandatory fields  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 Then Click on Fixed Asset Save button  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  9 Then Click on Fixed Asset Save button  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 And Select and Submit the record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  31.403 s  PASSED  O.101 s		□ considerate  → Normalizate  → Nor		
screenshot    Then Fill Asset Serial Num Creation Mandatory fields	7	Then Click on the record	PASSED	0.092 s
8 Then Fill Asset Serial Num Creation Mandatory fields  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  9 Then Click on Fixed Asset Save button  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.100 s  10 And Select and Submit the record  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  31.403 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.101 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.189 s
8 Then Fill Asset Serial Num Creation Mandatory fields AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 Then Click on Fixed Asset Save button AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  8 AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 AND Select and Submit the record APASSED  10 And Select and Submit the record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  11 AND Select and Submit the record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  12 AND Select and Submit the record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  13 1.403 s  PASSED  10 10 10 S		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 Then Click on Fixed Asset Save button  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 And Select and Submit the record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  31.403 s  PASSED  0.096 s		20   10   10   10   10   10   10   10		
Screenshot  9 Then Click on Fixed Asset Save button  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 And Select and Submit the record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  31.403 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.101 s	8	Then Fill Asset Serial Num Creation Mandatory fields	PASSED	2.167 s
9 Then Click on Fixed Asset Save button  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  10 And Select and Submit the record  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  31.403 s  PASSED  0.101 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.096 s
9 Then Click on Fixed Asset Save button PASSED 2.106 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  10 And Select and Submit the record PASSED 31.403 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 31.403 s  PASSED 0.101 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 And Select and Submit the record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  31.403 s  PASSED  O.100 s		9		
Screenshot  10 And Select and Submit the record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.101 s	9	Then Click on Fixed Asset Save button	PASSED	2.106 s
10 And Select and Submit the record  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.101 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.100 s
10 And Select and Submit the record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 31.403 s  O.101 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.101 s		Noticinated 0		
	10	And Select and Submit the record	PASSED	31.403 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.101 s
		screenshot		

11 Then log in to the reviewer account  PASSED 6.190 s
· ·
AFTER OTER A LEWIS HARDEN LOS LACOURS CONTRACTOR OF THE CONTRACTOR
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.093 s
screenshot
# © Control Control  # Note the Control Control  # Note the Contr
12 Then click on the Notification select the record and Approve PASSED 5.604 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.104 s
screenshot
We described the second of the
Then log in to the Checker Account PASSED 4.315 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.163 s
screenshot
The Street Stree
14 And then checker claim the record PASSED 1.879 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.123 s
screenshot


DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
	The state of the s		
15	Then click on the checker Notification	PASSED	1.106 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  **Texample of the step of the st	PASSED	0.187 s
16	And select the record and Approve by checker	PASSED	11.973 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  **Texact	PASSED	0.097 s


EXPANDED SECTION --- 9 --




EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --

