Cucumber Report

Start : Feb 12, 5:17:17.292 PM	*End : Feb 12, 5:19:08.634 PM*	*Duration : 1 m 51.342 s*
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 17 FAILED - 0 SKIPPED - 0

#	Feature Name	T	P	F	S	Duration
1	*Check the Functionality of Fixed Asset*	1	1	0	0	1 m 51.342 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of Fixed Asset	Create the asset limit	17	17	0	0	1 m 51.337 s

(F)- Check the Functionality of Fixed Asset

PASSED	DURATION - 1 m 51.342 s	Scenarios		Steps	
/ 5:17:17.292 PM // 5:19:08.634 PM /		Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Total - 17 Pass - 17 Fail - 0 Skip - 0	17

(S)- Create the asset limit

PASSED	DURATION - 1 m 51.337 s		Steps	
/ 5:17:17.297 PM // 5:19:08.634 PM /			Total - 17 Pass - 17 Fail - 0 Skip - 0	17
Check the Functionality of Fixed Asset				
@KUBS_FAT_UAT_002_001 @multiauth				

#	Step / Hook Details	Status	Duration
1	Given Navigate to kubs URL and user should login as a maker	PASSED	22.027 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.504 s
	screenshot		
	+		
2	Then Click on the Finance	PASSED	0.002 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.358 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then Click on the Direction	PASSED	0.631 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.586 s
	screenshot		
4	Then Click on Fixed Asset	PASSED	0.267 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.141 s
	screenshot		
5	Then Click on Asset Creation Eye Button	PASSED	0.773 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.399 s
	screenshot		
6	Then Click on the add button to add new record	PASSED	0.429 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.445 s
	screenshot		

| #	Step / Hook Details	Status	Duration
7	Then Fill Form	PASSED	5.146 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.131 s
	screenshot		
8	Then Save the filled form	PASSED	0.170 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.567 s
	screenshot		
9	Then Click on the Notification	PASSED	0.825 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.667 s
	screenshot		
10	Then Select the record which we saved	PASSED	0.582 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.501 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	Then Submit record	PASSED	10.346 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.153 s
	screenshot		
12	Then Open the Reviewer account	PASSED	17.415 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.300 s
	screenshot		
13	Then Click on the Notification	PASSED	0.362 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.422 s
	screenshot		
14	Then Approve the record which we submitted from maker	PASSED	13.126 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.121 s
	screenshot		

#	Step / Hook Details	Status	Duration
15	Then Go to Checker login	PASSED	6.619 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.085 s
	screenshot		
16	Then Clam record	PASSED	1.990 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.121 s
	screenshot		
17	Then Click on the notification and approve the record	PASSED	8.746 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.157 s
	screenshot		

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create the asset limit

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create the asset limit

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create the asset limit

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create the asset limit

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create the asset limit

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create the asset limit

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create the asset limit

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create the asset limit

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create the asset limit	
(F) Check the Functionality of Fixed Asset	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create the asset limit	
(F) Check the Functionality of Fixed Asset	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create the asset limit

(F) Check the Functionality of Fixed Asset

| | Kastle Universal Banking (Beta) | | | 04-Oct-2022 | English | Azentio Software | (AZENTMAIN) | ANANT |

Finance

- General ledger transaction
- Budget
- Accounts payable
- Adjustments (AR and AP)
- Accounts receivable
- Fixed assets
  - Asset creation
  - Asset transfer
  - Asset undertaking
  - Asset sale
  - Asset allocation

22 Appro... | 11 Messa...

← Inbox

Actions	Reference Id	Event Code	Stage Code	Role Code	Employee Name
✏	348	GRN_EVENT	MAKER	MAKER	1002435
✏	347	GRN_EVENT	MAKER	MAKER	1002435
✏	833	FIXED_ASSET_ALLO	MAKER	MAKER	1002435
✏	343	GRN_EVENT	MAKER	MAKER	1002435
✏	342	GRN_EVENT	MAKER	MAKER	1002435

632 total |< < **1** 2 3 4 5 > >|

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create the asset limit

(F) Check the Functionality of Fixed Asset

| | Kastle Universal Banking (Beta) | | | 04-Oct-2022 | English | Azentio Software | (BR0004) | VISHWA |

Configuration

- Entity maintenance
- Security management
- User management
- Job scheduler
- Reference data
- Tax configuration

← Inbox

Actions	Reference Id	Event Code	Stage Code	Role Code	Employee Name
✏	847	ASSET_CREATION	REVIEWER	REVIEWER	in00027
✏	839	FIXED_ASSET_TRANSFER	FAUC	FACHK	in00027
✏	571	FIXED_ASSET_IMPAIRWO	REVIEWER	REVIEWER	in00027
✏	570	FIXED_ASSET_IMPAIRWO	REVIEWER	REVIEWER	in00027
✏	569	FIXED_ASSET_IMPAIRWO	REVIEWER	REVIEWER	in00027

72 total |< < **1** 2 3 4 5 > >|

22 Appro... | 11 Messa...

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create the asset limit

(F) Check the Functionality of Fixed Asset

Actions	Reference Id	Event Code	Stage Code	Role Code	Employee Name
✏	847	ASSET_CREATION	REVIEWER	REVIEWER	in00027
✏	839	FIXED_ASSET_TRANSFER	FAUC	FACHK	in00027
✏	571	FIXED_ASSET_IMPAIRWO	REVIEWER	REVIEWER	in00027
✏	570	FIXED_ASSET_IMPAIRWO	REVIEWER	REVIEWER	in00027
✏	569	FIXED_ASSET_IMPAIRWO	REVIEWER	REVIEWER	in00027

72 total

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create the asset limit

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

	Kastle Universal Banking (Beta)	04-Oct-2022 English ⌄ Azentio Software ⌄ (AZENTMAIN) 🔔 ▣ 👤 CHECKER
Configuration ⌄	Welcome, Checker	
🔧 ⬛ 📋		
⊙ Security management		

| 22 Appro... ✕ | 11 Messa... ✕ |

Home   Preference

(S) Create the asset limit

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

	Kastle Universal Banking (Beta)	04-Oct-2022 English ⌄ Azentio Software ⌄ ✓ Claimed SuccessFully ✕
Configuration ⌄	← Open Pool	
🔧 ⬛ 📋		
⊙ Security management		
▶ Open pool ✎ 👁		

Actions	ibxhdrid	referenceId	eventCode	stageCode	employeeName	eventDesc	workflowDesc
CLAIM	24344	568	FIXED_ASSET_IMPAIRW	CHECKER			Legal entity w
CLAIM	24341	567	FIXED_ASSET_IMPAIRW	CHECKER			Legal entity w

2 total

| 22 Appro... ✕ | 11 Messa... ✕ |

(S) Create the asset limit

(F) Check the Functionality of Fixed Asset

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create the asset limit

(F) Check the Functionality of Fixed Asset

☰ 🌐 Kastle Universal Banking (Beta)   04-Oct-2022 English ▾   Azentio Software ▾   ✔ Record APPROVED Successfully ✕

Configuration ▾

🔧   🚥   📋

⌄ Security management

▶ **Open pool**   ✏ 👁

← Inbox   🔍

Actions	Reference Id	Event Code	Stage Code	Role Code	Employee Name
✏	837	ASSET_CREATION	CHECKER	CHECKER	1002437
✏	550	FIXED_ASSET_IMPAIRWO	CHECKER	CHECKER	1002437
✏	548	FIXED_ASSET_IMPAIRWO	CHECKER	CHECKER	1002437
✏	86	STOCK_RETURN	CHECKER	CHECKER	1002437
✏	128	ASSET_CATEGORY	CHECKER	CHECKER	1002437

190 total   I◁ ◁ **1** 2 3 4 5 ▷ ▷I

22 Appro... ✕   11 Messa... ✕