Cucumber Report

| Start : Feb 22, 10:54:47.680 AM	End : Feb 22, 10:55:19.216 AM	Duration : 31.536 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 15 FAILED - 1 SKIPPED - 10

#	Feature Name	T	P	F	S	Duration
1	Checking the Acount Payable GRN functionality	1	0	1	0	31.536 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Acount Payable GRN functionality	GRN should be created successfully and displayed in approved queue with Active Status.	26	15	1	10	31.533 s

(F)- Checking the Acount Payable GRN functionality

FAILED	DURATION - 31.536 s		Scenarios		Steps	
	/ 10:54:47.680 AM // 10:55:19.216 AM /		Total - 1	1	Total - 26	26
			Pass - 0		Pass - 15	
			Fail - 1		Fail - 1	
			Skip - 0		Skip - 10	

(S)- GRN should be created successfully and displayed in approved queue with Active Status.

| FAILED	DURATION - 31.533 s		Steps	
	/ 10:54:47.683 AM // 10:55:19.216 AM /		Total - 26	26
	Checking the Acount Payable GRN functionality		Pass - 15	
			Fail - 1	
	@MultiAuth @TC_003		Skip - 10	

#	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	PASSED	9.340 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.321 s
	screenshot		
2	Then Click on Direction icon	PASSED	2.345 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.144 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then Click on Account Payable	PASSED	0.111 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.192 s
	screenshot		
4	Then Click on GRN Eye button	PASSED	0.318 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.212 s
	screenshot		
5	Then Click on purchase order Add button	PASSED	0.247 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.196 s
	screenshot		
6	Then Fill the form for GRN	PASSED	1.751 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.116 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then Click on Account Payable Save button	PASSED	0.100 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.151 s
	screenshot		
8	Then Click on Account Payable Notification	PASSED	0.285 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.249 s
	screenshot		
9	Then Select the record from Notification	PASSED	0.325 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.218 s
	screenshot		
10	Then Click on item Details tab	PASSED	2.097 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.140 s
	screenshot		

| #	Step / Hook Details	Status	Duration
11	Then Select PO Number	PASSED	2.496 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.121 s
	screenshot		
12	Then Add qty received qty approved	PASSED	2.379 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.087 s
	screenshot		
13	Then Click on item Details Save button	PASSED	0.086 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.128 s
	screenshot		
14	Then Click on Account Payable Notification	PASSED	0.218 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.213 s
	screenshot		

#	Step / Hook Details	Status	Duration
15	Then Select the record from Notification	PASSED	0.309 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.266 s
16	And Submit the Selected record	FAILED	3.855 s

	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button _ngcontent-nib-c290="" class="subButton ios button button-solid button-disabled ion-activatable ion-focusable hydrated" ng-reflect-disabled="true" aria-disabled="true" disabled="">...</ion-button> is not clickable at point (723, 436). Other element would receive the click: <ion-col _ngcontent-nib-c290="" size-lg="12" size-md="12" size-sm="12" size="12" ng-reflect-size="12" class="md hydrated" style="flex: 0 0 calc(calc(12 / var(--ion-grid-columns, 12)) * 100%); width: calc(calc(12 / var(--ion-grid-columns, 12)) * 100%); max-width: calc(calc(12 / var(--ion-grid-columns, 12)) * 100%);">...</ion-col> (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [00fa557444571996c54549dafd6d18fb, clickElement {id=fe9a8843-5755-4cc1-b518-eb47f0a9464d}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:62745}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62745/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (00fa557444571996c54549dafd6d18fb)] -> xpath: //ion-button[contains(text(),'Submit')]] Session ID: 00fa557444571996c54549dafd6d18fb
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at jdk.internal.reflect.GeneratedMethodAccessor5.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source) at stepdefinitions.AccountPayable_VendorPurchaseOrder.submit_the_selected_record(AccountPayable_VendorPurchaseOrder.java:292) at ?.Submit the Selected record(file:///C:/Users/inindc00089/git/repository/Priyanka_AzentioAutomationFramework/src/test/java/features/AccountPayable_Grn.feature:22) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot +	PASSED	0.101 s
17	Then log in to the reviewer account	SKIPPED	0.000 s
18	Then click on the Notification select the record and Approve	SKIPPED	0.000 s
19	Then log in to the Checker Account	SKIPPED	0.000 s
20	And then checker claim the record	SKIPPED	0.000 s
21	Then click on the checker Notification	SKIPPED	0.000 s
22	And select the record and Approve by checker	SKIPPED	0.000 s
23	Given Maker Navigate to UAT URL login	SKIPPED	0.000 s
24	Then Click on Direction icon	SKIPPED	0.000 s
25	Then Click on Account Payable	SKIPPED	0.000 s
26	Then Click on GRN Eye button	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) GRN should be created successfully and displayed in approved queue with Active Status.	
(F) Checking the Acount Payable GRN functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) GRN should be created successfully and displayed in approved queue with Active Status.	
(F) Checking the Acount Payable GRN functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) GRN should be created successfully and displayed in approved queue with Active Status.

(F) Checking the Acount Payable GRN functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) GRN should be created successfully and displayed in approved queue with Active Status.

(F) Checking the Acount Payable GRN functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) GRN should be created successfully and displayed in approved queue with Active Status.

(F) Checking the Acount Payable GRN functionality

Finance		

← GRN View

Actions	Branch Code - Name	GRN Number	Business Partner	Date	GRN Status	Create By	Create Date
👁 ✏	AZENTMAIN - Azentio N	GRN-Agency-8-95-222	Bonton Agency	22-Feb-2022	ACTIVE	admin	22-Feb-2022
👁 ✏	AZENTMAIN - Azentio N	GRN-Agency-8-94-222	Bonton Agency	22-Feb-2022	ACTIVE	admin	22-Feb-2022
👁 ✏	AZENTMAIN - Azentio N	GRN-Agency-8-93-222	Bonton Agency	22-Feb-2022	ACTIVE	admin	22-Feb-2022
👁 ✏	AZENTMAIN - Azentio N	GRN-Agency-8-92-222	Bonton Agency	22-Feb-2022	ACTIVE	admin	22-Feb-2022
👁 ✏	AZENTMAIN - Azentio N	GRN-Dealer-12-91-222	PAUL MCADAMS & Co.	22-Feb-2022	ACTIVE	admin	22-Feb-2022
👁 ✏	AZENTMAIN - Azentio N	GRN-Agency-8-90-222	Bonton Agency	22-Feb-2022	ACTIVE	admin	22-Feb-2022
👁 ✏	AZENTMAIN - Azentio N	GRN-Agency-8-89-222	Bonton Agency	22-Feb-2022	ACTIVE	admin	22-Feb-2022
👁 ✏	AZENTMAIN - Azentio N	GRN-Agency-8-88-222	Bonton Agency	22-Feb-2022	ACTIVE	admin	22-Feb-2022

95 total |◁ ◁ 1 2 3 4 5 ▷ ▷|

Home   Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) GRN should be created successfully and displayed in approved queue with Active Status.

(F) Checking the Acount Payable GRN functionality

← GRN

* BP Name: Bonton Agency
* BP Branch: Corporate Branch- Panvel
GRN Number

* Invoice Number: INV-22-02
*GRN Date: 22-Feb-2022
GRN Amount   INR

* Delivery Location: Azentio Main Branch
Upload Delivery challan   Choose File   No file chosen

DOWNLOAD
GRN Status: Active
TXT Status

Remark

Home   Preference

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) GRN should be created successfully and displayed in approved queue with Active Status.

(F) Checking the Acount Payable GRN functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) GRN should be created successfully and displayed in approved queue with Active Status.

(F) Checking the Acount Payable GRN functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) GRN should be created successfully and displayed in approved queue with Active Status.	
(F) Checking the Acount Payable GRN functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) GRN should be created successfully and displayed in approved queue with Active Status.	
(F) Checking the Acount Payable GRN functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) GRN should be created successfully and displayed in approved queue with Active Status.	
(F) Checking the Acount Payable GRN functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) GRN should be created successfully and displayed in approved queue with Active Status.	
(F) Checking the Acount Payable GRN functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) GRN should be created successfully and displayed in approved queue with Active Status.

(F) Checking the Acount Payable GRN functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) GRN should be created successfully and displayed in approved queue with Active Status.

(F) Checking the Acount Payable GRN functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) GRN should be created successfully and displayed in approved queue with Active Status.

(F) Checking the Acount Payable GRN functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) GRN should be created successfully and displayed in approved queue with Active Status.

(F) Checking the Acount Payable GRN functionality