Cucumber Report

| Start : Feb 23, 4:22:20.809 pm	End : Feb 23, 4:22:46.592 pm	Duration : 25.783 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 17 FAILED - 1 SKIPPED - 0
1	1	18
Pass % — 0 %	Pass % — 0 %	Pass % — 94 %

#	Feature Name	T	P	F	S	Duration
1	*Check the Functionality of AR/AP Module*	1	0	1	0	25.783 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP Module	Check GRN cancellation is not allowed if Bill has been approved against that GRN	18	17	1	0	25.778 s

(F)- Check the Functionality of AR/AP Module

FAILED	DURATION - 25.783 s	Scenarios		Steps	
/ 4:22:20.809 pm // 4:22:46.592 pm /		Total - 1	1	Total - 18	18
		Pass - 0		Pass - 17	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- Check GRN cancellation is not allowed if Bill has been approved against that GRN

FAILED	DURATION - 25.778 s		Steps	
/ 4:22:20.814 pm // 4:22:46.592 pm /			Total - 18	18
Check the Functionality of AR/AP Module			Pass - 17	
@KUBS_AR/AP_UAT_003_003_TC_06			Fail - 1	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Navigate The Azentio Url	PASSED	12.939 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.146 s
	screenshot		
2	Then Choose the second Tab Segment	PASSED	0.410 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.203 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And Click On Main module Accounts payable	PASSED	0.144 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.196 s
	screenshot		
4	Then Open Invoice Bill Booking Eye icon	PASSED	0.229 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.392 s
	screenshot		
5	And Click On Search Icon	PASSED	0.167 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.248 s
	screenshot		
6	And Enter the Invoice Bill Booking status	PASSED	0.269 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.185 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then Click on Table Row First Eye Icon	PASSED	0.133 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.457 s
	screenshot		
8	And Store the Business partner Value	PASSED	0.666 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.109 s
	screenshot		
9	Then Click on AP Invoice Against PO Tab	PASSED	0.111 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.462 s
	screenshot		
10	And Get the Required Number	PASSED	0.090 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.135 s
	screenshot		

| #	Step / Hook Details	Status	Duration
11	And Click On Main module Accounts payable	PASSED	0.094 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.173 s
	screenshot		
12	Then Open the Adjustment ARAP module	PASSED	0.096 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.147 s
	screenshot		
13	And Click on Adjustment ARAP Eye Icon	PASSED	0.187 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.406 s
	screenshot		
14	And Click Add icon button	PASSED	0.238 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.281 s
	screenshot		

#	Step / Hook Details	Status	Duration
15	Then Give The Business Partner	PASSED	0.341 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.166 s
	screenshot		
16	And Give The Adjustment Type	PASSED	0.165 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.187 s
	screenshot		
17	Then Enter the Adjustment Item Type	PASSED	0.405 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
	screenshot		
18	And Enter the Adjustment Ref No and Validate	FAILED	1.583 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button color="primary" ng-reflect-color="primary" class="ion-color ion-color-primary md button button-clear in-toolbar ion-activatable ion-focusable hydrated button-disabled" ng-reflect-disabled="true" aria-disabled="true" disabled="">...</ion-button> is not clickable at point (1414, 88). Other element would receive the click: <ion-buttons slot="end" class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated">...</ion-buttons> (Session info: chrome=98.0.4758.102) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.		

#	Step / Hook Details	Status	Duration

	name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [01080cb853586b02357b4bf2e46aaf33, clickElement {id=096c4021-3d7d-4f60-88e8-53d3b45ab9c9}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:62669}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62669/devtoo..., se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (01080cb853586b02357b4bf2e46aaf33)] -> xpath: //div[1]/ion-header[1]/ion-toolbar[1]/ion-buttons[2]/ion-button[1]] Session ID: 01080cb853586b02357b4bf2e46aaf33
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	   at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)
	   at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
	   at jdk.internal.reflect.GeneratedMethodAccessor6.invoke(Unknown Source)
	   at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	   at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
	   at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source)
	   at stepdefinitions.ARAP_CancellationOfGRN.enter_the_adjustment_ref_no_and_validate(ARAP_CancellationOfGRN.java:334)
	   at ?.Enter the Adjustment Ref No and Validate(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/ARAP_GrnCancellation.feature:62)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.134 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check GRN cancellation is not
allowed if Bill has been approved against
that GRN

(F) Check the Functionality of AR/AP
Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check GRN cancellation is not
allowed if Bill has been approved against
that GRN

(F) Check the Functionality of AR/AP
Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Check GRN cancellation is not allowed if Bill has been approved against that GRN (F) Check the Functionality of AR/AP Module	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Check GRN cancellation is not allowed if Bill has been approved against that GRN (F) Check the Functionality of AR/AP Module	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cumber.
java.Scenario)

(S) Check GRN cancellation is not
allowed if Bill has been approved against
that GRN

(F) Check the Functionality of AR/AP
Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cumber.
java.Scenario)

(S) Check GRN cancellation is not
allowed if Bill has been approved against
that GRN

(F) Check the Functionality of AR/AP
Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check GRN cancellation is not allowed if Bill has been approved against that GRN

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check GRN cancellation is not allowed if Bill has been approved against that GRN

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check GRN cancellation is not allowed if Bill has been approved against that GRN

(F) Check the Functionality of AR/AP Module

| | Kastle Universal Banking (Beta) | | 19-Oct-2022 | English | Azentio Software | (AZENTMAIN) | ANANT |

Finance

General ledger transaction
Budget
Accounts payable

Vendor contracts
Vendor purchase orders
Goods received note (GRN)
Invoice booking
Payment settlement
Payment settlement cancellation

22 Appro...   11 Messa...

AP Invoice Booking   AP Invoice Against PO

Invoice Booking

| * Entity Branch | | * Invoice Type | | BP Name | |
| Azentio Main Branch | × ▾ | Invoice Against PO | ▾ | Bonton Agency | × ▾ |

| Transaction Date | | System Invoice Number | | Cost Center | |
| 23-Feb-2022 | | INV-119-22022 | | FINANCE | × ▾ |

| * Supplier Reference Number | | *Invoice Date | | Total Invoice Amount | |
| 145236 | | 19-Oct-2022 | | | 400,000.00 INR |

| Tax/Vat/GST Amount | | * Flat Discount On Invoice | | Early Payment Discount Type | |
| | 0.00 INR | | 100.00 INR | | |

| Early Payment Discount Amount | | Early Payment Discount Days | | * Mode Of Payment | |
| | | | | Pay Order | × ▾ |

| * Invoice Currency | | * Invoice Payment Currency | | *Payment Date | |
| INR | × ▾ | INR | × ▾ | 30-Oct-2022 | |

| Rounding Adjustment | | Invoice Status | |
| | | Active | ▾ |

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check GRN cancellation is not allowed if Bill has been approved against that GRN

(F) Check the Functionality of AR/AP Module

| | Kastle Universal Banking (Beta) | | 19-Oct-2022 | English | Azentio Software | (AZENTMAIN) | ANANT |

Finance

General ledger transaction
Budget
Accounts payable

Vendor contracts
Vendor purchase orders
Goods received note (GRN)
Invoice booking
Payment settlement
Payment settlement cancellation

22 Appro...   11 Messa...

AP Invoice Booking   AP Invoice Against PO

Invoice Against PO   ViewSummary 💾

| * PO Number | | GRN No * | |
| Azentio_Soft-Agency-8-PO-19 | × ▾ | GRN-Agency-8-99-2322022 | ▾ |

| Remove Iten | Sr | Expense Code | HSN Code/SAC Code | Invoice Qty | Unit | Rate per Unit | Total Amount | Currency | Shi |
| 🗑 | 1 | 8471-Laptop | 8471- Laptop | 8 | Number | 50000 | 400000 | INR | |

1 total

Total Amount   400000

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check GRN cancellation is not allowed if Bill has been approved against that GRN

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check GRN cancellation is not allowed if Bill has been approved against that GRN

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Check GRN cancellation is not allowed if Bill has been approved against that GRN

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Check GRN cancellation is not allowed if Bill has been approved against that GRN

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Check GRN cancellation is not allowed if Bill has been approved against that GRN (F) Check the Functionality of AR/AP Module	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Check GRN cancellation is not allowed if Bill has been approved against that GRN (F) Check the Functionality of AR/AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check GRN cancellation is not allowed if Bill has been approved against that GRN

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check GRN cancellation is not allowed if Bill has been approved against that GRN

(F) Check the Functionality of AR/AP Module