

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Checking the Acount Payable functionality	1	0	1	0	18.917 s

SCENARIOS SUMMARY -- 3 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Acount Payable	Create a purchase order with Unique purchase order number	6	5	1	0	18.914 s
	<u>functionality</u>						

DETAILED SECTION -- 4 --

(F)- Checking the Acount Payable functionality

FAILED	DURATION - 18.917 s	Scenarios		Steps	
		Total - 1		Total - 6	
/12:51:20.732	AM // 12:51:39.649 AM /	Pass - 0	1	Pass - 5	6
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- Create a purchase order with Unique purchase order number


FAILED	DURATION - 18.914 s	10	7	_									Steps		
/ 12:51:20 73	85 AM // 12:51:39.649 AM /	8			 		-1	!					Total - 6		
		4		 ı.	 					j			Pass - 5	6	•
Checking the	Acount Payable functionality	2	-	 -	 	! !				ļ			Fail - 1	Ů	J
@KUBS_INV_	_MGMT_UAT_001_003 @MultiAuth	0	1	 <u> </u>	 		<u> </u>			1			Skip - 0		
				1	- 2	2	3	4	1	5	6	3			


#	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	PASSED	9.228 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.307 s
	screenshot		
2	Then Click on Direction icon	PASSED	0.345 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.137 s
	screenshot		

#	Step / Hook Details	Status	Duration
	The Control of the Co		
3	Then Click on Account Payable	PASSED	0.105 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.153 s
	screenshot **The state of the		
4	Then Click on purchase order Eye Icon	PASSED	0.200 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.302 s
	Screenshot *** *** *** *** *** *** *** *** ***		
5	Then Click on purchase order Add button	PASSED	0.216 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot +	PASSED	0.194 s
6	Then Fill purchase order Mandatory fields	FAILED	5.178 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[contains(text(),'Nov 2022')]"} (Session info: chrome=96.0.4664.45) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [381d7aa56841ba9acb37d7432542fce0, findElement {using=xpath,}		

#	Step / Hook Details	Status	Duration
	value=//span[contains(text(),'Nov 2022')]]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:64826}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64826/devtoo, se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 381d7aa56841ba9acb37d7432542fce0 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)		
	at stepdefinitions.AccountPayable_VendorPurchaseOrder.fill_purchase_order_mandatory_fields(AccountPayable_VendorPurchaseOrder.java:147)		
	at ?.Fill purchase order Mandatory fields(file:///C:/Users/inindc00089/git/repository/Priyanka_AzentioAutomationFramework/src/test/java/features/AccountPayable_VendorPurchaseOrder.feature:11) * Not displayable characters are replaced by '?'.		
	AFTER STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.126 s
	screenshot	HASSED	0.120 5
		-	
	© O TOTAL CONTINUES OF THE STATE OF THE STA		

EXPANDED SECTION -- 7





EXPANDED SECTION --- 9 --

