


FEATURES SUMMARY -- 2 --



| # | Feature Name | T | P | F | S | Duration |
|---|--------------|---|---|---|---|--------------|
| 1 | AR/AP Module | 1 | 0 | 1 | 0 | 1 m 56.002 s |

SCENARIOS SUMMARY




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--------------|---|----|---|---|----|--------------|
| 1 | AR/AP Module | Create Bill against PO & GRN for above vendor | 21 | 4 | 1 | 16 | 1 m 55.996 s |

DETAILED SECTION -- 4 --

(F)- AR/AP Module

| FAILED | DURATION - 1 m 56.002 s | Scenarios | | Steps | |
|------------------|-------------------------|-----------|---|------------|------|
| | | Total - 1 | | Total - 21 | |
| / 12:41:35.912 / | AM // 12:43:31.914 AM / | Pass - 0 | 1 | Pass - 4 | 21 🗂 |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 16 | |

(S)- Create Bill against PO & GRN for above vendor



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User should go to the kubs url and login as a maker user | PASSED | 35.646 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 1.494 s |
| | screenshot | | |
| | | | |
| 2 | And user should navigate to accounts payable menu | PASSED | 0.878 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.619 s |
| | screenshot | | |


| Step / Hook Details | Status | Duration |
|--|--|---|
| ■ | | |
| When click on eye button of invoice booking | PASSED | 1.170 s |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.693 s |
| screenshot | | |
| ■ | | |
| And click on add button for invoice booking | PASSED | 0.729 s |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 1.560 s |
| screenshot | | |
| 1 | | |
| And Fill the required fields for invoice booking | FAILED | 19.264 s |
| org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [86d6a467a2be69687c61476d4dc0291d, clickElement {id=e69ef739-eb1a-464c-989c-614f89860517}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:55715}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55715/devtoo, se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (86d6a467a2be69687c61476d4dc0291d)] -> xpath: //owl-date-time-calendar/div/button[2]] Session ID: 86d6a467a2be69687c61476d4dc0291d at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480) | | |
| | When click on eye button of invoice booking AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And click on add button for invoice booking AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And Fill the required fields for invoice booking org.opença.selenium.ElementNotInteractableException:element not interactable (Session info: chrome=96.0.4664.45) Build info: version: 4.0.0+c-1, revision: 'bc5511cbda' System info: host: 'P600X8KU', ip: '10.1.471.21', os. name: Windows 10', os. arch: amide4', os. version: '10.0', java.version: '17.0.1' Driver info: org.opença.selenium.Climence.ChromeDriver Command: [Bd6846472abe9687c61476d4dc0291], java.version: '17.0.0' Driver info: org.opença.selenium.chrome.ChromeDriver Command: [Bd6846472abe9687c61476d4dc0291], java.version: '10.0', java.vers | When click on eye button of invoice booking AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot And click on add button for invoice booking AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED And Fill the required fields for invoice booking And Fill the required fields for invoice booking org. openga.selenium. Element/Notinteractable. Exception: element not interactable (Session info: chrome-96.0.4664.45) Build info: version: 4.0.0-c-1, revision: bc5511cbda System info. host: PGODXBKU, ip: 10.1.47.121, os.name: Windows 10. os.arch: 'amide', os.version: 10.0', via version: '17.0'. Driver info; org. openga.selenium. chrome Chromoenbriver Command: (Bodieds Afz 2abe96867cia176d4cic291d, clickElement (id=689f739-eb1a-686-895-e1469980517)] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chromes. (chromedriverVersion: 96.0.4664.45), acceptinsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chromes. (chromedriverVersion: 96.0.4664.45), acceptinsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chromes. (chromedriverVersion: 96.0.4664.45), acceptinsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chromes. (chromedriverVersion: 96.0.4664.45), acceptinsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chromes. (chromedriverVersion: 96.0.4664.45), acceptinsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chromes. (chromedriverVersion: 96.0.4664.45), acceptinsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, acceptinsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, acception: 96.0.4664.45, |

| Step / Hook Details | Status | Duration |
|---|--|--|
| at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| at jdk.internal.reflect.GeneratedMethodAccessor8.invoke(Unknown Source) | | |
| at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |
| | | |
| | | |
| | | |
| | | |
| ArAp_InvoiceBooking.feature:10) | | |
| * Not displayable characters are replaced by '?'. | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.380 s |
| screenshot | | |
| | | |
| Then Save and submit the invoice billing | SKIPPED | 0.001 s |
| And User should go to the kubs url and login as a reviewer user | SKIPPED | 0.000 s |
| Then Click on notification button in reviewer | SKIPPED | 0.000 s |
| And approve the record by the reviewer user | SKIPPED | 0.001 s |
| Given User should go to the kubs url and login as a checker user | SKIPPED | 0.000 s |
| And Click on security management in checker | SKIPPED | 0.000 s |
| , , | | |
| Then Click on open pool in checker | SKIPPED | 0.000 s |
| Then Click on open pool in checker And Click on claim button in checker | SKIPPED SKIPPED | 0.000 s 0.000 s |
| Then Click on open pool in checker | SKIPPED | 0.000 s |
| Then Click on open pool in checker And Click on claim button in checker | SKIPPED SKIPPED | 0.000 s 0.000 s |
| Then Click on open pool in checker And Click on claim button in checker And capture claimed status | SKIPPED SKIPPED SKIPPED | 0.000 s 0.000 s 0.000 s |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.dec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:134) at org.openqa.selenium.remote.service.DriverCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.java:164) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.gava:547) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:751) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at jdk.internal.reflect.GeneratedMethodAccessor8.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proyz/jdk.proyz/jef.proyz/jef.ck/Unknown Source) at jdk.proyz/jdk.proyz/jef.kproyz/jef.proyz/jef.ck/Unknown Source) at jdk.proyz/jdk.proyz/jef.kck/Unknown Source) at stepdefinitions.ACCOUNTSPAYABLE_invoiceBooking. fill the required fields for invoice booking(ile:///C./Users/inindc00091/gi/repository/Devesh_AzentioFramework/src/test/java/features/ ArAp_InvoiceBooking.feature:10) *Not displayable characters are replaced by '?'. AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then Save and submit the invoice billing And User should go to the kubs url and login as a reviewer user Then Click on notification button in reviewer And approve the record by the reviewer user Given User should go to the kubs url and login as a checker user | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java.200) at org.openqa.selenium.remote.odec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java.133) at org.openqa.selenium.remote.odec.w3c.W3CHttpResponseCodec.java.533 at org.openqa.selenium.remote.httpCommandExecutor.execute(HttpCommandExecutor.java.184) at org.openqa.selenium.remote.httpCommandExecutor.execute(HttpCommandExecutor.java.184) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java.164) at org.openqa.selenium.remote.RemoteWebDriver.execute(RorverCommandExecutor.java.139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RorverCommandExecutor.java.139) at org.openqa.selenium.remote.RemoteWebElement.pava.547) at org.openqa.selenium.remote.RemoteWebElement.execute(DriverCommandExecutor.java.139) at org.openqa.selenium.remote.RemoteWebElement.pava.777) at jdk.internal.reflect.GeneratedMethodAccessori.invoke(Unknown Source) at java.basse/jdk.internal.reflect.DelegatingMethodAccessorimpl.invoke(DelegatingMethodAccessorimpl.java.43) at java.basse/java.lang.reflect.Method.invoke(Method.java.568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java.52) at jdk.proxy2/jdk.proxy2.sProxy46.click(Unknown Source) by jdk.proxy2/jdk.proxy2.sProxy46.cl |


DETAILED SECTION --- 7 -

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| 18 | And user should navigate to accounts payable menu | SKIPPED | 0.001 s |
| 19 | When click on eye button of invoice booking | SKIPPED | 0.000 s |
| 20 | Then Get the invoice status | SKIPPED | 0.000 s |
| 21 | And maker should logout | SKIPPED | 0.001 s |

EXPANDED SECTION -- 8 --



EXPANDED SECTION



EXPANDED SECTION -- 10 --

