Cucumber Report

Start : May 11, 5:46:54.252 pm	**End : May 11, 5:47:20.175 pm**	**Duration : 25.923 s**
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 7 FAILED - 1 SKIPPED - 0

Features

1

Scenarios

1

Steps

8

Pass % — 0 %

Pass % — 0 %

Pass % — 87 %

#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of the GL1 Module	1	0	1	0	25.923 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of the GL1 Module	Check the created COA can be modified if GI entries are passed for the parent being mapped or changed	8	7	1	0	25.917 s

(F)- Check the Functionality of the GL1 Module

		Scenarios		Steps	
FAILED	*DURATION - 25.923 s*	Total - 1		Total - 8	
/ 5:46:54.252 pm // 5:47:20.175 pm /		Pass - 0	**1**	Pass - 7	**8**
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

## (S)- Check the created COA can be modified if GI entries are passed for the parent being mapped or changed

			Steps	
FAILED	*DURATION - 25.917 s*		Total - 8	
/ 5:46:54.258 pm // 5:47:20.175 pm /			Pass - 7	**8**
Check the Functionality of the GL1 Module			Fail - 1	
@KUBS_GL_UAT_005_007			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	11.654 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.255 s
	screenshot		
	+		
2	And user should navigate to accounting setup menu	PASSED	0.557 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	Then click on eye button of chart of accounts definition submenu	PASSED	0.239 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.489 s
	screenshot		
4	Then click on search button	PASSED	0.208 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.245 s
	screenshot		
5	Then search used parent COA code for which GL entries are passed	PASSED	0.293 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.160 s
	screenshot		
6	Then click on pencil button to modify the COA	PASSED	0.119 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.446 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then modify the COA details for which GL entries are passed	PASSED	0.226 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.135 s
8	Then Save and check the modified record of used parent COA	FAILED	3.055 s

	org.openqa.selenium.ElementNotInteractableException: element not interactable: element has zero size (Session info: chrome=101.0.4951.54) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [daaf3af3e5730a55d853c8c1fc924f1c, clickElement {id=1f86ac29-c818-4817-8c36-fac1d494f0d2}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 101.0.4951.54, chrome: {chromedriverVersion: 101.0.4951.41 (93c720db8323..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:54779}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:54779/devtoo..., se:cdpVersion: 101.0.4951.54, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (daaf3af3e5730a55d853c8c1fc924f1c)] -> xpath: //body/div/div/div/div/div[2]] Session ID: daaf3af3e5730a55d853c8c1fc924f1c
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)
	    at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source) at stepdefinitions.AccountingSetup_ChartOfAccountsDefinition. save_and_check_the_modified_record_of_used_parent_coa(AccountingSetup_ChartOfAccountsDefinition.java:276) at ?.Save and check the modified record of used parent COA(file:///C:/Users/inindc00075/git/AzentioAutomationFramework/ AzentioAutomationFramework/src/test/java/features/GL1_UAT.feature:546) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.169 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check the created COA can be modified if GI entries are passed for the parent being mapped or changed	
(F) Check the Functionality of the GL1 Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check the created COA can be modified if GI entries are passed for the parent being mapped or changed	
(F) Check the Functionality of the GL1 Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) Check the created COA can be modified if Gl entries are passed for the parent being mapped or changed	
(F) Check the Functionality of the GL1 Module	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) Check the created COA can be modified if Gl entries are passed for the parent being mapped or changed	
(F) Check the Functionality of the GL1 Module	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the created COA can be modified if Gl entries are passed for the parent being mapped or changed

(F) Check the Functionality of the GL1 Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the created COA can be modified if Gl entries are passed for the parent being mapped or changed

(F) Check the Functionality of the GL1 Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Check the created COA can be modified if Gl entries are passed for the parent being mapped or changed (F) Check the Functionality of the GL1 Module	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Check the created COA can be modified if Gl entries are passed for the parent being mapped or changed (F) Check the Functionality of the GL1 Module	