Cucumber Report

Start : Feb 21, 5:36:33.639 AM	*End : Feb 21, 5:38:54.613 AM*	*Duration : 2 m 20.974 s*
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 21 FAILED - 0 SKIPPED - 0

1

1

21

Pass %

Pass %

Pass %

#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	1	0	0	2 m 20.974 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Create a contract for an active vendor with expense type Purchases	21	21	0	0	2 m 20.968 s

(F)- AR/AP Module

| PASSED	DURATION - 2 m 20.974 s	Scenarios		Steps	
/ 5:36:33.639 AM // 5:38:54.613 AM /		Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Total - 21 Pass - 21 Fail - 0 Skip - 0	21

(S)- Create a contract for an active vendor with expense type Purchases

PASSED	DURATION - 2 m 20.968 s		Steps	
/ 5:36:33.645 AM // 5:38:54.613 AM /			Total - 21 Pass - 21 Fail - 0 Skip - 0	21
AR/AP Module				
@KUBS_AR/AP_UAT_001_001_TC_001				

| #	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	16.968 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	2.594 s
	screenshot		
2	And user should navigate to accounts payable menu	PASSED	0.946 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.461 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	When click on eye button of vendor contract	PASSED	1.024 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	2.048 s
	screenshot		
4	And click on add button to create contract	PASSED	1.327 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	3.033 s
	screenshot		
5	And Fill the required fields to create contract	PASSED	23.946 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.421 s
	screenshot		
6	Then Save and submit the creation contract record	PASSED	6.885 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.179 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	And User should go to the kubs url and login as a reviewer user	PASSED	15.146 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.177 s
	screenshot		
8	Then Click on notification button in reviewer	PASSED	0.311 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.507 s
	screenshot		
9	And approve the record by reviewer user	PASSED	3.977 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.161 s
	screenshot		
10	Given User should go to the kubs url and login as a checker user	PASSED	8.745 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.170 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	And Click on security management in checker	PASSED	0.137 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.193 s
	screenshot		
12	Then Click on open pool in checker	PASSED	0.217 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.266 s
	screenshot		
13	And Click on claim button in checker	PASSED	0.093 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.181 s
	screenshot		
14	And capture claimed status	PASSED	0.238 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.262 s
	screenshot		

#	Step / Hook Details	Status	Duration
15	Then click on notification in checker	PASSED	0.192 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.441 s
	screenshot		
16	Then checker should approved the contract record	PASSED	5.409 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.295 s
	screenshot		
17	Given User should go to the kubs url and login as a maker user	PASSED	18.230 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.238 s
	screenshot		
18	And user should navigate to accounts payable menu	PASSED	1.208 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.857 s
	screenshot		

#	Step / Hook Details	Status	Duration
	+		
19	When click on eye button of vendor contract	PASSED	0.606 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.323 s
	screenshot		
	+		
20	Then Get the contract and Txn status by searching the record via business partner	PASSED	2.293 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.586 s
	screenshot		
	+		
21	And maker should logout	PASSED	0.366 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.605 s
	screenshot		
	+		

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a contract for an active vendor
with expense type Purchases

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a contract for an active vendor
with expense type Purchases

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create a contract for an active vendor with expense type Purchases

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create a contract for an active vendor with expense type Purchases

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create a contract for an active vendor with expense type Purchases

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create a contract for an active vendor with expense type Purchases

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create a contract for an active vendor with expense type Purchases

(F) AR/AP Module

Kastle Universal Banking (Beta)

No Module Mapped

Welcome, Reviewer

19-Oct-2022　English　Azentio Software　(AZENTMAIN)　REVIEWER

22 Appro...　11 Messa...

Home　Preference

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create a contract for an active vendor with expense type Purchases

(F) AR/AP Module

Kastle Universal Banking (Beta)

No Module Mapped

19-Oct-2022　English　Azentio Software　(AZENTMAIN)　REVIEWER

← Inbox

Actions	Reference Id	Event Code	Stage Code	Role Code	Employee Name
✎	231	CONTRACTCREATION_EVT	REVIEWER	REVIEWER	1002436
✎	304	POCREATION_EVENT	REVIEWER	REVIEWER	1002436
✎	224	CONTRACTCREATION_EVT	REVIEWER	REVIEWER	1002436
✎	65	AR_AP_ADJUSTMENTS	REVIEWER	REVIEWER	1002436
✎	410	BUDGET_CREATION	REVIEWER	REVIEWER	1002436

101 total　|◁　◁　1　2　3　4　5　▷　▷|

22 Appro...　11 Messa...

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create a contract for an active vendor with expense type Purchases

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create a contract for an active vendor with expense type Purchases

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create a contract for an active vendor with expense type Purchases	
(F) AR/AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create a contract for an active vendor with expense type Purchases	
(F) AR/AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create a contract for an active vendor with expense type Purchases	
(F) AR/AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create a contract for an active vendor with expense type Purchases	
(F) AR/AP Module	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a contract for an active vendor with expense type Purchases

(F) AR/AP Module

Actions	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Event Desc	Workflow Desc	Created Date	Workflow Code
	231		CONTRACTCREATION_EVT		CHECKER		CHECKER		1002437
	48		STOCK_CONFIRM		CHECKER		CHECKER		1002437
	189		BUSINESS_PARTNER		CHECKER		CHECKER		1002437
	213		CONTRACTCREATION_EVT		CHECKER		CHECKER		1002437
	1483		ASSET_CREATION		CHECKER		CHECKER		1002437

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a contract for an active vendor with expense type Purchases

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create a contract for an active vendor with expense type Purchases

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create a contract for an active vendor with expense type Purchases

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a contract for an active vendor
with expense type Purchases

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a contract for an active vendor
with expense type Purchases

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a contract for an active vendor with expense type Purchases

(F) AR/AP Module