

# Cucumber Report

10-May-2022, 3:35:31 pm

Start : May 10, 3:35:07.642 pm

End : May 10, 3:35:30.032 pm

Duration : 22.390 s

Features

Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 7  
FAILED - 1  
SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	<u>Check the Functionality of the GL1 Module</u>	1	0	1	0	22.390 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of the GL1 Module	Check the category already created and trying to create same accounting book	8	7	1	0	22.379 s





**(F)- Check the Functionality of the GL1 Module**



<b>FAILED</b>	<b>DURATION - 22.390 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 8 Pass - 7 Fail - 1 Skip - 0	
/ 3:35:07.642 pm // 3:35:30.032 pm /					


**(S)- Check the category already created and trying to create same accounting book**

<div>FAILED</div> <div>DURATION - 22.379 s</div>		<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 7</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 3:35:07.653 pm // 3:35:30.032 pm /				
Check the Functionality of the GL1 Module				
@KUBS_GL_UAT_003_005				

#	Step / Hook Details	Status	Duration
1	Given Navigate to Azentio Kubs	PASSED	14.965 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.187 s
	screenshot		
			
2	When user click the Accounting setup	PASSED	0.209 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.193 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	And click accounting category eye icon	PASSED	0.498 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.336 s
	screenshot 		
4	Then verify the accounting category created for liability	PASSED	0.035 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.207 s
	screenshot 		
5	And click add icon in GI	PASSED	0.250 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.329 s
	screenshot 		
6	And enter the category code as Liability	PASSED	0.182 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.164 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
7	And select the accounting book	PASSED	0.361 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.229 s
	screenshot		
			
8	Then verify the system should through the validation message for the existing code	FAILED	0.024 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@id='toast-container']/div/div[@role='alertdialog']"} (Session info: chrome=101.0.4951.54) For documentation on this error, please visit: <a href="https://selenium.dev/exceptions/#no_such_element">https://selenium.dev/exceptions/#no_such_element</a> Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.ChromeDriver Command: [b8d3208f45e41365fd6ed018d0433bb4, findElement {using=xpath, value="//div[@id='toast-container']/div/div[@role='alertdialog']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 101.0.4951.54, chrome: {chromedriverVersion: 101.0.4951.41 (93c720db8323..., userDataDir: C:\Users\ININDC~1\AppData\Local\...}, goog:chromeOptions: {debuggerAddress: localhost:60714}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60714/devtoo..., se:cdpVersion: 101.0.4951.54, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b8d3208f45e41365fd6ed018d0433bb4</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)</p>		

#	Step / Hook Details	Status	Duration
	<p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)  at jdk.proxy2/jdk.proxy2.\$Proxy46.getText(Unknown Source)  at stepdefinitions.GI_Module.verify_the_system_should_through_the_validation_message_for_the_excisting_code(GI_Module.java:127)  at ?.verify the system should through the validation message for the excisting code(file:///C:/Users/inindc00075/git/AzentioAutomationFramework/AzentioAutomationFramework/src/test/java/features/GL1_UAT.feature:395)  * Not displayable characters are replaced by '?'.</p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.141 s

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check the category already created  
and trying to create same accounting book


(F) Check the Functionality of the GL1  
Module



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check the category already created  
and trying to create same accounting book

(F) Check the Functionality of the GL1  
Module





(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check the category already created  
and trying to create same accounting book

(F) Check the Functionality of the GL1  
Module

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check the category already created  
and trying to create same accounting book

(F) Check the Functionality of the GL1  
Module

Actions	Legal Entity Name	Category Code	Accounting Category	Accounting Book	Template Type	Txn Date	Status
	Azentio Software	LIABILITY1303463	LIABILITY1303	Testing02	CUSTOM_TEMPLATE	10-May-2022	Active
	Azentio Software	EXPENDITURE6469	Expenditure5379	Testing_32587	Base Template	10-May-2022	Active
	Azentio Software	INCOME3381	Income3299	Testing_32587	Base Template	10-May-2022	Active
	Azentio Software	INCOME33	Income32	Testing_32587	Base Template	10-May-2022	Active
	Azentio Software	LIABILITY1301338	LIABILITY1302281	Testing02	CUSTOM_TEMPLATE	10-May-2022	Active
	Azentio Software	LIABILITY130169	LIABILITY1302283	Testing02	CUSTOM_TEMPLATE	10-May-2022	Active
	Azentio Software	LIABILITY1301475	LIABILITY1302	Testing02	CUSTOM_TEMPLATE	10-May-2022	Active
	Azentio Software	LIABILITY2	Liability02	Testing_32507	Base Template	27-Apr-2022	Active

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check the category already created  
and trying to create same accounting book

(F) Check the Functionality of the GL1  
Module

Kastle Universal Banking (Beta)

19-Apr-2023 English Azentio Software (AZENTMAIN) ANANT

Finance

Accounting Category Configuration

Actions	Legal Entity Name	Category Code	Accounting Category	Accounting Book	Template Type	Txn Date	Status
	Azentio Software	LIABILITY1303463	LIABILITY1303	Testing02	CUSTOM_TEMPLATE	10-May-2022	Active
	Azentio Software	EXPENDITURE6469	Expenditure5379	Testing_32587	Base Template	10-May-2022	Active
	Azentio Software	INCOME3381	Income3299	Testing_32587	Base Template	10-May-2022	Active
	Azentio Software	INCOME33	Income32	Testing_32587	Base Template	10-May-2022	Active
	Azentio Software	LIABILITY1301338	LIABILITY1302281	Testing02	CUSTOM_TEMPLATE	10-May-2022	Active
	Azentio Software	LIABILITY130169	LIABILITY1302283	Testing02	CUSTOM_TEMPLATE	10-May-2022	Active
	Azentio Software	LIABILITY1301475	LIABILITY1302	Testing02	CUSTOM_TEMPLATE	10-May-2022	Active
	Azentio Software	LIABILITY2	Liability02	Testing_32507	Base Template	27-Apr-2022	Active

83 total

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check the category already created  
and trying to create same accounting book

(F) Check the Functionality of the GL1  
Module

Kastle Universal Banking (Beta)

19-Apr-2023 English Azentio Software (AZENTMAIN) ANANT

Finance

Accounting Category

\* Category Code  
LIABILITY1303

\* Accounting Book

\* Effective Date  
10-05-2022

Accounting Category \*

GI Code Generation

New Sequence Flag

GI Prefix

GI Suffix

Separator

Starting Sequence Number

Current Sequence Number

Remarks

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check the category already created  
and trying to create same accounting book

(F) Check the Functionality of the GL1  
Module

Kastle Universal Banking (Beta) 19-Apr-2023 English Azentio Software (AZENTMAIN) ANANT

Finance

Accounting Category

\* Category Code  
LIABILITY1303

\* Accounting Book  
ACCB00K-07-Testing02

\* Effective Date  
10-05-2022

Accounting Category \*

GI Prefix

GI Suffix

Starting Sequence Number

GI Code Generation

New Sequence Flag

Separator

Current Sequence Number

Remarks

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check the category already created  
and trying to create same accounting book

(F) Check the Functionality of the GL1  
Module

Kastle Universal Banking (Beta) 19-Apr-2023 English Azentio Software (AZENTMAIN) ANANT

Finance

Accounting Category

\* Category Code  
LIABILITY1303

\* Accounting Book  
ACCB00K-07-Testing02

\* Effective Date  
10-05-2022

Accounting Category \*

GI Prefix

GI Suffix

Starting Sequence Number

GI Code Generation

New Sequence Flag

Separator

Current Sequence Number

Remarks

Home Preference