Cucumber Report

| Start : Jan 24, 2:44:12.534 pm	End : Jan 24, 2:45:23.686 pm	Duration : 1 m 11.152 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 9 FAILED - 1 SKIPPED - 6

Features: 1

Scenarios: 1

Steps: 16

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 56 %

#	Feature Name	T	P	F	S	Duration
1	Check the functionality of the Bank Reconciliation	1	0	1	0	1 m 11.152 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of the Bank Reconciliation	Check submitting Bank recon is not allowed if there is any unmatched records from Bank Side	16	9	1	6	1 m 11.144 s

(F)- Check the functionality of the Bank Reconciliation

| FAILED	DURATION - 1 m 11.152 s	Scenarios		Steps	
/ 2:44:12.534 pm // 2:45:23.686 pm /		Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 16 Pass - 9 Fail - 1 Skip - 6	16

(S)- Check submitting Bank recon is not allowed if there is any unmatched records from Bank Side

FAILED	DURATION - 1 m 11.144 s		Steps	
/ 2:44:12.542 pm // 2:45:23.686 pm /			Total - 16	
Check the functionality of the Bank Reconciliation			Pass - 9 Fail - 1	16
@KUBS_TAX_UAT_006_001_TC_001			Skip - 6	

#	Step / Hook Details	Status	Duration
1	And User get the test data for bankrecon testcase006001001	PASSED	2.886 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.773 s
	screenshot +		
2	Given navigate to given url and login with maker credentials	PASSED	33.952 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.894 s
	screenshot +		

#	Step / Hook Details	Status	Duration
3	Then click on second Segment button	PASSED	2.585 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.413 s
	screenshot		
4	And click Bank Recon module	PASSED	0.185 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.282 s
	screenshot		
5	And click view button near by Bank Reconcilation sub module	PASSED	0.520 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.677 s
	screenshot		
6	And click on Add Icon	PASSED	3.605 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.520 s
	screenshot		
7	And enter the bank name and account number for Barclays Bank	PASSED	2.746 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.410 s
	screenshot		

#	Step / Hook Details	Status	Duration
8	And Give the recon period from date for Barclays Bank	PASSED	1.461 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.263 s
	screenshot		
9	And Give the recon period to date for Barclays Bank	PASSED	2.364 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.334 s
	screenshot		
10	Then Upload our Barclays Bank file	FAILED	2.084 s

	org.openqa.selenium.InvalidArgumentException: invalid argument: File not found : C:\Users\ININDC00071\Music\HdfcBank_0024_0026.csv (Session info: chrome=108.0.5359.126) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.175', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [abd77bee6a608f1cc28a7bc94ae16c54, sendKeysToElement {id=2f7246a1-9f9f-4a81-88f6-74776593d77d, value=[Ljava.lang.CharSequence;@990b86b}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.126, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:64068}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64068/devtoo..., se:cdpVersion: 108.0.5359.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (abd77bee6a608f1cc28a7bc94ae16c54)] -> xpath: //input[@type='file']] Session ID: abd77bee6a608f1cc28a7bc94ae16c54
	   at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:107) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy46.sendKeys(Unknown Source) at stepdefinitions.Bank_Recon.upload_barclays_bank_our_file(Bank_Recon.java:98) at ?.Upload our Barclays Bank file(file:///C:/Users/ININDC00071/git/AzentioAutomationFramework_KarthiM/ AzentioAutomationFramework_ExcelKUBSKarthiM2/src/test/java/features/BankReconExcel.feature:13) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.400 s
11	And check the file validated successfully or not	SKIPPED	0.000 s
12	And save bank recon record	SKIPPED	0.000 s
13	And Process that Bank file	SKIPPED	0.000 s
14	And Click unmatched Tab	SKIPPED	0.000 s
15	And unmatch that record and save that record	SKIPPED	0.000 s
16	Then verify validation message is comming or not for Bank Recon	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check submitting Bank recon is not
allowed if there is any unmatched records
from Bank Side

(F) Check the functionality of the Bank
Reconciliation

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check submitting Bank recon is not
allowed if there is any unmatched records
from Bank Side

(F) Check the functionality of the Bank
Reconciliation

AZENTIO
ONEBanking

25-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

- Business partner setup
- General ledger configuration
- Accounting setup
- Expense/AR & AP configuration
- Budget configuration
- Fixed assets configuration
- Inventory maintenance
- Bank recon
- Petty cash configuration

22 Appro... 11 Mess...

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check submitting Bank recon is not allowed if there is any unmatched records from Bank Side	
(F) Check the functionality of the Bank Reconciliation	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check submitting Bank recon is not allowed if there is any unmatched records from Bank Side	
(F) Check the functionality of the Bank Reconciliation	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check submitting Bank recon is not allowed if there is any unmatched records from Bank Side

(F) Check the functionality of the Bank Reconciliation

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check submitting Bank recon is not allowed if there is any unmatched records from Bank Side

(F) Check the functionality of the Bank Reconciliation

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check submitting Bank recon is not allowed if there is any unmatched records from Bank Side

(F) Check the functionality of the Bank Reconciliation

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check submitting Bank recon is not allowed if there is any unmatched records from Bank Side

(F) Check the functionality of the Bank Reconciliation

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check submitting Bank recon is not allowed if there is any unmatched records from Bank Side

(F) Check the functionality of the Bank Reconciliation

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check submitting Bank recon is not allowed if there is any unmatched records from Bank Side

(F) Check the functionality of the Bank Reconciliation