


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	testing the fuctionalities of bank reconciliation module	1	0	1	0	47.593 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	testing the fuctionalities of bank	Click on Process button on Bank Recon Process screen	20	18	1	1	47.588 s
	reconciliation module	post creating additional entries					

DETAILED SECTION -- 4 --

(F)- testing the fuctionalities of bank reconciliation module

FAILED	DURATION - 47.593 s	Scenarios		Steps	4
		Total - 1		Total - 20	
/ 1:02:36.098	PM // 1:03:23.691 PM /	Pass - 0	1	Pass - 18	20
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

(S)- Click on Process button on Bank Recon Process screen post creating additional entries

FAILED DURATION - 47.588 s	15	1															;	Steps			
/ 1:02:36.103 PM // 1:03:23.691 PM /	10	╢	-	ļ 	ļ		ļ		<u> </u> -	-	-				-			Total - 20			
testing the fuctionalities of bank reconciliation module	5		-	¦ 	ļ		ļ		 - -				<u>.</u>			-		Pass - 18		20	
	0		.	Ŀ.	<u>.</u>	<u>.</u>				_				_	_			Skip - 1	\ \		
@KUBS_TAX_UAT_004_001TC_001			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15				

#	Step / Hook Details	Status	Duration
1	Given user log in to Azentio for bank recon	PASSED	14.074 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.452 s
	screenshot		
	The Office of the Control of the Con		
2	And user click bank recon module	PASSED	0.103 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.177 s
	screenshot		

#	Step / Hook Details	Status	Duration
	White the second of the second		
3	And user click eye icon in bank recon module	PASSED	0.447 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.495 s
	screenshot		
	## OF CONTINUES 10 Per 10		
4	And user click add icon in bank recon	PASSED	0.480 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.613 s
	screenshot		
	# O TOTAL PROPERTY 1		
5	And user select bank name in bank recon Module	PASSED	0.304 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.168 s
	screenshot		
	World State Committee Comm		
6	And user select bank account Number in bank recon Module	PASSED	1.216 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.124 s
	screenshot	1	
-	·		

#	Step / Hook Details	Status	Duration
	** O Northead State of the Control o		
7	And user click bank recon from date and select the date	PASSED	1.848 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.185 s
	screenshot		
	*** OF TABLE STATE OF		
8	And user click bank recon to date and select the date	PASSED	1.475 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.218 s
	Screenshot **OFF Type - Seal Control (Control	_	
9	And user click choose file and upload the bank statement	PASSED	0.234 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.144 s
	© Control (Control (
10	And user click save button in bank recon	PASSED	0.130 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.227 s
	screenshot		

# Step / Hook Details Status	Duration
The state of the s	
And user click process button in bank recon PASSED	3.647 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED	0.242 s
screenshot	
12 And user click the unmatched data in bank recon process PASSED	1.114 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED	0.126 s
screenshot	
# Oran invasion of the control of th	
13 And user click matched data tab PASSED	1.143 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED	0.130 s
screenshot	
14 And user select bank reconcilation basis bank to book PASSED	4.386 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED	0.287 s
screenshot	


15 And user unmatch the matched records in matched tab AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.476 s PASSED 0.139 s 16 And user click the unmatched data in bank recon process AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.240 s 17 And user match the records in unmached tab fot text file AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.168 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.168 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.200 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot After_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.165 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.200 s		The Continue of the Continue o		
screenshot 16 And user click the unmatched data in bank recon process AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 17 And user match the records in unmached tab fot text file AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.240 s	15	And user unmatch the matched records in matched tab	PASSED	0.476 s
After_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Arter_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.165 s Arter_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.200 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.139 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 17 And user match the records in unmached tab fot textt file AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 0.240 s 0.240 s 0.240 s 17 And user match the records in unmached tab fot textt file AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 0.168 s 18 And user click matched data tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.165 s PASSED 0.200 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 17 And user match the records in unmached tab fot textt file AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 0.240 s 0.240 s 0.240 s 17 And user match the records in unmached tab fot textt file AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 0.168 s 18 And user click matched data tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.165 s PASSED 0.200 s		The state of the s		
Screenshot 17 And user match the records in unmached tab fot textt file AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 18 And user click matched data tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.165 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.200 s	16	And user click the unmatched data in bank recon process	PASSED	1.136 s
And user match the records in unmached tab fot textt file AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And user click matched data tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.165 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.200 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.240 s
17 And user match the records in unmached tab fot text file AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 18 And user click matched data tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.165 s PASSED 0.200 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 18 And user click matched data tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.165 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) DASSED 0.200 s		The state of the s		
Screenshot 18 And user click matched data tab AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber.java. Scenario) PASSED 0.200 s	17	And user match the records in unmached tab fot textt file	PASSED	0.313 s
18 And user click matched data tab AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber.java. Scenario) PASSED 0.200 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.168 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.200 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.200 s		No. 201 (part 1) we described to 100 Miles 100 Miles		
	18	And user click matched data tab	PASSED	1.165 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.200 s
		screenshot		

#	Step / Hook Details	Status	Duration
	Some of the control o		
9	Then user verify that Book entry will be matched with Bank entry and will be displayed in Matched Tab for text	FAILED	0.017 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: ("method":"xpath";"selector":"/ldi/contains(text/).null)]"} (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions//fno_such_element_Build info: version: '4.0.0-c-1.2', revision: 'bc551.1cbda' System info: host: 'INMUVADP016585', [p: 10.1.47.108', os.name: Windows 10', os.nach: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa. selenium.chrome. ChromeDriver Command: [4e4b4e18a74639b076cc7177c006017e, findElement [using=xpath, adue=/ldi/contains(text/).null"])] Capabilities (acceptinsecureCerts: false, browserName: chrome browserVersion: 99.0.4844.82, chrome: (chromedriverVersion: 99.0.4844.51 (ds37ec02474b5, userDataDir: C*\Users\Unitser\Users\Unitser\Unit		
	AFTER STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.124 s


DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	The Control of Control		
20	Then user verify that Unmatched entry from Bank Side will not be displayed for text	SKIPPED	0.000 s


EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --




EXPANDED SECTION -- 15 --




EXPANDED SECTION -- 16 --




EXPANDED SECTION -- 17 --



EXPANDED SECTION -- 18 --



EXPANDED SECTION -- 19 --



EXPANDED SECTION -- 20 --

