# Cucumber Report

| Start : Feb 16, 12:05:10.971 pm | End : Feb 16, 12:05:32.487 pm | Duration : 21.516 s |
|---|---|---|
| Features | Scenarios | Steps |
| PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 11<br>FAILED - 1<br>SKIPPED - 24 |

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | Check the functionality of Asset Revaluation | 1 | 0 | 1 | 0 | 21.516 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | Check the functionality of Asset Revaluation | Alter the Value of an existing asset (Impared) | 36 | 11 | 1 | 24 | 21.509 s |

## **(F)- Check the functionality of Asset Revaluation**

| FAILED | DURATION - 21.516 s | Scenarios | | Steps | |
|---|---|---|---|---|---|
| | | Total - 1 | | Total - 36 | |
| / 12:05:10.971 pm // 12:05:32.487 pm / | | Pass - 0 | 1 | Pass - 11 | 36 |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 24 | |

## **(S)- Alter the Value of an existing asset (Impared)**

| FAILED | DURATION - 21.509 s | | Steps | |
|---|---|---|---|---|
| | | | Total - 36 | |
| / 12:05:10.978 pm // 12:05:32.487 pm / | | | Pass - 11 | 36 |
| Check the functionality of Asset Revaluation | | | Fail - 1 | |
| @KUBS_FAT_UAT_012_004 | | | Skip - 24 | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Navigate the Maker Url | PASSED | 12.384 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.133 s |
| | screenshot | | |
| | | | |
| 2 | Then Choose Second Segmant Icon | PASSED | 0.339 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.172 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 3 | And fixed Asset Module | PASSED | 0.133 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.188 s |
| | screenshot | | |
| |  | | |
| 4 | Then Asset Impairment submodule Eye Icon | PASSED | 0.249 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.430 s |
| | screenshot | | |
| |  | | |
| 5 | And Click Table Row first Eye Icon | PASSED | 0.137 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.339 s |
| | screenshot | | |
| |  | | |
| 6 | Then Store the Referance No | PASSED | 0.105 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.130 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 7 | Then Asset Revaluvation submodule Eye Icon | PASSED | 0.174 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.279 s |
| | screenshot | | |
| |  | | |
| 8 | And Add Icon button | PASSED | 0.196 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.181 s |
| | screenshot | | |
| |  | | |
| 9 | Then Give Asset Impaired Referance Number | PASSED | 0.561 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.124 s |
| | screenshot | | |
| |  | | |
| 10 | And Select Asset Item Number | PASSED | 0.218 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.189 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 11 | Then Alter the Impaired Book Value | PASSED | 0.227 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.158 s |
| | screenshot | | |
| |  | | |
| 12 | Then save the Revaluation record | FAILED | 1.176 s |
| | org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button color="primary" ng-reflect-color="primary" class="ion-color ion-color-primary md button button-clear in-toolbar ion-activatable ion-focusable hydrated button-disabled" ng-reflect-disabled="true" aria-disabled="true" disabled="">...</ion-button> is not clickable at point (1414, 88). Other element would receive the click: <ion-buttons slot="end" class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated">...</ion-buttons>   (Session info: chrome=98.0.4758.102) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [bfc2b5491ff55708064ad6e9444c64ef, clickElement {id=d9c96c9d-fdc6-49fa-9282-159baa2ba2d4}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:63720}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63720/devtoo..., se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (bfc2b5491ff55708064ad6e9444c64ef)] -> xpath: //div[1]/ion-header[1]/ion-toolbar[1]/ion-buttons[2]/ion-button[1]] Session ID: bfc2b5491ff55708064ad6e9444c64ef<br>   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)<br>   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) | | |
| | at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) | | |
| | at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) | | |
| | at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source) | | |
| | at stepdefinitions.FIXEDASSET_AssetRevaluvation.save_the_revaluation_record(FIXEDASSET_AssetRevaluvation.java:129) | | |
| | at ?.save the Revaluation record(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/FIXEDASSET_AssetRevaluation.feature:134) *Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot  | PASSED | 0.118 s |
| 13 | And Go to Maker Notification | SKIPPED | 0.000 s |
| 14 | Then Select the first Action icon | SKIPPED | 0.000 s |
| 15 | And Submit Record in maker | SKIPPED | 0.000 s |
| 16 | Then Give Remark and Submit it | SKIPPED | 0.000 s |
| 17 | Given Launch Azentio Reviewer Url | SKIPPED | 0.000 s |
| 18 | And Reviewer Notification icon | SKIPPED | 0.000 s |
| 19 | Then submitted record from maker | SKIPPED | 0.000 s |
| 20 | And Approve icon from Reviewer End | SKIPPED | 0.000 s |
| 21 | Then Enter remark and submit Record | SKIPPED | 0.000 s |
| 22 | Given Launch Azentio Checker Url | SKIPPED | 0.000 s |
| 23 | Then Click the Security management | SKIPPED | 0.000 s |
| 24 | And Click the open pool Note icon | SKIPPED | 0.000 s |
| 25 | Then Claim the record from Checker | SKIPPED | 0.000 s |
| 26 | And Checker Notification icon | SKIPPED | 0.000 s |
| 27 | Then Action Icon from claimed record | SKIPPED | 0.000 s |
| 28 | And Press Approve icon | SKIPPED | 0.000 s |
| 29 | Then Submit Record from Checker | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 30 | Given Navigate the Maker Url | SKIPPED | 0.000 s |
| 31 | Then Choose Second Segmant Icon | SKIPPED | 0.000 s |
| 32 | And fixed Asset Module | SKIPPED | 0.000 s |
| 33 | Then Asset Revaluvation submodule Eye Icon | SKIPPED | 0.000 s |
| 34 | And Click search icon button | SKIPPED | 0.000 s |
| 35 | Then Give the Asset Referance Number | SKIPPED | 0.000 s |
| 36 | When capture Asset Grid view List | SKIPPED | 0.000 s |

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| (S) Alter the Value of an existing asset (Impared) | |
| (F) Check the functionality of Asset Revaluation | |

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| (S) Alter the Value of an existing asset (Impared) | |
| (F) Check the functionality of Asset Revaluation | |

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
|---|---|
| (S) Alter the Value of an existing asset (Impared) | |
| (F) Check the functionality of Asset Revaluation | |
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| (S) Alter the Value of an existing asset (Impared) | |
| (F) Check the functionality of Asset Revaluation | |

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Alter the Value of an existing asset (Impared)

(F) Check the functionality of Asset Revaluation



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Alter the Value of an existing asset (Impared)

(F) Check the functionality of Asset Revaluation

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| --- | --- |
| (S) Alter the Value of an existing asset (Impared) | |
| (F) Check the functionality of Asset Revaluation | |

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| --- | --- |
| (S) Alter the Value of an existing asset (Impared) | |
| (F) Check the functionality of Asset Revaluation | |

| | |
|---|---|
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| (S) Alter the Value of an existing asset (Impared) | |
| (F) Check the functionality of Asset Revaluation | |

| | |
|---|---|
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| (S) Alter the Value of an existing asset (Impared) | |
| (F) Check the functionality of Asset Revaluation | |

| | |
|---|---|
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| (S) Alter the Value of an existing asset (Impared) | |
| (F) Check the functionality of Asset Revaluation | |
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| (S) Alter the Value of an existing asset (Impared) | |
| (F) Check the functionality of Asset Revaluation | |