
Cucumber Report



FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Checking the Acount Receivable Appropriation functionality	1	0	1	0	19.646 s

SCENARIOS SUMMARY -- 3 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Acount Receivable	Below amount must be correctly calculated & displayed post	7	6	1	0	19.643 s
	Appropriation functionality	receipt appropriation.					

DETAILED SECTION -- 4 --

(F)- Checking the Acount Receivable Appropriation functionality

FAILED	DURATION - 19.646 s	Scenarios		Steps	
		Total - 1		Total - 7	
/ 9:29:47.657	PM // 9:30:07.303 PM /	Pass - 0	1	Pass - 6	7
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- Below amount must be correctly calculated & displayed post receipt appropriation.

FAILED DURATION - 19.643 s		Steps
/ 9:29:47.660 PM // 9:30:07.303 PM /		Total - 7
Checking the Acount Receivable Appropriation functionality		Pass - 6 Fail - 1
@MultiAuth @KUBS_AR/AP_UAT_010_005_TC_04	1 2 3 4 5 6	Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	PASSED	9.880 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.150 s
	screenshot		
2	Then Click on Direction icon	PASSED	2.340 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.131 s
	screenshot		


#	Step / Hook Details	Status	Duration
	** O TOTAL CONTINUES OF THE PARTY OF THE PAR		
3	Then Click on Account Recivable button	PASSED	0.132 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.143 s
	screenshot		
	** O AND CONTRACT OF THE PARTY		
4	Then Click on Account Recivable Appropriation eye button	PASSED	0.378 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot +	PASSED	0.191 s
5	Then Click to add record in Account Recivable	PASSED	0.276 s
5	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.276 S
	Screenshot **Company of the Company	PASSED	U.254 S
6	Then Check receipt is available for Appropriation	PASSED	0.732 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.119 s
	screenshot		


Step / Hook Details	Status	Duration
Then enter App Amount check the calculation for Outstanding amount for Receivable	FAILED	2.289 s
org.openga.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath"; "selector":"/di/contains(text),/2961232.8]"); (Session info: chrome=96.0.4664.45) For documentation on this error, please visit: https://selenium.devexceptions/ino_such_element Build info: version: '4.0.0-c-1; revision: 'bc5511cbda' System info: host: \text{ViNMUVADPO16372*, ip: 10.1.47.119*, os.name: Windows 10*, os.arch: amd64*, os.version: '10.0", java.version: '17.0.1" Driver info: org.openga. selenium.chrome. ChromeDriver Commandt; [94fe1eb6707d3e89e3f4732ab8b11c, findElement (using=xpath, value=/livid/contains(text)();2961232.8")]]} Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: (chromedriverVersion: 96.0.4664.45, fchrome: (chromedriverVersion: 96.0.4664.45, chrome: (chromedriverVersion: 96.0.4664.45, chrome: (chromedriverVersion: 96.0.4664.45, chrome: (chromedriverVersion: 96.0.4664.45, setVindowRect: true, strucfleilenteractability: false, timeouts: fimplicit of, pageLoad: 300000, script: 300000, unbandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}. Session ID: 194fe1eb6707d3e896e3f4732ab8b11c. at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(OlegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openga.selenium.remote.service.DriverCommandExecutor.java:140) at org.openga.selenium.remote.Service.DriverCommandExecutor.java:150) at org.openga.selenium.remote.RemoteWebDriver.findElement(Demont(Demont(Demont(Demont(Demont(Demont(

DETAILED SECTION -- 7 --


#	Step / Hook Details	Status	Duration
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.100 s
	screenshot		
	## OF CONTROL STATE STATE		

EXPANDED SECTION --- 8 --





EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --

