

Cucumber Report

Nov 7, 2022, 7:58:10 PM

Start : Nov 07, 7:57:43.853 PM

End : Nov 07, 7:58:09.550 PM

Duration : 25.697 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 5


FAILED - 1

SKIPPED - 10







| # | Feature Name | T | P | F | S | Duration |
|---|--------------|---|---|---|---|----------|
| 1 | AR/AP Module | 1 | 0 | 1 | 0 | 25.697 s |







| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--------------|---|----|---|---|----|----------|
| 1 | AR/AP Module | Create GRN against above create PO for above vendor | 16 | 5 | 1 | 10 | 25.694 s |




(F)- AR/AP Module


| | | | | | |
|--------------------------------------|----------------------------|--|---|--|---|
| FAILED | DURATION - 25.697 s | Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0 |  | Steps Total - 16 Pass - 5 Fail - 1 Skip - 10 |  |
| / 7:57:43.853 PM // 7:58:09.550 PM / | | | | | |

(S)- Create GRN against above create PO for above vendor

| | | | | |
|--|--|---|---|--|
| <div>FAILED</div> <div>DURATION - 25.694 s</div> | | <div></div> | <div>Steps</div> <div>Total - 16</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 10</div> | <div></div> |
| / 7:57:43.856 PM // 7:58:09.550 PM / | | | | |
| AR/AP Module | | | | |
| @KUBS_AR/AP_UAT_001_001_TC_003_01 | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User should go to the kubs url and login as a maker user | PASSED | 11.610 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.256 s |
| | screenshot | | |
| |  | | |
| 2 | And user should navigate to accounts payable menu | PASSED | 2.458 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.182 s |
| | screenshot | | |
| |  | | |

| # | Step / Hook Details | Status | Duration |
|--|--|--------|----------|
| 3 | Then Click on Good Recived Note GRN Eye buutton | PASSED | 0.374 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.313 s |
| | screenshot  | | |
| 4 | Then Click on Good Recived Note GRN Add button | PASSED | 1.360 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.208 s |
| | screenshot  | | |
| 5 | And user update the data set ID for GRN | PASSED | 0.002 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.152 s |
| | screenshot  | | |
| 6 | Then Fill the form for GRN | FAILED | 1.990 s |
| org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button color="primary" ng-reflect-color="primary" ng-reflect-disabled="true" aria-disabled="true" class="ion-color ion-color-primary md button button-clear in-toolbar button-disabled ion-activatable ion-focusable hydrated" disabled="">...</ion-button> is not clickable at point (1895, 88). Other element would receive the click: <ion-buttons slot="end" class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated">...</ion-buttons> (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os: name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2b67aeae5d95115defb7db1427cb4431, clickElement {id=715ec5ac-3f2c-4dca-9a12-995b7c96a710}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\lNINDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:62852}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62852/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS | | | |


| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| | <div>(2b67aeae5d95115defb7db1427cb4431)] -> xpath: (//ion-buttons[2]/ion-button[1])[2]] Session ID: 2b67aeae5d95115defb7db1427cb4431 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.AccountsPayable_GRN.fill_the_form_for_grn(AccountsPayable_GRN.java:92) at ?.Fill the form for GRN(file:///C:/Users/inindc00089/eclipse-workspace/AzentioAutomationFramework_ARAP/src/test/java/features/ArAp1.feature:85) * Not displayable characters are replaced by '?'. </div> | | |
| | <div>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot </div> | PASSED | 0.139 s |
| 7 | Then click on the Notification icon | SKIPPED | 0.000 s |
| 8 | Then Search the grn record | SKIPPED | 0.000 s |
| 9 | And open the grn record | SKIPPED | 0.000 s |
| 10 | Then Click on Item Details Tab | SKIPPED | 0.000 s |
| 11 | Then Select PO Number | SKIPPED | 0.000 s |
| 12 | Then Add qty received qty approved | SKIPPED | 0.000 s |
| 13 | And Save the Record from maker | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| 14 | Then click on the Notification icon | SKIPPED | 0.000 s |
| 15 | Then store the Reference ID and open the GRN record | SKIPPED | 0.000 s |
| 16 | Then click submit and enter remark for GRN record | SKIPPED | 0.000 s |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN against above create PO
for above vendor


(F) AR/AP Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN against above create PO
for above vendor


(F) AR/AP Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN against above create PO
for above vendor


(F) AR/AP Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN against above create PO
for above vendor

(F) AR/AP Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN against above create PO
for above vendor

(F) AR/AP Module

Finance

General ledger transaction

Budget

Accounts payable

Vendor contracts

Vendor purchase orders

Goods received note (GRN)

Invoice booking

Payment settlement

Payment settlement cancellation

Auto payout

Manual payout

Payment file download

Payment response file upload

22 Appro... 11 Mess...

GRN

BP Name

GRN Number

Invoice Number

GRN Date

14-Sep-2023

GRN Amount

INR

Delivery Location

Upload Delivery challan

Choose File

No file chosen

DOWNLOAD

GRN Status

Active

TXT Status

Remark

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN against above create PO
for above vendor

(F) AR/AP Module

Finance

General ledger transaction

Budget

Accounts payable

Vendor contracts

Vendor purchase orders

Goods received note (GRN)

Invoice booking

Payment settlement

Payment settlement cancellation

Auto payout

Manual payout

Payment file download

Payment response file upload

22 Appro... 11 Mess...

GRN

BP Name

DELUXE 001

BP Branch

DADAR BRANCH

GRN Number

Invoice Number

INV00011

GRN Date

14-Sep-2023

GRN Amount

INR

Delivery Location

Azentio Main Branch

Upload Delivery challan

Choose File

No file chosen

DOWNLOAD

GRN Status

Active

TXT Status

Remark