Cucumber Report

6 Mar 2023, 4:35:48 PM

Start : Mar 06, 4:34:58.645 PM	End : Mar 06, 4:35:46.859 PM	Duration : 48.214 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 8 FAILED - 0 SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of Inventory	1	1	0	0	48.214 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of Inventory	Check Purchase requisition report	8	8	0	0	48.207 s

(F)- Check the Functionality of Inventory

PASSED	DURATION - 48.214 s	Scenarios	Steps
/ 4:34:58.645 PM // 4:35:46.859 PM /		Total - 1 Pass - 1 Fail - 0 Skip - 0	Total - 8 Pass - 8 Fail - 0 Skip - 0

(S)- Check Purchase requisition report

PASSED	DURATION - 48.207 s	Steps
/ 4:34:58.652 PM // 4:35:46.859 PM /		Total - 8 Pass - 8 Fail - 0 Skip - 0
Check the Functionality of Inventory		
@KUBS_INV_MGMT_UAT_007_003		



#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	34.816 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.181 s
	screenshot		
			
2	Then select data set ID for Purchase requisition report	PASSED	0.548 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.846 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then click on report button	PASSED	1.035 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.260 s
	screenshot		
4	Then Click on Report Tab	PASSED	0.161 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.271 s
	screenshot		
5	Then Click on Purchase requisition report edit grid	PASSED	0.322 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.281 s
	screenshot		
			
6	Then Fill the form for Purchase requisition report	PASSED	2.015 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.250 s
	screenshot		
			
7	And Click on view button to view report of Purchase requisition report	PASSED	0.188 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.282 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	Then verify the approved record is available in the report	PASSED	1.920 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.211 s
	screenshot		
			

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check Purchase requisition report	
(F) Check the Functionality of Inventory	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check Purchase requisition report	
(F) Check the Functionality of Inventory	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check Purchase requisition report	
(F) Check the Functionality of Inventory	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check Purchase requisition report	
(F) Check the Functionality of Inventory	

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)



(S) Check Purchase requisition report

(F) Check the Functionality of Inventory

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)



(S) Check Purchase requisition report

(F) Check the Functionality of Inventory

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check Purchase requisition report	
(F) Check the Functionality of Inventory	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check Purchase requisition report	
(F) Check the Functionality of Inventory	