Cucumber Report

| Start : Feb 17, 1:36:21.777 pm	End : Feb 17, 1:36:50.595 pm	Duration : 28.818 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 14 FAILED - 0 SKIPPED - 21

Features: 1

Scenarios: 1

Steps: 35

Features Pass % : 0 %

Scenarios Pass % : 0 %

Steps Pass % : 40 %

#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of the Fixed Assets	1	0	1	0	28.818 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of the Fixed Assets	Create an amendment to modify asset life for a fixed asset	35	14	0	21	28.812 s

(F)- Check the Functionality of the Fixed Assets

| FAILED	DURATION - 28.818 s	Scenarios		Steps	
		Total - 1		Total - 35	
/ 1:36:21.777 pm // 1:36:50.595 pm /		Pass - 0	1	Pass - 14	35
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 21	

(S)- Create an amendment to modify asset life for a fixed asset

FAILED	DURATION - 28.812 s		Steps	
/ 1:36:21.783 pm // 1:36:50.595 pm /			Total - 35	
Check the Functionality of the Fixed Assets			Pass - 14	35
			Fail - 0	
@KUBS_FAT_UAT_011_002			Skip - 21	

#	Step / Hook Details	Status	Duration
1	Given Lauch The Azentio Url	PASSED	12.903 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.172 s
	screenshot		
2	Then Click Second Segment Icon	PASSED	0.330 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.176 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And Click on fixed Asset Module	PASSED	0.125 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.143 s
	screenshot		
4	Then click on Asset creation Eye icon	PASSED	0.216 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.384 s
	screenshot		
5	And Click to view First record and store RefNo	PASSED	0.092 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.227 s
	screenshot		
6	Then Click on Asset Ammendent submodule Eye Icon	PASSED	0.212 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.259 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	And Click on Add Icon	PASSED	0.283 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.269 s
	screenshot		
8	Then Enter Asset Referance Number	PASSED	0.584 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.117 s
	screenshot		
9	And Enter Asset Item Number	PASSED	0.240 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.154 s
	screenshot		
10	Then Choose Modification Type Which need	PASSED	0.358 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.160 s
	screenshot		

| #	Step / Hook Details	Status	Duration
11	And Enter Asset Life Value	PASSED	0.235 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.170 s
	screenshot		
12	Then Save the Asset Record	PASSED	0.154 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.295 s
	screenshot		
13	And Click on Maker Notification	PASSED	0.170 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.427 s
	screenshot		
14	Then Select Saved record and click on action icon	PASSED	2.853 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	FAILED	0.085 s

	java.lang.RuntimeException: Unexpected result for screenshot command: null
	    at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:355)
	    at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)		

#	Step / Hook Details	Status	Duration
15	And Submit the Asset record to Reviewer	SKIPPED	0.000 s
16	Given Launch the Azentio Reviewer Page	SKIPPED	0.000 s
17	And Click the Reviewer Notification icon	SKIPPED	0.000 s
18	Then Click the submitted record from maker	SKIPPED	0.001 s
19	And Click the Approve icon from Reviewer End	SKIPPED	0.001 s
20	Then Enter the remark and submit the Record	SKIPPED	0.001 s
21	Given Launch the Azentio Checker page	SKIPPED	0.000 s
22	Then Click the Security management module	SKIPPED	0.001 s
23	And Click the open pool Edit icon	SKIPPED	0.003 s
24	Then Claim the record Approved from Reviewer	SKIPPED	0.000 s
25	And Click the Checker Notification icon	SKIPPED	0.003 s
26	Then Click the Action Icon from claimed record	SKIPPED	0.000 s
27	And Click on Approve icon	SKIPPED	0.000 s
28	Then Submit the Record from Checker End	SKIPPED	0.000 s
29	Given Lauch The Azentio Url	SKIPPED	0.000 s
30	Then Click Second Segment Icon	SKIPPED	0.000 s
31	And Click on fixed Asset Module	SKIPPED	0.001 s
32	Then Click on Asset Ammendent submodule Eye Icon	SKIPPED	0.000 s
33	And Click the search icon	SKIPPED	0.001 s
34	Then Enter the Asset Referance No	SKIPPED	0.000 s
35	When capture the Asset Grid view	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	4.074 s
	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=98.0.4758.102) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0438205fe1ac2a2d56031d1291b54f88, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.102, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:55329}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55329/devtoo..., se:cdpVersion: 98.0.4758.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 0438205fe1ac2a2d56031d1291b54f88 　　at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) 　　at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) 　　at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) 　　at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) 　　at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) 　　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) 　　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)		
	at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432)		
	at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create an amendment to modify asset life for a fixed asset

(F) Check the Functionality of the Fixed Assets

Kastle Universal Banking (Beta)   07-Oct-2022   English ▾   Azentio Software ▾   (AZENTMAIN)   ANANT

Finance ▾

Welcome, anant

⊗ Business partner setup
⊗ General ledger configuration
⊗ Accounting setup
⊗ Expense/AR & AP configurati...
⊗ Budget configuration
⊗ Fixed assets configuration
⊗ Inventory maintenance
⊗ Bank recon
⊗ Petty cash configuration

22 Appro... ⊗   11 Messa... ⊗   Home   Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create an amendment to modify asset life for a fixed asset

(F) Check the Functionality of the Fixed Assets

Kastle Universal Banking (Beta)   07-Oct-2022   English ▾   Azentio Software ▾   (AZENTMAIN)   ANANT

Finance ▾

Welcome, anant

⊗ General ledger transaction
⊗ Budget
⊗ Accounts payable
⊗ Adjustments (AR and AP)
⊗ Accounts receivable
⊗ Fixed assets
⊗ Inventory management
⊗ Petty cash
⊗ Bank recon

22 Appro... ⊗   11 Messa... ⊗   Home   Preference

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create an amendment to modify asset life for a fixed asset	
(F) Check the Functionality of the Fixed Assets	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create an amendment to modify asset life for a fixed asset	
(F) Check the Functionality of the Fixed Assets	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create an amendment to modify asset
life for a fixed asset

(F) Check the Functionality of the Fixed
Assets

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create an amendment to modify asset
life for a fixed asset

(F) Check the Functionality of the Fixed
Assets

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Create an amendment to modify asset life for a fixed asset (F) Check the Functionality of the Fixed Assets	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Create an amendment to modify asset life for a fixed asset (F) Check the Functionality of the Fixed Assets	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create an amendment to modify asset life for a fixed asset	
(F) Check the Functionality of the Fixed Assets	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create an amendment to modify asset life for a fixed asset	
(F) Check the Functionality of the Fixed Assets	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create an amendment to modify asset life for a fixed asset

(F) Check the Functionality of the Fixed Assets

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create an amendment to modify asset life for a fixed asset

(F) Check the Functionality of the Fixed Assets

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create an amendment to modify asset
life for a fixed asset

(F) Check the Functionality of the Fixed
Assets