

Cucumber Report



FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Budget Transfer	1	0	1	0	1 m 22.035 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Budget Transfer	BP_BT_05_02 To verify system generates notification at	13	0	0	13	1 m 22.016 s
		checker1 login					

DETAILED SECTION -- 4 --

(F)- Budget Transfer

FAILED	DURATION - 1 m 22.035 s	Scenarios		Steps	
		Total - 1		Total - 13	
/ 2:41:23.376 PM	1 // 2:42:45.411 PM /	Pass - 0	1	Pass - 0	13
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 13	

(S)- BP_BT_05_02 To verify system generates notification at checker1 login



#	Step / Hook Details	Status	Duration
	BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario)	FAILED	1 m 21.882 s
	BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario) org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: chrome not reachable Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014667', ip: '10.1.47.117', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}], desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}]] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:244) at org.openqa.selenium.remote.RemoteWebDriver.siartSession(RemoteWebDriver.java:166)	FAILED	1 m 21.882 s
	at org.openqa.selenium.chromium.ChromiumDriver. <init>(ChromiumDriver.java:89)</init>		
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:99)</init>		
	at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:86) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:41)</init></init>		

DETAILED SECTION -- 5 --

#	Step / Hook Details	Status	Duration
	at resources.BaseClass.initializeDriver(BaseClass.java:28) at stepdefinitions.HooksClass.browserSetup(HooksClass.java:32)		
1	Given Maker login	SKIPPED	0.000 s
2	And Maker click on the direction tab	SKIPPED	0.000 s
3	Then Maker click on the budget	SKIPPED	0.000 s
4	Then Maker click on budget transfer eye button	SKIPPED	0.000 s
5	And Maker click on add button	SKIPPED	0.001 s
6	Then Maker fill the details and save	SKIPPED	0.000 s
7	Then Maker click on the notification icon	SKIPPED	0.000 s
8	Then Maker submit the budget transfer record	SKIPPED	0.000 s
9	Then Navigate to Url and login as a reviewer	SKIPPED	0.000 s
10	When Click on Notification button	SKIPPED	0.000 s
11	And Find the budget code which submitted from maker user	SKIPPED	0.000 s
12	Then Click on action button	SKIPPED	0.000 s
13	And Verify the record	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.000 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		