

Cucumber Report

18 Jan 2023, 3:42:45 PM

Start : Jan 18, 3:41:42.960 PM

End : Jan 18, 3:42:43.356 PM

Duration : 1 m 0.396 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 6
FAILED - 1
SKIPPED - 23







#	Feature Name	T	P	F	S	Duration
1	<u>To create Bank Recon details</u>	1	0	1	0	1 m 0.396 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To create Bank Recon details</u>	<u>Create format master and Data matching Rules for a specific Bank and Account Type</u>	30	6	1	23	1 m 0.383 s



(F)- To create Bank Recon details

FAILED	DURATION - 1 m 0.396 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 30 Pass - 6 Fail - 1 Skip - 23	
/ 3:41:42.960 PM // 3:42:43.356 PM /					


(S)- Create format master and Data matching Rules for a specific Bank and Account Type

FAILED	DURATION - 1 m 0.383 s		Steps Total - 30 Pass - 6 Fail - 1 Skip - 23	
/ 3:41:42.973 PM // 3:42:43.356 PM /				
To create Bank Recon details				
@KUBS_BRS_UAT_001_001_TC_001 @MultiAuth				

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	40.802 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.908 s
	screenshot		
			
2	Then Click on Direction Left	PASSED	0.641 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.350 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	Then Click on Bank Recon	PASSED	0.172 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.289 s
	screenshot		
			
4	Then click on Bank Recon format eye button	PASSED	0.580 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.799 s
	screenshot		
			
5	Then Click on Inventory Maintenance Add button	PASSED	0.839 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.513 s
	screenshot		
			
6	Then user update the Excel sheet testdata for BankRecon	PASSED	0.039 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.314 s
	screenshot		
			
7	Then fill the Bank Reconciliation Format	FAILED	3.937 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <input aria-autocomplete="list" type="text" autocorrect="off" autocapitalize="off" autocomplete="aed9439938dc"> is not clickable at point (1094, 393). Other element would receive the		


#	Step / Hook Details	Status	Duration
	<p>click: <div class="cdk-overlay-backdrop cdk-overlay-transparent-backdrop {background-color:#f00;} cdk-overlay-backdrop-showing"></div> (Session info: chrome=108.0.5359.125) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.49', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5e67ec38410a43e5331f9bdd6fb89c5f, clickElement {id=cdffd9ed-094b-48ed-972d-ceb3aeec56ff}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:58525}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58525/devtools, se:cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (5e67ec38410a43e5331f9bdd6fb89c5f)] -> xpath: //ion-row[1]/ion-col[9]/app-kub-lov[1]/span[1]/ng-select[1]/div[1]/div[1]/div[2]/input[1]] Session ID: 5e67ec38410a43e5331f9bdd6fb89c5f</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.BankRecons.fill_the_bank_reconciliation_format(BankRecons.java:141) at ?.fill the Bank Reconciliation Format(file:///C:/Users/ININDC00075/git/Arshath_Excel_AzentioAutomationFramework/AzentioAutomationFramework_ARAP_Excel_Arshath/src/test/java/features/BankRecon.feature:11) * Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.229 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	Then fill the Bank Reconciliation Placeholder	SKIPPED	0.001 s
9	Then Click on Inventory Item Save button	SKIPPED	0.000 s
10	Then Click on Inventory Maintenance Add button	SKIPPED	0.000 s
11	Then user update the Excel sheet testdata for BankRecon	SKIPPED	0.000 s
12	Then File Data matching rule	SKIPPED	0.000 s
13	Then Click on Inventory Item Save button	SKIPPED	0.000 s
14	Then click back button	SKIPPED	0.000 s
15	Then Click on Inventory Maintenance Add button	SKIPPED	0.000 s
16	Then user update the Excel sheet testdata for BankRecon	SKIPPED	0.000 s
17	Then File Transaction Data matching rule	SKIPPED	0.000 s
18	Then Click on Inventory Item Save button	SKIPPED	0.000 s
19	Then click back button	SKIPPED	0.001 s
20	Then Click on Inventory Maintenance Add button	SKIPPED	0.000 s
21	Then user update the Excel sheet testdata for BankRecon	SKIPPED	0.001 s
22	Then File Deposit Data matching rule	SKIPPED	0.000 s
23	Then Click on Inventory Item Save button	SKIPPED	0.001 s
24	Then click back button	SKIPPED	0.000 s
25	Then Click on Inventory Maintenance Add button	SKIPPED	0.000 s
26	Then user update the Excel sheet testdata for BankRecon	SKIPPED	0.000 s
27	Then File Withdrawals Data matching rule	SKIPPED	0.000 s
28	Then Click on Inventory Item Save button	SKIPPED	0.000 s
29	Then Click on Inventory Item Notification	SKIPPED	0.000 s
30	And Select and Submit the record	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create format master and Data
matching Rules for a specific Bank and
Account Type


(F) To create Bank Recon details



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create format master and Data
matching Rules for a specific Bank and
Account Type

(F) To create Bank Recon details



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create format master and Data
matching Rules for a specific Bank and
Account Type

(F) To create Bank Recon details













The screenshot shows the AZENTIO ONEBanking application interface. The top navigation bar includes the date '19-Nov-2022', language 'English', software version 'Azentio Software', user '(AZENTMAIN)', and a profile icon for 'ANANT'. The left sidebar menu is expanded, showing various configuration options under the 'Finance' category. The 'Recon format' option is highlighted with a checkmark icon, indicating it is the active selection. The main content area is currently blank.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create format master and Data
matching Rules for a specific Bank and
Account Type

(F) To create Bank Recon details

The screenshot displays the 'Bank Format Master List View' within the AZENTIO ONEBanking application. The interface shows a table with columns for Actions, Bank Name, Applicable Account Type, Upload File Extension, Status, Created By, Created Date, Modified By, Modified Date, Auth By, and Auth Date. The table lists five entries for different banks: Bank Of India, YES BANK, ICICBANK, HDFC BANK, and STATE BANK OF INDIA. Each entry has a corresponding 'Actions' icon (a pencil and a checkmark) and a 'Status' of 'Active'. The 'Created Date' and 'Modified Date' are both '30-Sep-2022' for the last three entries, while 'Bank Of India' has a 'Created Date' of '04-Jan-2023' and 'YES BANK' has a 'Created Date' of '26-Oct-2022'. The 'Auth By' field for all entries is '1002437'. The 'Auth Date' is '04-Jan-2023' for Bank Of India and '01-Nov-2022' for YES BANK. The table is titled 'Bank Format Master List View' and has a search icon in the top right corner. The bottom of the screen shows a loading spinner and a dark blue circular button with a white plus sign.

Actions	Bank Name	Applicable Account Type	Upload File Extension	Status	Created By	Created Date	Modified By	Modified Date	Auth By	Auth Date
 	Bank Of India	SAVINGS ACCOUNT	CSV	Active	1002435	04-Jan-2023			1002437	04-Jan-2023
 	YES BANK	SAVINGS ACCOUNT	CSV	Active	1002435	26-Oct-2022	1002435	01-Nov-2022	1002437	01-Nov-2022
 	ICICBANK	SAVINGS ACCOUNT	Text	Active	1002435	26-Oct-2022			1002437	26-Oct-2022
 	HDFC BANK	CURRENT ACCOUNT	CSV	Active	1002435	30-Sep-2022			1002437	30-Sep-2022
 	HDFC BANK	CURRENT ACCOUNT	Text	Active	1002435	30-Sep-2022	1002435	30-Sep-2022	1002437	30-Sep-2022
 	STATE BANK OF INDIA	CURRENT ACCOUNT	Text	Active	1002435	30-Sep-2022			1002437	30-Sep-2022
Total										

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create format master and Data
matching Rules for a specific Bank and
Account Type

(F) To create Bank Recon details

AZENTIO ONEBanking

19-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Bank Format Master List View

Actions	Bank Name	Applicable Account Type	Upload File Extension	Status	Created By	Created Date	Modified By	Modified Date	Auth By	Auth Date
	Bank Of India	SAVINGS ACCOUNT	CSV	Active	1002435	04-Jan-2023			1002437	04-Jan-2023
	YES BANK	SAVINGS ACCOUNT	CSV	Active	1002435	26-Oct-2022	1002435	01-Nov-2022	1002437	01-Nov-2022
	ICICIBANK	SAVINGS ACCOUNT	Text	Active	1002435	26-Oct-2022			1002437	26-Oct-2022
	HDFC BANK	CURRENT ACCOUNT	CSV	Active	1002435	30-Sep-2022			1002437	30-Sep-2022
	HDFC BANK	CURRENT ACCOUNT	Text	Active	1002435	30-Sep-2022	1002435	30-Sep-2022	1002437	30-Sep-2022
	STATE BANK OF INDIA	CURRENT ACCOUNT	Text	Active	1002435	30-Sep-2022			1002437	30-Sep-2022

6 total

22 Appro... 11 Mess...

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create format master and Data
matching Rules for a specific Bank and
Account Type

(F) To create Bank Recon details

AZENTIO ONEBanking

19-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Bank Reconciliation Format Master

Bank Reconciliation Format

* Bank Name	* Applicable Account Type	* Upload File Extension
* Separator	* Allow unadjust entry from Bank statement	Effective Date
Format Status	* Allow Value Date Uplo	Summery Lines To Be Skipped *
ACTIVE		
File Name Prefix *		

Bank Reconciliation Placeholder

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create format master and Data
matching Rules for a specific Bank and
Account Type

(F) To create Bank Recon details

Finance

Bank Reconciliation Format Master

Bank Reconciliation Format

* Bank Name	* Applicable Account Type	* Upload File Extension
Bank Of India	SAVINGS ACCOUNT	Text
* Separator	* Allow unadjust entry from Bank statement	Effective Date
Fixed Length	NO	01-Jan-2023
Format Status	* Allow Value Date Upto	
ACTIVE		
File Name Prefix *		

Bank Reconciliation Placeholder

22 Appro... 11 Mess...