


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Budget Transfer	1	1	0	0	1 m 12.150 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Budget Transfer	Budget Transfer with multi auth with Return Functionality	12	12	0	0	1 m 12.142 s
		from checker1 to maker user					

DETAILED SECTION -- 4 --

## (F)- Budget Transfer

PASSED	DURATION - 1 m 12.150 s	Scenarios		Steps	
		Total - 1		Total - 12	
/ 11:25:22.703 A	M // 11:26:34.853 AM /	Pass - 1	1	Pass - 12	12
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## (S)- Budget Transfer with multi auth with Return Functionality from checker1 to maker user


PASSED DURATION - 1 m 12.142 s	15	1			-				_						Steps			
/ 11:25:22.711 AM // 11:26:34.853 AM /	10				ļ.,				ł						Total - 12			
7 11.26.22.7 11 7 11.77 11.26.6 7 10.77					1						1				Pass - 12		12	ı
Budget Transfer	5														Fail - 0			,
@BP_BT_10_02 @Multiauth	0	-	<u> </u>	-		<del>-</del>			<u> </u>	<del></del>	-	-			Skip - 0	•		
			1	2	3	4	5	6	7	8	9	10	11	12				

#	Step / Hook Details	Status	Duration
1	Given navigate to kubs url and login as maker user	PASSED	14.367 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.060 s
	screenshot		
	### ### ##############################		
2	Then select budget menu	PASSED	3.051 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.196 s
	screenshot		


3 And click on the eye icon of budget transfer sub menu PASSED	0.815 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED	0.277 s
screenshot	
# 000 (pg. 4cm hour) (2000 () () 0 cm hour)    1	
4 Then click on add button to create record PASSED	0.497 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot    The content of	0.614 s
5 And fill the required field PASSED	4.520 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot    The company of	0.234 s
6 Then save and submit by maker to transfer PASSED	8.259 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED	0.174 s

7 And Navigate to Url and login as a reviewer PASSED 13.929 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED 0.170 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  AATER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then Click on Notification button  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And validate the data submitted by maker to checker1  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  4.158 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.170 s		Compared to the compared to		
screenshot  8 Then Click on Notification button  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  9 And validate the data submitted by maker to checker1  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  4.158 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.117 s	7	And Navigate to Url and login as a reviewer	PASSED	13.929 s
8 Then Click on Notification button PASSED 0.337 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  9 And validate the data submitted by maker to checker1  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 4.158 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.117 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.170 s
8 Then Click on Notification button PASSED 0.337 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  9 And validate the data submitted by maker to checker1  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.496 s  4.158 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.117 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  9 And validate the data submitted by maker to checker1  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  4.158 s  PASSED  O.496 s		** O ANTI-ORDANIA STATE OF THE		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  9 And validate the data submitted by maker to checker1  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  4.158 s  PASSED  O.496 s	8	Then Click on Notification button	PASSED	0.337 s
9 And validate the data submitted by maker to checker1 PASSED 4.158 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.117 s				
9 And validate the data submitted by maker to checker1 PASSED 4.158 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.117 s			1	
9 And validate the data submitted by maker to checker1 PASSED 4.158 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.117 s		# O AND CONTRACTOR   CONTRACTOR		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.117 s	_			
	9			
screenshot			PASSED	U.11/S
		screenshot	_	
The property of the control of the c		For the property of the proper		
10 Then reviewer should return the record PASSED 0.996 s	10	Then reviewer should return the record	PASSED	0.996 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.283 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.283 s
screenshot		screenshot	]	


DETAILED SECTION -- 7 --




EXPANDED SECTION --- 8 --




EXPANDED SECTION -- 9 --





EXPANDED SECTION -- 10 --





EXPANDED SECTION -- 12 --





(Step) AFTER\_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Budget Transfer with multi auth with Return Functionality from checker1 to maker user

(F) Budget Transfer

