Cucumber Report

20 Jan 2023, 2:45:33 PM

Start : Jan 20, 2:44:16.722 PM	End : Jan 20, 2:45:31.131 PM	Duration : 1 m 14.409 s

Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 17 FAILED - 0 SKIPPED - 0









#	Feature Name	T	P	F	S	Duration
1	to verify user can able to do transaction in petty cash module	1	1	0	0	1 m 14.409 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	to verify user can able to do transaction in petty cash module	Create Expense Code Limit	17	17	0	0	1 m 14.395 s

(F)- to verify user can able to do transaction in petty cash module

PASSED	DURATION - 1 m 14.409 s	Scenarios		Steps	
/ 2:44:16.722 PM // 2:45:31.131 PM /		Total - 1 Pass - 1 Fail - 0 Skip - 0		Total - 17 Pass - 17 Fail - 0 Skip - 0	

(S)- Create Expense Code Limit

PASSED	DURATION - 1 m 14.395 s		Steps	
/ 2:44:16.736 PM // 2:45:31.131 PM /			Total - 17 Pass - 17 Fail - 0 Skip - 0	
to verify user can able to do transaction in petty cash module				
@KUBS_PC_UAT_001_001				

#	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	PASSED	27.081 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.947 s
	screenshot		
	 +		
2	Then Click on Pettycash Configuration	PASSED	0.878 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.317 s
	screenshot		
	 +		

#	Step / Hook Details	Status	Duration
3	And Click on Expense Code Limit	PASSED	1.339 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.625 s
	screenshot		
			
4	Then Click on Add Icon in Petty cash	PASSED	0.711 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.579 s
	screenshot		
			
5	And Get the data set id for expence code in petty cash in maker	PASSED	0.007 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.271 s
	screenshot		
			
6	And Enter Expense code value	PASSED	0.280 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.285 s
	screenshot		
			
7	Then Enter Expense Name Value	PASSED	0.341 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.300 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	And Choose Expense Gl	PASSED	1.664 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.248 s
	screenshot		
			
9	Then Enter Max Limit Value	PASSED	0.238 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.253 s
	screenshot		
			
10	And Choose Currency value	PASSED	0.503 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.370 s
	screenshot		
			
11	Then save Record in Petty cash	PASSED	6.127 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.309 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
12	Then Goto The Notification Icon	PASSED	6.059 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.367 s
	screenshot		
			
13	And Store the Referance Id and Open the Record in petty cash	PASSED	2.471 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.240 s
	screenshot		
			
14	Then Click submit button and Enter Remark submit it	PASSED	1.431 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.399 s
	screenshot		
			
15	Then Get the reviewer id for expence code and store it in excel	PASSED	2.094 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.346 s
	screenshot		

#	Step / Hook Details	Status	Duration
	 +		
16	And Close the Alert	PASSED	2.253 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.417 s
	screenshot		
	 +		
17	Then logout from maker	PASSED	1.305 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	4.052 s
	screenshot		
	 +		

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create Expense Code Limit	
(F) to verify user can able to do transaction in petty cash module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create Expense Code Limit	
(F) to verify user can able to do transaction in petty cash module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create Expense Code Limit	
(F) to verify user can able to do transaction in petty cash module	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create Expense Code Limit	
(F) to verify user can able to do transaction in petty cash module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create Expense Code Limit

(F) to verify user can able to do transaction in petty cash module



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create Expense Code Limit

(F) to verify user can able to do transaction in petty cash module



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create Expense Code Limit	
(F) to verify user can able to do transaction in petty cash module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create Expense Code Limit	
(F) to verify user can able to do transaction in petty cash module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create Expense Code Limit	
(F) to verify user can able to do transaction in petty cash module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create Expense Code Limit	
(F) to verify user can able to do transaction in petty cash module	

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Create Expense Code Limit

(F) to verify user can able to do transaction in petty cash module



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) Create Expense Code Limit

(F) to verify user can able to do transaction in petty cash module



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create Expense Code Limit	
(F) to verify user can able to do transaction in petty cash module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create Expense Code Limit	
(F) to verify user can able to do transaction in petty cash module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create Expense Code Limit

(F) to verify user can able to do transaction in petty cash module



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create Expense Code Limit

(F) to verify user can able to do transaction in petty cash module



(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) Create Expense Code Limit	
(F) to verify user can able to do transaction in petty cash module	