Cucumber Report

23-Mar-2022, 6:00:44 pm

Start : Mar 23, 6:00:17.251 pm	End : Mar 23, 6:00:42.901 pm	Duration : 25.650 s

Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 10 FAILED - 0 SKIPPED - 0









#	Feature Name	T	P	F	S	Duration
1	Check Budget Request and Allocation feature module	1	1	0	0	25.650 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check Budget Request and Allocation feature module	System Should follow the flow as Search criteria	10	10	0	0	25.645 s

(F)- Check Budget Request and Allocation feature module

PASSED	DURATION - 25.650 s	Scenarios		Steps	
/ 6:00:17.251 pm // 6:00:42.901 pm /		Total - 1 Pass - 1 Fail - 0 Skip - 0		Total - 10 Pass - 10 Fail - 0 Skip - 0	

(S)- System Should follow the flow as Search criteria

PASSED	DURATION - 25.645 s		Steps	
/ 6:00:17.256 pm // 6:00:42.901 pm /			Total - 10 Pass - 10 Fail - 0 Skip - 0	
Check Budget Request and Allocation feature module				
@KUBS_SEARCH_CRITERIA_MODIFICATION_-BP_BC_19_01				

#	Step / Hook Details	Status	Duration
1	Given Navigate the Azentio Maker Url	PASSED	14.991 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.255 s
	screenshot		
			
2	Then Click Transfer Icon	PASSED	0.338 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.296 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	And Click on Budget Module	PASSED	0.101 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.183 s
	screenshot		
			
4	Then Click Budget module Budget Request and Allocation Edit Icon	PASSED	0.354 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.261 s
	screenshot		
			
5	And Click search icon	PASSED	0.183 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.303 s
	screenshot		
			
6	Then Enter the search code	PASSED	0.368 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.163 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	And Click action button	PASSED	0.689 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.484 s
	screenshot		
			
8	Then Capture the code	PASSED	0.012 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.118 s
	screenshot		
			
9	And Modify the Code	PASSED	0.252 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.149 s
	screenshot		
			
10	And After modify click save button	PASSED	0.103 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.288 s
	screenshot		

#	Step / Hook Details	Status	Duration
			

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) System Should follow the flow as Search criteria	
(F) Check Budget Request and Allocation feature module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) System Should follow the flow as Search criteria	
(F) Check Budget Request and Allocation feature module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System Should follow the flow as Search criteria

(F) Check Budget Request and Allocation feature module



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System Should follow the flow as Search criteria

(F) Check Budget Request and Allocation feature module



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System Should follow the flow as Search criteria

(F) Check Budget Request and Allocation feature module



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System Should follow the flow as Search criteria

(F) Check Budget Request and Allocation feature module



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System Should follow the flow as Search criteria

(F) Check Budget Request and Allocation feature module



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System Should follow the flow as Search criteria

(F) Check Budget Request and Allocation feature module



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System Should follow the flow as Search criteria

(F) Check Budget Request and Allocation feature module



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) System Should follow the flow as Search criteria

(F) Check Budget Request and Allocation feature module