


FEATURES SUMMARY -- 2 --



| # | Feature Name | T | P | F | S | Duration |
|---|--|---|---|---|---|----------|
| 1 | To check BudgetDefinition moduel feature | 1 | 0 | 1 | 0 | 15.767 s |



| # | Feature Name | Scenario Name | | P | F | S | Duration |
|---|----------------------------------|--|----|---|---|---|----------|
| 1 | To check BudgetDefinition moduel | To verify user can able to see modification history of | 10 | 3 | 1 | 6 | 15.758 s |
| | feature | updated budget code in autoauth | | | | | |

DETAILED SECTION -- 4 --

(F)- To check BudgetDefinition moduel feature

| FAILED | DURATION - 15.767 s | Scenarios | | Steps | |
|---------------|------------------------|-----------|---|------------|----|
| | | Total - 1 | | Total - 10 | |
| 7:29:13.041 F | PM // 7:29:28.808 PM / | Pass - 0 | 1 | Pass - 3 | 10 |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 6 | |

(S)- To verify user can able to see modification history of updated budget code in autoauth

| FAILED | DURATION - 15.758 s | 10 | 15- | — | | | | | -; | -, | -i | | - + | Steps | | |
|--------------|-------------------------------|----|-----|----------|----|---|---|---|----|----|----|---|-----|------------|----|---|
| / 7·29·13 05 | 0 PM // 7:29:28.808 PM / | 8 | ╢- | 8- | | | | | | | | | | Total - 10 | | |
| 7 7.20.10.00 | | 6 | | | | | | | | | j | | | Pass - 3 | 10 | |
| To check But | dgetDefinition moduel feature | 2 | | | | | | | | | | | | Fail - 1 | 10 | 5 |
| @Modificatio | n_history_autoAuth | 0 | | | +- | | | | | | | | | Skip - 6 | | |
| | | | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given navigate to URL and login as a maker and choose finance option | PASSED | 10.724 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.569 s |
| | screenshot | | |
| | # 100 Figure | | |
| 2 | Then click on budget configuration Menu | PASSED | 0.079 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.243 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | Price of Age. Control Age. Cont | | |
| 3 | And Find the budet code in the list | PASSED | 0.897 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.194 s |
| | screenshot | | |
| | # Option Sequence (1987 to 1) | | |
| 4 | Then verify system should display the status of the record | FAILED | 0.018 s |
| | org.openga.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath", "selector":"/span[contains(text(), 'BUDG450')]/ancestor::datatable-body-cell/following-sibling::datatable-body-cell/[3]//span"] (Session info: chrome=96.0.4664.45) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc551.cbda' System info: host: 'INMUVADP014584', ip: '10.1.47.109', os.name: Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openga.selenium.chrome.ChromeDriver Command: ladda2ed3f5714ed8ba0163b1246e5efe, findElement {using=xpath, value=//span[contains(text(), 'BUDG450')]/ancestor::datatable-body-cell/ following-sibling::datatable-body-cell/[3]//span]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: (chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46, userDataDir: C:\Users\ININDC~1\AppbataL\), goog-chromee/potions: {debuggerAddress: localhost:56924}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal. platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56924/devtoo, se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:credBlob: true, webauthn:extension:credBlob: true, webauthn:extension:atrue} satisfies at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openga.selenium.remote.codec.w3c.W3CHttpRespo | | |

DETAILED SECTION -- 6 --

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at stepdefinitions.BUDGET_BudgetCreation.verify_system_should_display_the_status_of_the_record(BUDGET_BudgetCreation.java:305) at ?.verify system should display the status of the record(file:///C:/Users/inindc00076/git/ AzentioAutomationFramework2/AzentioAutomationFramework/src/test/java/features/KUBS_BudgetDefinition.feature:519) * Not displayable characters are replaced by '?'. AFTER STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.119 s |
| | screenshot | I ASSED | 0.1193 |
| | # Q AND | | |
| 5 | And verify system should display the name or id who created the record | SKIPPED | 0.000 s |
| 6 | And verify system should display record created date | SKIPPED | 0.000 s |
| 7 | And verify system should display the name or id who made changes the record at last | SKIPPED | 0.000 s |
| 8 | And verify system should display record modified date | SKIPPED | 0.000 s |
| 9 | Then verify system should display name or id of the authorized person of that record | SKIPPED | 0.000 s |
| 10 | And verify system should diplay the authorized date | SKIPPED | 0.000 s |

EXPANDED SECTION --- 7 -

