

FEATURES SUMMARY -- 2 --



| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|----------|
| 1 | Check the Functionality of AR/AP Module | 1 | 1 | 0 | 0 | 25.229 s |




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|----------------------------------|--|----|----|---|---|----------|
| 1 | Check the Functionality of AR/AP | Check GRN cancellation is not allowed if Bill has been | 18 | 18 | 0 | 0 | 25.223 s |
| | Module | approved against that GRN | | | | | |

DETAILED SECTION -- 4 --

(F)- Check the Functionality of AR/AP Module

| PASSED | DURATION - 25.229 s | Scenarios | | Steps | |
|------------------|-------------------------|-----------|---|------------|----|
| | | Total - 1 | | Total - 18 | |
| / 12:18:47.036 p | om // 12:19:12.265 pm / | Pass - 1 | 1 | Pass - 18 | 18 |
| | | Fail - 0 | | Fail - 0 | |
| | | Skip - 0 | | Skip - 0 | |

(S)- Check GRN cancellation is not allowed if Bill has been approved against that GRN



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Navigate The Azentio Url | PASSED | 12.606 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.145 s |
| | screenshot | | |
| | ■ Particular Annual Particular States () ■ O and I and I annual Particular States () ■ O and I annual Particular States () ■ O and I annual Particular States () ■ O annual Particular States () | | |
| 2 | Then Choose the second Tab Segment | PASSED | 0.318 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.183 s |
| | screenshot | | |

| TO CONTRIBUTION TO THE PART OF | |
|--|-------|
| © → □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ | |
| 3 And Click On Main module Accounts payable PASSED 0.1 | 139 s |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.2 | 214 s |
| screenshot | |
| ■ State of the st | |
| 4 Then Open Invoice Bill Booking Eye icon PASSED 0.2 | 209 s |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 0.4 | 407 s |
| B | |
| 5 And Click On Search Icon PASSED 0.1 | 168 s |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.2 | 258 s |
| screenshot | |
| | |
| 6 And Enter the Invoice Bill Booking status PASSED 0.2 | 269 s |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.1 | 174 s |
| screenshot | |


| The Click on Table Row First Eye Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) The Click on Table Row First Eye Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) The Click on AP Invoice Against PO Tab AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) The Click on AP Invoice Against PO Tab AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucu | # | Step / Hook Details | Status | Duration |
|--|----|--|--------|----------|
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And Store the Business partner Value AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED O.633 s PASSED O.120 s PASSED O.120 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.447 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) O.447 s PASSED O.447 s | | | | |
| screenshot 8 And Store the Business partner Value AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 Then Click on AP Invoice Against PO Tab AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 Then Click on AP Invoice Against PO Tab AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 And Get the Required Number AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.102 s | 7 | Then Click on Table Row First Eye Icon | PASSED | 0.120 s |
| 8 And Store the Business partner Value AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 Then Click on AP Invoice Against PO Tab AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 PASSED AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) ATTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) APASSED AND Get the Required Number AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.411 s |
| 8 And Store the Business partner Value PASSED 0.633 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Click on AP Invoice Against PO Tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.102 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 Then Click on AP Invoice Against PO Tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 And Get the Required Number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.107 s 0.447 s 0.102 s | | | | |
| Screenshot 9 Then Click on AP Invoice Against PO Tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 And Get the Required Number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.102 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.146 s | 8 | And Store the Business partner Value | PASSED | 0.633 s |
| 9 Then Click on AP Invoice Against PO Tab AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 And Get the Required Number AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.107 s 0.447 s 0.447 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.120 s |
| 9 Then Click on AP Invoice Against PO Tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 And Get the Required Number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.102 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.102 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 And Get the Required Number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.447 s PASSED 0.102 s PASSED 0.104 s | | © Institution | | |
| Screenshot 10 And Get the Required Number AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber.java. Scenario) PASSED 0.102 s 0.146 s | 9 | Then Click on AP Invoice Against PO Tab | PASSED | 0.107 s |
| 10 And Get the Required Number AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 0.102 s 0.146 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.447 s |
| 10 And Get the Required Number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.102 s 0.146 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.146 s | | 9 <u>0</u> 0 | | |
| | 10 | And Get the Required Number | PASSED | 0.102 s |
| screenshot | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.146 s |
| | | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|----|--|--------|----------|
| | The state of the s | | |
| 11 | And Click On Main module Accounts payable | PASSED | 0.092 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.178 s |
| | screenshot | | |
| | | | |
| 12 | Then Open the Adjustment ARAP module | PASSED | 0.097 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot **Texage: Texage: Texage | PASSED | 0.171 s |
| 13 | And Click on Adjustment ARAP Eye Icon | PASSED | 0.157 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.355 s |
| | screenshot | | |
| | | | |
| 14 | And Click Add icon button | PASSED | 0.187 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.242 s |
| 1 | screenshot | | |


| # | Step / Hook Details | Status | Duration |
|----|---|--------|----------|
| | State of the control | | |
| 15 | Then Give The Business Partner | PASSED | 0.439 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.156 s |
| | screenshot | | |
| | TO DE PART MATERIAL STATES OF THE PART MATERIAL STATES OF | | |
| 16 | And Give The Adjustment Type | PASSED | 0.169 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot | PASSED | 0.173 s |
| 17 | Then Enter the Adjustment Item Type | PASSED | 0.426 s |
| 1 | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.140 s |
| | Screenshot | | |
| 18 | And Enter the Adjustment Ref No and Validate | PASSED | 1.478 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.118 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | *** *** *** *** *** *** *** *** *** ** | | |


EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --




EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --



EXPANDED SECTION -- 17 --



EXPANDED SECTION -- 18 --

