


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP Module	1	0	1	0	26.817 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP	Cancellation of Advance (Against PO)	43	16	1	26	26.811 s
	<u>Module</u>						

DETAILED SECTION -- 4 --

(F)- Check the Functionality of AR/AP Module

FAILED	DURATION - 26.817 s	Scenarios		Steps	
		Total - 1		Total - 43	
/ 12:29:39.347 p	om // 12:30:06.164 pm /	Pass - 0	1	Pass - 16	43
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 26	

(S)- Cancellation of Advance (Against PO)



#	Step / Hook Details	Status	Duration
1	Given Navigate The Azentio Url	PASSED	12.340 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.177 s
	screenshot		
	■ The state of th		
2	Then Choose the second Tab Segment	PASSED	0.335 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.197 s
	screenshot		

IN CONTRACTOR OF THE PROPERTY	
Section 1 Section 2 Sectio	
3 And Click On Main module Accounts Receivable PASS	SED 0.114 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASS	SED 0.153 s
screenshot	
#	
4 Then Click on Accounts Receive Advances Eye Icon	SED 0.224 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	SED 0.406 s
Screenshot	
5 And Click On Search Icon PASS	SED 0.131 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	0.266 s
Company Com	
6 Then Enter Active Value In Advance Status PASS	SED 0.219 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	SED 0.218 s
screenshot	

#	Step / Hook Details	Status	Duration
	■		
7	Then Click on Table Row First Eye Icon	PASSED	0.121 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.363 s
	screenshot		
	■ Company Com		
8	And Get The Business Partner and Advance Number	PASSED	0.091 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.131 s
	Screenshot *** ********************************		
9	And Click On Main module Accounts payable	PASSED	0.097 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.187 s
10	Then Click sub module Payment settlement Eye Icon	PASSED	0.145 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.298 s
	screenshot		

After Step - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) After Step - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 12 Then Enter payment option After Step - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) After Step - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.374 s PASSED 0.178 s After Step - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) After Step - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) After Step - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.38 s PASSED 0.38 s PASSED 0.433 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 12 Then Enter payment option AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot 13 And Give stored Business partner Name AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.210 s 0.210 s 0.210 s		O		
screenshot Ten Enter payment option	11	And Click Add icon button	PASSED	0.225 s
12 Then Enter payment option PASSED 0.374 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AGUE Stored Business partner Name AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.210 s
Then Enter payment option AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And Give stored Business partner Name AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Days Days Days Days Days Days Days Days		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 13 And Give stored Business partner Name AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 0.178 s 0.178 s 0.178 s				
screenshot And Give stored Business partner Name AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 0.308 s 0.183 s	12	Then Enter payment option	PASSED	0.374 s
13 And Give stored Business partner Name AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot O.308 s O.308 s O.308 s O.308 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.178 s
13 And Give stored Business partner Name AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 0.308 s 0.183 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot United Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) O.183 s				
Screenshot	13	And Give stored Business partner Name	PASSED	0.308 s
The state of the s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.183 s
### Company of the co		screenshot		
14 Then Choose value date as System current date 2.139 s		9 1		
	14	Then Choose value date as System current date	PASSED	2.139 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.142 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.142 s
screenshot		screenshot]	


#	Step / Hook Details	Status	Duration
	■		
15	And find the Advance reference number for Active Advances is availabe at the billing queue	PASSED	1.453 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED 0.13	0.137 s
	screenshot		
	1		
16	Then Click the Checkbox As Tick	PASSED	0.100 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.179 s
	screenshot		
	1		
17	When Enter the Description value	FAILED	1.103 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <input aria-labelledby="ion-input-16-lbl" autocapitalize="off" autocomplete="off" autocorrect="off" class="native-input sc-ion-input-md" name="paymentDesc" placeholder="" type="text"/> is not clickable at point (1216, 99). Other element would receive the click: <ion-toolbar class="in-toolbar md toolbar-title-default hydrated"> is not clickable at point (1216, 99). Other element would receive the click: <ion-toolbar class="in-toolbar md toolbar-title-default hydrated"> is not clickable at point (1216, 99). Other element would receive the click: <ion-toolbar class="in-toolbar md toolbar-title-default hydrated"> is not clickable at point (1216, 99). Other element would receive the click: <ion-toolbar class="in-toolbar md toolbar-title-default hydrated"> is not clickable at point (1216, 99). Other element would receive the click: <ion-toolbar class="in-toolbar md toolbar-title-default hydrated"> is not clickable at point (1216, 99). Other element would receive the click: <ion-toolbar class="in-toolbar md toolbar-title-default hydrated"> is not clickable at point (1216, 99). Other element would receive the click: <ion-toolbar class="in-toolbar md toolbar-title-default hydrated"> is not clickable at point (1216, 99). Other element would receive the click: <ion-toolbar class="in-toolbar md toolbar-title-default hydrated"> is not clickable at point intoolbar intoo</ion-toolbar></ion-toolbar></ion-toolbar></ion-toolbar></ion-toolbar></ion-toolbar></ion-toolbar></ion-toolbar>		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.bttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.dick(RemoteWebElement.java:77) at jdk.internal.reflect.GeneratedMethodAccessor6.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorfmpl.invoke(DelegatingMethodAccessorfmpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.sProxy46.click(Unknown Source) at stepdefinitions.ARAP_CancellationOfGRN.enter_the_description_value(ARAP_CancellationOfGRN.java:735) at ?Enter the Description value(file://IC:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/ ARAP_GrnCancellation.feature:140) *Not displayable characters are replaced by '?'. AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.141 s
18	And Save The Payment settlement Record	SKIPPED	0.001 s
19	Then Click the Alert message as Yes	SKIPPED	0.000 s
20	Then Goto The Notification Icon	SKIPPED	0.001 s
21	And Store the Referance Id and Open the Record	SKIPPED	0.000 s
22	Then Click submit button and Enter Remark submit it	SKIPPED	0.000 s
23	Given Navigate as a Reviewer	SKIPPED	0.000 s
24	Then click on Notify icon	SKIPPED	0.000 s
25	And Click First record Action icon	SKIPPED	0.000 s
26	Then Approve the record in Reviewer	SKIPPED	0.000 s
20			
27	And Give Remark and Submit	SKIPPED	0.001 s


DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
29	Then Click module security management	SKIPPED	0.000 s
30	And Claim the Record in Checker	SKIPPED	0.003 s
31	Then Goto the Checker notification Icon	SKIPPED	0.000 s
32	And Click the First Action Icon	SKIPPED	0.000 s
33	Then Approve the Record in checker stage	SKIPPED	0.000 s
34	And Give the Remark and Submit it	SKIPPED	0.000 s
35	Given Navigate The Azentio Url	SKIPPED	0.000 s
36	Then Choose the second Tab Segment	SKIPPED	0.001 s
37	Then Open the Adjustment ARAP module	SKIPPED	0.000 s
38	And Click on Adjustment ARAP Eye Icon	SKIPPED	0.000 s
39	And Click Add icon button	SKIPPED	0.001 s
40	Then Give The Business Partner	SKIPPED	0.000 s
41	And Give The Adjustment Type	SKIPPED	0.000 s
42	Then Give the Adjustment Item Type as AR Advance	SKIPPED	0.001 s
43	And Give the Advance Adjustment Ref No and Validate	SKIPPED	0.000 s


EXPANDED SECTION -- 11 --




EXPANDED SECTION




EXPANDED SECTION -- 13 --





EXPANDED SECTION -- 14 --





EXPANDED SECTION -- 16 --





EXPANDED SECTION -- 18 --

